

The image features a large, stylized graphic in the background. It consists of a red triangle on the left and a black triangle on the right, meeting at a diagonal line. Below these triangles is a large, light gray sphere composed of a network of interconnected nodes and lines, resembling a molecular structure or a network diagram. The word "ashika" is written in a red, stylized font on the black triangle.

**ashika®**

# **NEWS 2025**

[www.ashika.eu](http://www.ashika.eu)

## Brake system

### 131-00-2135L

#### Cable, parking brake



FIAT PANDA (169)  
FIAT PANDA Van (141\_)  
FIAT PANDA Van (169)

**OE**  
46829767

Fitting Position: Left  
Length 1/ Length 2 [mm]: 1480/1280

### 131-00-2135R

#### Cable, parking brake



FIAT PANDA (169)  
FIAT PANDA Van (141\_)  
FIAT PANDA Van (169)

**OE**  
46829766

Fitting Position: Right  
Length 1/ Length 2 [mm]: 1465/1265

### 131-00-2136

#### Cable, parking brake



CITROEN JUMPY  
CITROEN JUMPY Furgonato  
FIAT SCUDO (270\_)  
FIAT SCUDO Furgonato (270\_)  
FIAT SCUDO Pianale piatto/Telaio (270\_)  
PEUGEOT EXPERT Furgonato (VF3A\_, VF3U\_)

**OE**  
1400203680  
474611

Fitting Position: Left  
Fitting Position: Right  
Length 1/ Length 2 [mm]: 1610/1465

### 131-00-2137

#### Cable, parking brake



FIAT PUNTO (188)

**OE**  
46845902

Fitting Position: Left  
Fitting Position: Right  
Length 1/ Length 2 [mm]: 1450/1235

### 131-00-2141

#### Cable, parking brake



FIAT DOBLO Cassone / Furgonato / Promiscuo (263)  
FIAT DOBLO MPV / Space wagon (152, 263)  
FIAT DOBLO Pianale piatto/Telaio (263)

**OE**  
51868726  
51882837  
522108  
95510633

Fitting Position: Left  
Fitting Position: Rear  
Fitting Position: Right  
Length 1/ Length 2 [mm]: 2182/1898

## Brake system

### 131-00-2142

#### Cable, parking brake



FIAT DOBLO Cassone / Furgonato / Promiscuo (263)  
FIAT DOBLO MPV / Space wagon (152, 263)  
FIAT DOBLO Pianale piatto/Telaio (263)  
OPEL COMBO Cassone / Furgonato / Promiscuo (X12)

#### OE

51868727  
51882838  
52093071  
522107  
95510632

Fitting Position: Left  
Fitting Position: Rear  
Fitting Position: Right  
Length 1/ Length 2 [mm]: 1833/1552

### 131-00-02148

#### Cable, parking brake



ABARTH PUNTO EVO (199)  
ALFA ROMEO MITO (955)  
FIAT GRANDE PUNTO (199)  
FIAT PUNTO (199)  
FIAT PUNTO EVO (199)

#### OE

50519022  
50519023  
51844531  
51871599

Fitting Position: Left  
Fitting Position: Rear  
Length 1/ Length 2 [mm]: 1640/1430

### 131-00-0447

#### Cable, parking brake



OPEL COMBO Cassone / Furgonato / Promiscuo (X12)  
OPEL COMBO Tour (X12)

#### OE

51882839  
522109  
95510634

Fitting Position: Left  
Fitting Position: Rear  
Fitting Position: Right  
Length 1/ Length 2 [mm]: 1872/1585

### 131-00-0651L

#### Cable, parking brake



CITROEN ZX Break (N2)

#### OE

4745K8  
962884680  
9628847380

Fitting Position: Left Rear  
Length [mm]: 1610

### 131-00-0651R

#### Cable, parking brake



CITROEN ZX Break (N2)

#### OE

4745K9  
9628847480  
962884780

Fitting Position: Right Rear  
Length [mm]: 1520

## Brake system

### 131-00-0652L

#### Cable, parking brake



PEUGEOT 306 Break (7E, N3, N5)

#### OE

4745N8  
9617667980

Fitting Position: Left

Length 1/ Length 2 [mm]: 1687/1331

### 131-00-0652R

#### Cable, parking brake



PEUGEOT 306 Break (7E, N3, N5)

#### OE

4745N9  
9622434980

Fitting Position: Right

Length 1/ Length 2 [mm]: 1599/1251

### 131-00-0743R

#### Cable, parking brake



RENAULT KANGOO (KC0/1\_)  
RENAULT KANGOO Express (FC0/1\_)

#### OE

8200042064  
8200042065  
8200694016  
8200694022

Fitting Position: Right

Length 1/ Length 2 [mm]: 1525/1235

### 131-02-2091

#### Cable, parking brake



TOYOTA YARIS (NHP13\_, NSP13\_, NCP13\_,  
KSP13\_, NLP13\_)

#### OE

464300D210  
464300D220

Fitting Position: Left

Length 1/ Length 2 [mm]: 1705/1520

Section: Rear Section

### 131-02-2092

#### Cable, parking brake



TOYOTA YARIS (NHP13\_, NSP13\_, NCP13\_,  
KSP13\_, NLP13\_)

#### OE

464200D210  
464200D220

Fitting Position: Right

Length 1/ Length 2 [mm]: 1775/1598

Section: Rear Section

## Brake system

### BPW-042

#### Warning Contact, brake pad wear



PORSCHE CAYENNE  
PORSCHE PANAMERA  
VW TOUAREG (7P5)  
VW TOUAREG VAN (7P5)

**OE**  
7P0907637A  
95861236500

Brake Type: Disc Brake  
Length [mm]: 296

### BPW-051

#### Warning Contact, brake pad wear



AUDI A6 (4G2, C7, 4GC)  
AUDI A6 Allroad (4GH, 4GJ)  
AUDI A6 Avant (4G5, C7, 4GD)  
AUDI A7 Sportback (4GA, 4GF)  
AUDI A8 (4H\_)  
AUDI Q5 (8R)

**OE**  
4H0615121E  
4H0615121F  
4H0615121J

Brake Type: Disc Brake  
Length [mm]: 311,6

### BPW-063

#### Warning Contact, brake pad wear



BMW 1 (E81)  
BMW 1 (E87)  
BMW 1 Cabriolet (E88)  
BMW 1 Coupé (E82)  
BMW 3 (E90)  
BMW 3 Cabriolet (E93)

**OE**  
34356792564

Brake Type: Disc Brake  
Length [mm]: 1107

### BPW-070

#### Warning Contact, brake pad wear



LAND ROVER DISCOVERY SPORT (LC)  
LAND ROVER DISCOVERY SPORT VAN (L550)

**OE**  
LR061394  
LR072544

Brake Type: Disc Brake  
Length [mm]: 857

### BPW-073

#### Warning Contact, brake pad wear



JAGUAR XE (X760)  
JAGUAR XF (X260)  
JAGUAR XF SPORTBRAKE (X260)

**OE**  
T2H2091

Brake Type: Disc Brake  
Length [mm]: 935

## Brake system

### BPW-082

#### Warning Contact, brake pad wear



BMW 7 (F01, F02, F03, F04)

**OE**  
34356791960

Brake Type: Disc Brake  
Length [mm]: 1065

### BPW-109

#### Warning Contact, brake pad wear



LAND ROVER RANGE ROVER III (LM)

**OE**  
SOE500030

Brake Type: Disc Brake  
Length [mm]: 1158

### BPW-119

#### Warning Contact, brake pad wear




BMW 3 (E30)  
BMW 3 Cabriolet (E30)  
BMW 3 Touring (E30)  
BMW 5 (E28)  
BMW 6 (E24)  
BMW Z1

**OE**  
34111152607  
34351179819  
34351180782

Brake Type: Disc Brake  
Length [mm]: 262

### BPW-130

#### Warning Contact, brake pad wear



JAGUAR F-PACE (X761)  
LAND ROVER RANGE ROVER VELAR (L560)

**OE**  
LR090709  
T4A3216

Brake Type: Disc Brake  
Length [mm]: 1015

### BPW-137

#### Warning Contact, brake pad wear



BMW i3 (I01)

**OE**  
34356799329

Brake Type: Disc Brake  
Length [mm]: 679

## Brake system

### BPW-138

#### Warning Contact, brake pad wear



BMW Z4 Roadster (G29)

#### OE

34 35 6 877 085  
34356877085

Brake Type: Disc Brake

### BPW-164

#### Warning Contact, brake pad wear



PORSCHE BOXSTER (986)  
PORSCHE BOXSTER (987)  
PORSCHE BOXSTER Spyder (987)  
PORSCHE CAYMAN (987)

#### OE

98661236500

Brake Type: Disc Brake  
Length [mm]: 440

### BPW-177

#### Warning Contact, brake pad wear



PORSCHE 911 (996)  
PORSCHE 911 (997)  
PORSCHE 911 Cabriolet (996)  
PORSCHE 911 Cabriolet (997)  
PORSCHE 911 Targa (996)  
PORSCHE BOXSTER (986)

#### OE

996 612 365 00  
996.612.365.00

Brake Type: Disc Brake  
Length [mm]: 440

### BPW-178

#### Warning Contact, brake pad wear



BMW 5 (E34)  
BMW 5 Touring (E34)  
BMW 7 (E32)  
BMW 8 (E31)

#### OE

1179820  
1180432  
1180781  
2225107  
34111180432  
34112225107

Brake Type: Disc Brake

### BPW-179

#### Warning Contact, brake pad wear



JAGUAR XF (J05\_, CC9)  
JAGUAR XF SPORTBRAKE (CC9)

#### OE

C2Z16061

Brake Type: Disc Brake  
Length [mm]: 610

## Brake system

### BPW-191

#### Warning Contact, brake pad wear



BMW 7 (E38)

**OE**  
34351182065

Brake Type: Disc Brake  
Length [mm]: 620

### BPW-217

#### Warning Contact, brake pad wear



BMW 3 (E30)  
BMW 3 Cabriolet (E30)  
BMW 3 Touring (E30)  
BMW Z1

**OE**  
34 35 1 153 964  
34 35 9 058 889

Brake Type: Disc Brake  
Length [mm]: 235

### BPW-232

#### Warning Contact, brake pad wear



BMW Z4 (E89)

**OE**  
34356789446

Brake Type: Disc Brake  
Length [mm]: 1338

### BPW-252

#### Warning Contact, brake pad wear



OPEL ASTRA F (56\_, 57\_)  
OPEL ASTRA F 2 volumi /Coda spiovente (53\_, 54\_, 58\_, 5)  
OPEL ASTRA F Cabriolet (53\_B)  
OPEL ASTRA F Station wagon (51\_, 52\_)  
OPEL ASTRA F Van (55\_)

**OE**  
12 38 348  
90335784

Brake Type: Disc Brake  
Length [mm]: 670

### BPW-265

#### Warning Contact, brake pad wear



PORSCHE 911 (997)  
PORSCHE 911 Cabriolet (997)  
PORSCHE 911 Targa (997)

**OE**  
997 612 678 00

Brake Type: Disc Brake  
Warning Contact Length [mm]: 390

## Brake system

### BPW-300

#### Warning Contact, brake pad wear



AUDI A4 Avant (8K5, B8)  
AUDI A6 (4G2, C7, 4GC)  
AUDI A6 Allroad (4GH, 4GJ)  
AUDI A6 Avant (4G5, C7, 4GD)  
AUDI A7 Sportback (4GA, 4GF)  
PORSCHE MACAN

**OE**  
4G0 615 121

Brake Type: Disc Brake  
Length [mm]: 215

### BPW-301

#### Warning Contact, brake pad wear



OPEL VECTRA A (86\_, 87\_)  
OPEL VECTRA A 2 volumi /Coda spiovente (88\_, 89\_)

**OE**  
1238349  
1238408  
90335785

Brake Type: Disc Brake  
Length [mm]: 660

### BPW-302

#### Warning Contact, brake pad wear



OPEL ASCONA B (81\_, 86\_, 87\_, 88\_)  
OPEL ASCONA C (81\_, 86\_, 87\_, 88\_)  
OPEL ASCONA C 2 volumi /Coda spiovente (84\_, 89\_)  
OPEL KADETT D (31\_-34\_, 41\_-44\_)  
OPEL KADETT D (32\_, 37\_, 39\_, 42\_)

**OE**  
1238353  
90185106

Brake Type: Disc Brake  
Length [mm]: 955

### BPW-303

#### Warning Contact, brake pad wear



HYUNDAI i20 III (BC3, BI3)

**OE**  
58177-C0000

Brake Type: Disc Brake  
Length [mm]: 265

### BPW-304

#### Warning Contact, brake pad wear



LAND ROVER RANGE ROVER SPORT III (L461)  
LAND ROVER RANGE ROVER V (L460)

**OE**  
LR153546

Brake Type: Disc Brake  
Length [mm]: 550

## Brake system

### BPW-305

#### Warning Contact, brake pad wear



JAGUAR F-TYPE Cabriolet  
JAGUAR XF (\_J05\_, CC9)  
JAGUAR XF SPORTBRAKE (CC9)  
JAGUAR XJ (X35\_, \_J12\_, \_J24\_)

OE  
C2P17004

Brake Type: Disc Brake  
Length [mm]: 590

### BPW-306

#### Warning Contact, brake pad wear



JAGUAR XJ (XJ 40, 81)  
JAGUAR XK 8 Convertible (QDV)  
JAGUAR XK 8 Coupe (QEV)

OE  
DBC6596

Brake Type: Disc Brake  
Length [mm]: 460

### BPW-307

#### Warning Contact, brake pad wear



OPEL OMEGA B (25\_, 26\_, 27\_)  
OPEL OMEGA B Station wagon (21\_, 22\_, 23\_)

OE  
6238322  
90495145

Brake Type: Disc Brake  
Length [mm]: 730

### BPW-308

#### Warning Contact, brake pad wear



JAGUAR I-PACE (X590)

OE  
T4K4054

Brake Type: Disc Brake  
Length [mm]: 955

### BPW-309

#### Warning Contact, brake pad wear



BMW iX (I20)

OE  
34 35 6 891 369

Brake Type: Disc Brake  
Length [mm]: 880

## Brake system

### BPW-310

#### Warning Contact, brake pad wear



AUDI TT (FV3)  
AUDI TT Roadster (FV9)

**OE**  
8S0 615 121A

Brake Type: Disc Brake  
Length [mm]: 200

### 65-00-008

#### Wheel Brake Cylinder



GREAT WALL STEED 5 Pick-up

**OE**  
3502170P00

Diameter [mm]: 25,3  
Fitting Position: Rear Axle  
Mounting Bores Distance [mm]: 35  
Required quantity: 2

### 65-01-102

#### Wheel Brake Cylinder



NISSAN MICRA III (K12)

**OE**  
44100AX001  
AY220NA003

Bore [mm]: 15,87  
Fitting Position: Rear Axle left and right  
Required quantity: 2

### 65-04-410

#### Wheel Brake Cylinder



HONDA CIVIC VIII Tre volumi (FD, FA)

**OE**  
43300SNAA01

Bore [mm]: 19  
Fitting Position: Rear Axle  
Material: Aluminium  
Mounting Bores Distance [mm]: 30,7  
Required quantity: 2  
Thread Size: 10 x 1

### 65-0K-K02

#### Wheel Brake Cylinder



HYUNDAI SANTAMO  
KIA JOICE  
MITSUBISHI SANTAMO

**OE**  
58380M2000

Diameter [in]: 13/16  
Diameter [mm]: 20,63  
Fitting Position: Rear Axle Right

## Brake system

### 60-00-0270C

#### Brake Disc



GIOTTI VICTORIA GLADIATOR Autobus  
GIOTTI VICTORIA GLADIATOR Furgonato  
GIOTTI VICTORIA GLADIATOR Pianale  
piatto/Telaio

#### OE

Brake Disc Thickness [mm]: 17,5  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Height [mm]: 45  
Inner Diameter [mm]: 59,5  
Minimum Thickness [mm]: 15,5  
Number of Bores: 4  
Outer Diameter [mm]: 257  
Required quantity: 2

### 60-00-0277C

#### Brake Disc



CITROEN C25 Autobus (280\_, 290\_)  
CITROEN C25 Furgonato (280\_, 290\_)  
CITROEN C25 Pianale piatto/Telaio (280\_, 290\_)  
FIAT DUCATO Furgonato (280)  
FIAT DUCATO Furgonato (290)  
FIAT DUCATO Panorama (280)

#### OE

07538682  
4246A0  
4246H3  
4246N7  
4249J0  
71739638

Brake Disc Thickness [mm]: 16  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 14,8  
Number of Holes: 5  
Outer Diameter [mm]: 290  
Tightening Torque [Nm]: 9,5

### 60-00-0278C

#### Brake Disc



IVECO EuroCargo  
IVECO EuroFire

#### OE

01907526  
01907527  
01907530  
01907726  
01908578  
07172017

Brake Disc Thickness [mm]: 30  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 27,75  
Number of Bores: 8  
Outer Diameter [mm]: 322

### 60-00-0279C

#### Brake Disc



IVECO DAILY III Autobus  
IVECO DAILY III Cassone / Furgonato /  
Promiscuo  
IVECO DAILY III Pianale piatto/Telaio

#### OE

042546401  
08139067  
42546401  
500039191  
504079365  
504080994

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 19  
Number of Holes: 6  
Outer Diameter [mm]: 290  
Tightening Torque [Nm]: 120

### 60-00-0360C

#### Brake Disc



FORD TRANSIT '55- Autobus  
FORD TRANSIT Autobus (72E, 73E)  
FORD TRANSIT Autobus (T\_ \_)  
FORD TRANSIT Autobus (V\_ \_)  
FORD TRANSIT Furgonato (72E, 71E)  
FORD TRANSIT Furgonato (81E)

#### OE

1117075  
1539549  
5022674  
5022677  
6041696  
6166056

Brake Disc Thickness [mm]: 14,3  
Brake Disc Type: Solid  
Colour: Black  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 12,9  
Number of Holes: 5  
Outer Diameter [mm]: 270  
Surface: Painted  
Tightening Torque [Nm]: 11,5

## Brake system

### 60-00-0361C

#### Brake Disc



FORD TRANSIT Autobus (T\_...)  
FORD TRANSIT Furgonato (T\_...)  
FORD TRANSIT Pianale piatto/Telaio (T\_...)

#### OE

5022676  
6135249  
6166055  
86VB1125AB  
86VX1125AB

Brake Disc Thickness [mm]: 14,3  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 12,9  
Number of Holes: 5  
Outer Diameter [mm]: 254  
Supplementary Article/Supplementary Info 2:  
Without screws  
Tightening Torque [Nm]: 11,5

### 60-00-0362C

#### Brake Disc



FORD ESCORT '91 Express (AVL)  
FORD ESCORT '95 Furgonato (AVL)  
FORD ESCORT IV (GAF, AWF, ABFT)  
FORD ESCORT V (GAL)  
FORD ESCORT V Station wagon (GAL, AVL)  
FORD ESCORT VI Tre volumi (GAL)

#### OE

1072464  
1107767  
5022652  
5022653  
6183975  
6183976

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 8  
Number of Holes: 4  
Outer Diameter [mm]: 240  
Tightening Torque [Nm]: 10

### 60-00-0363C

#### Brake Disc



FORD TOURNEO CUSTOM Autobus  
FORD TRANSIT Autobus  
FORD TRANSIT CUSTOM Autobus  
FORD TRANSIT CUSTOM Furgonato  
FORD TRANSIT Furgonato  
FORD TRANSIT Pianale piatto/Telaio

#### OE

2168838  
2221678  
BK211125GA  
BK211125HA

Brake Disc Thickness [mm]: 33  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 93,1  
Height [mm]: 55,4  
Inner Diameter [mm]: 136  
Minimum Thickness [mm]: 30  
Number of Holes: 5  
Outer Diameter [mm]: 288  
Pitch Circle [mm]: 116  
Surface: Coated  
Wheel Bolt Bore [mm]: 10

### 60-00-0365C

#### Brake Disc



FORD TOURNEO CUSTOM Autobus  
FORD TRANSIT Autobus  
FORD TRANSIT CUSTOM Autobus  
FORD TRANSIT CUSTOM Furgonato  
FORD TRANSIT Furgonato  
FORD TRANSIT Pianale piatto/Telaio

#### OE

2168836  
2171541  
BK211125EA  
BK211125FA

Brake Disc Thickness [mm]: 33  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 93,1  
Height [mm]: 55,3  
Inner Diameter [mm]: 136  
Minimum Thickness [mm]: 30  
Number of Holes: 5  
Outer Diameter [mm]: 308  
Pitch Circle [mm]: 116  
Surface: Coated  
Wheel Bolt Bore [mm]: 10

### 60-00-0366C

#### Brake Disc



VOLVO XC60

#### OE

31423214  
31423305

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Internally Vented  
Centering Diameter [mm]: 63,5  
Fitting Position: Front Axle  
Height [mm]: 52  
Minimum Thickness [mm]: 26  
Number of Holes: 5  
Outer Diameter [mm]: 324

## Brake system

### 60-00-0424C

#### Brake Disc



OPEL ASCONA C (81\_, 86\_, 87\_, 88\_)  
OPEL ASCONA C 2 volumi /Coda spiovente (84\_, 89\_)  
OPEL ASTRA F (56\_, 57\_)  
OPEL ASTRA F 2 volumi /Coda spiovente (53\_, 54\_, 58\_, 5

#### OE

569030  
90008005  
90008031  
90111242  
93182290  
93182311

Brake Disc Thickness [mm]: 12,5  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 9,7  
Number of Holes: 6  
Outer Diameter [mm]: 235,9  
Tightening Torque [Nm]: 11,5

### 60-00-0425C

#### Brake Disc



OPEL INSIGNIA Tre volumi  
SUBARU IMPREZA Station wagon (GD, GG)  
SUBARU IMPREZA Tre volumi (GD, GG)

#### OE

26300FE000  
26300FE010  
26300FE011

Brake Disc Thickness [mm]: 30  
Brake Disc Type: Vented  
Centering Diameter [mm]: 58  
Fitting Position: Front Axle  
Height [mm]: 52,7  
Minimum Thickness [mm]: 28  
Number of Holes: 5  
Outer Diameter [mm]: 326  
Tightening Torque [Nm]: 13

### 60-00-0428C

#### Brake Disc



OPEL INSIGNIA  
OPEL INSIGNIA A Country Tourer (G09)  
OPEL INSIGNIA Station wagon  
OPEL INSIGNIA Tre volumi  
SAAB 9-5 (YS3G)

#### OE

13501940  
13502215  
569080  
569274  
569335

Brake Disc Thickness [mm]: 30  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Height [mm]: 51  
Minimum Thickness [mm]: 28  
Number of Holes: 5  
Outer Diameter [mm]: 337  
Supplementary Article/Supplementary Info 2:  
Without screws  
Tightening Torque [Nm]: 15

### 60-00-0574C

#### Brake Disc



MERCEDES-BENZ CLASSE S (W220)  
MERCEDES-BENZ CLASSE S Coupé (C215)

#### OE

2204210812  
2204212512  
A2204210812  
A2204212512  
A220421251264

Brake Disc Thickness [mm]: 32  
Brake Disc Type: Vented  
Centering Diameter [mm]: 67  
Fitting Position: Front Axle  
Height [mm]: 76  
Minimum Thickness [mm]: 30  
Number of Holes: 5  
Outer Diameter [mm]: 330  
Tightening Torque [Nm]: 150

### 60-00-0575C

#### Brake Disc



MERCEDES-BENZ CLASSE S (W221)  
OPEL INSIGNIA Tre volumi

#### OE

2214210612  
2214211012  
2214211712  
43380  
A2214210612  
A2214211012

Brake Disc Thickness [mm]: 32  
Brake Disc Type: Perforated / Vented  
Centering Diameter [mm]: 67  
Fitting Position: Front Axle  
Height [mm]: 64,5  
Minimum Thickness [mm]: 30  
Number of Holes: 5  
Outer Diameter [mm]: 335  
Supplementary Article/Supplementary Info 2:  
Without screws

## Brake system

### 60-00-0576C

#### Brake Disc



MERCEDES-BENZ T1 Autobus (601)  
 MERCEDES-BENZ T1 Autobus (602)  
 MERCEDES-BENZ T1 Furgonato (601)  
 MERCEDES-BENZ T1 Furgonato (602)  
 MERCEDES-BENZ T1 Pianale piatto/Telaio (601)  
 MERCEDES-BENZ T1 Pianale piatto/Telaio (602)

#### OE

6014200072  
 6014200272  
 6014200272SK1  
 6014210412  
 6014215012  
 6014215112

Brake Disc Thickness [mm]: 16  
 Brake Disc Type: Solid  
 Brake System: Perrot 4x44  
 Fitting Position: Front Axle  
 Minimum Thickness [mm]: 13  
 Number of Holes: 5  
 Outer Diameter [mm]: 280  
 Tightening Torque [Nm]: 110

### 60-00-0577C

#### Brake Disc



MERCEDES-BENZ CLASSE S (W220)

#### OE

2204210912  
 A2204210912  
 A220421091264

Brake Disc Thickness [mm]: 28  
 Brake Disc Type: Vented  
 Centering Diameter [mm]: 67  
 Fitting Position: Front Axle  
 Height [mm]: 76  
 Minimum Thickness [mm]: 26  
 Number of Holes: 5  
 Outer Diameter [mm]: 312  
 Tightening Torque [Nm]: 10

### 60-00-0578C

#### Brake Disc



MERCEDES-BENZ CLA Coupé (C117)  
 MERCEDES-BENZ CLA Shooting Brake (X117)  
 MERCEDES-BENZ CLASSE A (W176)  
 MERCEDES-BENZ CLASSE B (W246, W242)  
 MERCEDES-BENZ CLASSE GLA (X156)

#### OE

2464212712  
 246421271207  
 A2464212712

Brake Disc Thickness [mm]: 30  
 Brake Disc Type: Vented  
 Fitting Position: Front Axle  
 Height [mm]: 51  
 Minimum Thickness [mm]: 28  
 Number of Holes: 5  
 Outer Diameter [mm]: 320  
 Pitch Circle [mm]: 112

### 60-00-0672C

#### Brake Disc



CITROEN 2 CV  
 CITROEN ACADIANE  
 CITROEN AMI  
 CITROEN AMI Break  
 CITROEN DYANE  
 CITROEN MEHARI

#### OE

95599322  
 AM45123

Brake Disc Thickness [mm]: 7  
 Brake Disc Type: Solid  
 Colour: Black  
 Fitting Position: Front Axle  
 Minimum Thickness [mm]: 5  
 Number of Holes: 6  
 Outer Diameter [mm]: 244  
 Surface: Painted  
 Tightening Torque [Nm]: 7,5

### 60-00-0673C

#### Brake Disc



CITROEN C4 Tre volumi  
 LADA 110  
 LADA 111  
 LADA 112  
 LADA KALINA 2 volumi /Coda spiovente (2192)  
 LADA KALINA Station wagon (2194)

#### OE

21100350107000  
 21100350107001  
 21100350107002  
 21103501070  
 21120350107000

Brake Disc Thickness [mm]: 20  
 Brake Disc Type: Vented  
 Centering Diameter [mm]: 58,5  
 Colour: Black  
 Fitting Position: Front Axle  
 Height [mm]: 42,6  
 Minimum Thickness [mm]: 18  
 Number of Holes: 4  
 Outer Diameter [mm]: 239  
 Surface: Painted

## Brake system

### 60-00-0674C

#### Brake Disc



ALFA ROMEO 146 (930)  
CITROEN VISA  
PEUGEOT 205 I (741A/C)  
PEUGEOT 205 I Cabriolet (741B, 20D)  
PEUGEOT 205 II (20A/C)  
PEUGEOT 407 (6D\_)

#### OE

424690  
4246A6  
91517694  
95669225

Brake Disc Thickness [mm]: 20,5  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 18,5  
Number of Holes: 4  
Outer Diameter [mm]: 247  
Tightening Torque [Nm]: 8,5

### 60-00-0675C

#### Brake Disc



CITROEN AX (ZA-\_)  
CITROEN SAXO (S0, S1)  
CITROEN SAXO Hatchback van (S3\_)  
MEGA CLUB  
PEUGEOT 106 I (1A, 1C)  
PEUGEOT 106 II (1)

#### OE

169004  
4246F8  
4246G0  
4249C5  
95027199  
95661810

Brake Disc Thickness [mm]: 8  
Brake Disc Type: Solid  
Colour: Black  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 7  
Number of Holes: 3  
Outer Diameter [mm]: 238  
Surface: Painted  
Tightening Torque [Nm]: 8,5

### 60-00-0722C

#### Brake Disc



RENAULT MASCOTT Furgonato (FH\_)  
RENAULT MASCOTT Pianale piatto/Telaio (UH\_, HH\_)  
RENAULT TRUCKS MASCOTT Cassone / Furgonato / Promiscuo  
RENAULT TRUCKS MASCOTT Pianale

#### OE

5010260604  
Z001635

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Brake System: Brembo  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 20,4  
Number of Holes: 10  
Outer Diameter [mm]: 290  
Tightening Torque [Nm]: 120

### 60-00-084C

#### Brake Disc



DACIA SOLENZA

#### OE

6001539659

Brake Disc Thickness [mm]: 20  
Brake Disc Type: Vented  
Centering Diameter [mm]: 61  
Fitting Position: Front Axle  
Height [mm]: 51  
Minimum Thickness [mm]: 19  
Number of Holes: 4  
Outer Diameter [mm]: 235,5  
Tightening Torque [Nm]: 9

### 60-00-085C

#### Brake Disc



LDV MAXUS Autobus  
LDV MAXUS Furgonato

#### OE

545110027

Brake Disc Thickness [mm]: 24  
Brake Disc Type: Vented  
Centering Diameter [mm]: 80  
Fitting Position: Front Axle  
Height [mm]: 70,5  
Minimum Thickness [mm]: 22  
Number of Holes: 5  
Outer Diameter [mm]: 294  
Tightening Torque [Nm]: 10,5

## Brake system

### 60-00-0964C

#### Brake Disc



AUDI Q5 (8R)

#### OE

8R0615301C  
8R0615301E  
8R0615301G

Bore [mm]: 68  
Brake Disc Thickness [mm]: 30  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Height [mm]: 52,4  
Minimum Thickness [mm]: 28  
Number of Holes: 5  
Outer Diameter [mm]: 320  
Pitch Circle [mm]: 112

### 60-00-0965C

#### Brake Disc



AUDI 100 (43, C2)  
AUDI 100 (44, 44Q, C3)  
AUDI 100 (C1)  
AUDI 100 Avant (43, C2)  
AUDI 100 Coupe (C1)  
AUDI 80 (89, 89Q, 8A, B3)

#### OE

431615301  
443615301

Brake Disc Thickness [mm]: 13  
Brake Disc Type: Solid  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 11  
Number of Holes: 4  
Outer Diameter [mm]: 256  
Tightening Torque [Nm]: 11

### 60-00-0966C

#### Brake Disc



AUDI 100 (43, C2)  
AUDI 100 (44, 44Q, C3)  
AUDI 100 Avant (43, C2)  
AUDI 100 Avant (44, 44Q, C3)  
AUDI 80 (89, 89Q, 8A, B3)  
AUDI 90 (89, 89Q, 8A, B3)

#### OE

431615301  
431615301A  
443615301A  
443615301B  
443615301D

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 20  
Number of Holes: 4  
Outer Diameter [mm]: 256  
Supplementary Article/Supplementary Info 2:  
Without screws  
Tightening Torque [Nm]: 11

### 60-00-0971C

#### Brake Disc



VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)  
VW TRANSPORTER IV Furgonato (70XA)  
VW TRANSPORTER IV Pianale piatto/Telaio (70XD)

#### OE

701615301A  
701615301D

Brake Disc Thickness [mm]: 24  
Brake Disc Type: Vented  
Centering Diameter [mm]: 68,1  
Colour: Black  
Fitting Position: Front Axle  
Height [mm]: 64,7  
Minimum Thickness [mm]: 20  
Number of Holes: 5  
Outer Diameter [mm]: 280  
Surface: Painted  
Tightening Torque [Nm]: 11,5

### 60-00-0972C

#### Brake Disc



AUDI A4 (8E2, B6)  
AUDI A4 (8EC, B7)  
AUDI A4 Avant (8E5, B6)  
AUDI A4 Avant (8ED, B7)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)  
AUDI A6 (4B2, C5)

#### OE

3B0615301B  
4B0615301A  
4B0615301C  
8D0615301J  
8E0615301R  
L8E0615301R

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Colour: Black  
Fitting Position: Front Axle  
Minimum Thickness [mm]: 23  
Number of Holes: 10  
Outer Diameter [mm]: 312  
Surface: Painted  
Tightening Torque [Nm]: 12

## Brake system

### 60-00-0974C

#### Brake Disc



PORSCHE CAYENNE (955)  
VW TOUAREG (7LA, 7L6, 7L7)

#### OE

7L6615302D  
7L6615302J  
7L6615302N  
7L6615302P  
95535140200  
95535140240

Bore [mm]: 85  
Brake Disc Thickness [mm]: 32  
Brake Disc Type: Vented  
Centering Diameter [mm]: 85  
Fitting Position: Left Front  
Height [mm]: 68,5  
Minimum Thickness [mm]: 30  
Number of Holes: 5  
Outer Diameter [mm]: 330  
Paired article numbers: 60-00-0957C  
Paired article numbers: 600957C  
Paired article numbers: DI-0957C  
Pitch Circle [mm]: 130  
Surface: Painted  
Tightening Torque [Nm]: 160

### 60-02-2059C-KIT

#### Brake Disc



LEXUS LS (UCF10)  
LEXUS LS (UCF30)  
LEXUS LS (UVF4\_, USF4\_)

#### OE

4351250010  
4351250250

Brake Disc Thickness [mm]: 34  
Brake Disc Type: Externally Vented  
Centering Diameter [mm]: 62  
Directional:  
Full Set:  
Height [mm]: 60,3  
Hole Arrangement / Number: 05/12  
Minimum Thickness [mm]: 31  
Outer Diameter [mm]: 357  
Pitch Circle [mm]: 120  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Coated

### 60-02-290C

#### Brake Disc



LEXUS LS (UCF20)

#### OE

4351250130  
4351250150  
4351250151  
4351250152

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Centering Diameter [mm]: 62  
Fitting Position: Front Axle  
Height [mm]: 53,5  
Minimum Thickness [mm]: 26  
Number of Holes: 5  
Outer Diameter [mm]: 315

### 61-00-0242C

#### Brake Disc



IVECO DAILY III Autobus  
IVECO DAILY III Cassone / Furgonato /  
Promiscuo  
IVECO DAILY III Pianale piatto/Telaio

#### OE

002994066  
007185410  
02994066  
042471034  
042575665  
07182300

Brake Disc Thickness [mm]: 16  
Brake Disc Type: Solid  
Brake System: Brembo 1x52  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 14,8  
Number of Holes: 5  
Outer Diameter [mm]: 276  
Tightening Torque [Nm]: 130

## Brake system

**61-00-0335C**

### Brake Disc



FORD TOURNEO CUSTOM Autobus  
FORD TRANSIT Autobus  
FORD TRANSIT CUSTOM Autobus  
FORD TRANSIT CUSTOM Furgonato  
FORD TRANSIT Furgonato  
FORD TRANSIT Pianale piatto/Telaio

**OE**  
2021562  
BK212A097HA

Brake Disc Thickness [mm]: 16  
Brake Disc Type: Solid  
Centering Diameter [mm]: 96  
Height [mm]: 69  
Inner Diameter [mm]: 150  
Minimum Thickness [mm]: 13  
Number of Holes: 5  
Number of Teeth, ABS ring: 48  
Outer Diameter [mm]: 288  
Pitch Circle [mm]: 160  
Supplementary Article/Supplementary Info 2:  
With integrated sensor ring  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing  
Supplementary Article/Supplementary Info 2:  
Without wheel hub  
Supplementary Article/Supplementary Info 2:  
Without wheel studs  
Surface: Coated

**61-00-0414C**

### Brake Disc



CHRYSLER SEBRING (JS)  
DODGE AVENGER  
DODGE CALIBER  
JEEP COMPASS (MK49)  
JEEP PATRIOT (MK74)  
OPEL INSIGNIA

**OE**  
15105515AA  
5105515AA

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 80  
Fitting Position: Rear Axle  
Height [mm]: 60,3  
Minimum Thickness [mm]: 8,5  
Number of Holes: 5  
Outer Diameter [mm]: 262  
Tightening Torque [Nm]: 129

**61-00-0415C**

### Brake Disc



OPEL VECTRA B (36\_)  
OPEL VECTRA B 2 volumi /Coda spiovente (38\_)  
OPEL VECTRA B Station wagon (31\_)

**OE**  
0569117  
569117  
569209  
90512909  
93182288

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 57  
Colour: Black  
Fitting Position: Rear Axle  
Height [mm]: 69,2  
Minimum Thickness [mm]: 8  
Number of Holes: 4  
Outer Diameter [mm]: 270  
Supplementary Article/Supplementary Info 2:  
With screws  
Surface: Painted  
Tightening Torque [Nm]: 15

**61-00-0536C**

### Brake Disc



MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C Cabriolet (A205)  
MERCEDES-BENZ CLASSE C Coupé (C205)  
MERCEDES-BENZ CLASSE C T-Model (S205)

**OE**  
0004230512  
A0004230512

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Centering Diameter [mm]: 69  
Fitting Position: Rear Axle  
Height [mm]: 48,5  
Minimum Thickness [mm]: 10,3  
Number of Holes: 5  
Outer Diameter [mm]: 300  
Tightening Torque [Nm]: 150

## Brake system

### 61-00-0539C

#### Brake Disc



MERCEDES-BENZ CLASSE S (W220)  
MERCEDES-BENZ CLASSE S Coupé (C215)

#### OE

2104210812  
2204230212  
A2204230212  
A220423021264  
D1662

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Centering Diameter [mm]: 67  
Fitting Position: Rear Axle  
Height [mm]: 58,5  
Minimum Thickness [mm]: 19,4  
Number of Holes: 5  
Outer Diameter [mm]: 300  
Supplementary Article/Supplementary Info 2:  
Without screws  
Tightening Torque [Nm]: 15

### 61-00-0540C

#### Brake Disc



MERCEDES-BENZ CLASSE S (W221)  
MERCEDES-BENZ CLASSE S (W222, V222, X222)  
MERCEDES-BENZ CLASSE S Coupé (C216)  
MERCEDES-BENZ SL (R230)

#### OE

2214230412  
2214231012  
221423101207  
A2214230412  
A2214231012  
A221423101207

Brake Disc Thickness [mm]: 24  
Brake Disc Type: Vented  
Centering Diameter [mm]: 67  
Fitting Position: Rear Axle  
Height [mm]: 56  
Minimum Thickness [mm]: 21,4  
Number of Holes: 5  
Outer Diameter [mm]: 320  
Tightening Torque [Nm]: 15

### 61-00-0636C

#### Brake Disc



CITROEN C6 (TD\_)

#### OE

424911  
9687990780

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Centering Diameter [mm]: 71  
Fitting Position: Rear Axle  
Height [mm]: 35  
Minimum Thickness [mm]: 20  
Number of Holes: 5  
Outer Diameter [mm]: 302

### 61-00-0637C

#### Brake Disc



PEUGEOT 3008

#### OE

1611840880  
4249.45  
4249.46

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Centering Diameter [mm]: 56  
Fitting Position: Rear Axle  
Height [mm]: 73,2  
Minimum Thickness [mm]: 10  
Number of Holes: 4  
Outer Diameter [mm]: 268  
Supplementary Article/Supplementary Info 2:  
Without screws  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing set  
Tightening Torque [Nm]: 10

## Brake system

### 61-00-0638C

#### Brake Disc



CITROEN C4 II (B7)  
CITROEN DS4  
PEUGEOT 308 (4A\_, 4C\_)  
PEUGEOT 308 CC  
PEUGEOT 308 SW

#### OE

424965  
424966

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Brake Type: Brake Disc with Bearing  
Centering Diameter [mm]: 56  
Colour: Black  
Fitting Position: Rear Axle  
Height [mm]: 73,2  
Minimum Thickness [mm]: 7  
Number of Holes: 4  
Outer Diameter [mm]: 249  
Supplementary Article/Supplementary Info 2:  
with wheel bearing set  
Surface: Painted  
Tightening Torque [Nm]: 90

### 61-00-0639C

#### Brake Disc



CITROEN C4 Coupé (LA\_)  
CITROEN C4 Grand Picasso I (UA\_)  
CITROEN C4 I (LC\_)  
PEUGEOT 207 SW (WK\_)  
PEUGEOT 307 (3A/C)  
PEUGEOT 307 Break (3E)

#### OE

4246 Z9  
4249 34

Brake Disc Thickness [mm]: 9  
Brake Disc Type: Solid  
Brake System: Bosch  
Centering Diameter [mm]: 56  
Fitting Position: Rear Axle  
Height [mm]: 67,2  
Minimum Thickness [mm]: 7  
Number of Holes: 4  
Outer Diameter [mm]: 249  
Pitch Circle [mm]: 108  
Supplementary Article/Supplementary Info 2:  
Without ABS sensor ring  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing set  
Tightening Torque [Nm]: 9

### 61-00-0718C

#### Brake Disc



RENAULT MEGANE I Grandtour (KA0/1\_)  
RENAULT MEGANE Scenic (JA0/1\_)  
RENAULT SCÉNIC I (JA0/1\_)

#### OE

230584  
7701206327  
7701206328  
D1428

Brake Disc Thickness [mm]: 11  
Brake Disc Type: Solid  
Brake Type: Brake Disc with Bearing  
Centering Diameter [mm]: 52,3  
Fitting Position: Rear Axle  
Height [mm]: 82,2  
Minimum Thickness [mm]: 9,5  
Number of Holes: 4  
Outer Diameter [mm]: 275  
Pitch Circle [mm]: 100  
Supplementary Article/Supplementary Info 2:  
with wheel bearing set  
Tightening Torque [Nm]: 12

### 61-00-0719C

#### Brake Disc



RENAULT SCÉNIC I (JA0/1\_)

#### OE

7701205846  
8671019317

Brake Disc Thickness [mm]: 10,5  
Brake Disc Type: Solid  
Centering Diameter [mm]: 61  
Colour: Black  
Fitting Position: Rear Axle  
Height [mm]: 44,3  
Minimum Thickness [mm]: 9,5  
Number of Holes: 5  
Outer Diameter [mm]: 265  
Surface: Painted  
Tightening Torque [Nm]: 8

## Brake system

### 61-00-0720C

#### Brake Disc



RENAULT LAGUNA II (BG0/1\_)  
RENAULT LAGUNA II Grandtour (KG0/1\_)  
RENAULT SCÉNIC II (JM0/1\_)

#### OE

7001713008  
7701472838  
7701713008  
8200209774  
8200367094  
8200655249

Brake Disc Thickness [mm]: 11  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 9,5  
Number of Holes: 5  
Outer Diameter [mm]: 274  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing set  
Tightening Torque [Nm]: 12

### 61-00-0721C

#### Brake Disc



RENAULT AVANTIME (DE0\_)  
RENAULT ESPACE III (JE0\_)

#### OE

6025304073  
6025304079  
6025370406  
8671012048

Brake Disc Thickness [mm]: 10,5  
Brake Disc Type: Solid  
Centering Diameter [mm]: 66  
Colour: Black  
Fitting Position: Rear Axle  
Height [mm]: 54,3  
Minimum Thickness [mm]: 9,5  
Number of Holes: 5  
Outer Diameter [mm]: 265  
Supplementary Article/Supplementary Info 2:  
With screws  
Surface: Painted

### 61-00-0722C

#### Brake Disc



RENAULT MEGANE I Grandtour (KA0/1\_)  
RENAULT MEGANE Scenic (JA0/1\_)  
RENAULT SCÉNIC I (JA0/1\_)

#### OE

230584  
7701206327  
D1428

Brake Disc Thickness [mm]: 11  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 9  
Number of Holes: 4  
Outer Diameter [mm]: 275  
Tightening Torque [Nm]: 11

### 61-00-0723C

#### Brake Disc



RENAULT MEGANE II Station wagon (KM0/1\_)  
RENAULT SCÉNIC II (JM0/1\_)

#### OE

432004943R  
7701207898  
8671018107

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Centering Diameter [mm]: 55,2  
Fitting Position: Rear Axle  
Height [mm]: 82  
Minimum Thickness [mm]: 9  
Number of Holes: 4  
Outer Diameter [mm]: 270  
Supplementary Article/Supplementary Info 2:  
Without ABS sensor ring  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing set  
Tightening Torque [Nm]: 11

## Brake system

### 61-00-0724C

#### Brake Disc



NISSAN NOTE (E11)  
RENAULT CLIO Grandtour (KR0/1\_)  
RENAULT CLIO I (B/C57\_, 5/357\_)  
RENAULT CLIO III (BR0/1, CR0/1)  
RENAULT CLIO III Furgonato (SB\_, SR\_)  
RENAULT MEGANE II (BM0/1\_, CM0/1\_)

#### OE

77 01 207 823  
82 00 038 305  
86 60 001 811  
86 71 018 106

Brake Disc Thickness [mm]: 8  
Brake Disc Type: Solid  
Centering Diameter [mm]: 52,3  
Fitting Position: Rear Axle  
Height [mm]: 80  
Minimum Thickness [mm]: 7  
Number of Holes: 4  
Outer Diameter [mm]: 240  
Pitch Circle [mm]: 100  
Supplementary Article/Supplementary Info 2:  
Without ABS sensor ring  
Supplementary Article/Supplementary Info 2:  
Without wheel bearing set  
Surface: Painted  
Tightening Torque [Nm]: 8

### 61-00-0725C

#### Brake Disc



ALPINA B6 (E21)  
BMW 5 (E28)  
BMW 6 (E24)

#### OE

34211121387  
342111242968  
34211152571  
34211162968  
34211163140

Brake Disc Thickness [mm]: 10  
Brake Disc Type: Solid  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 8,4  
Number of Holes: 5  
Outer Diameter [mm]: 284  
Tightening Torque [Nm]: 8,5

### 61-00-0726C

#### Brake Disc



RENAULT MASCOTT Furgonato (FH\_)  
RENAULT MASCOTT Pianale piatto/Telaio (UH\_, HH\_)  
RENAULT TRUCKS MASCOTT Cassone / Furgonato / Promiscuo  
RENAULT TRUCKS MASCOTT Pianale

#### OE

5001864712  
5001864712S  
5010260609

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Brake System: Brembo  
Fitting Position: Rear Axle  
Minimum Thickness [mm]: 20,4  
Number of Holes: 8  
Outer Diameter [mm]: 290  
Tightening Torque [Nm]: 120

### 61-00-0936C

#### Brake Disc



AUDI A6 Allroad (4FH, C6)

#### OE

4F0615601G

Brake Disc Thickness [mm]: 12  
Brake Disc Type: Solid  
Centering Diameter [mm]: 66  
Fitting Position: Rear Axle  
Height [mm]: 42,4  
Minimum Thickness [mm]: 10  
Number of Holes: 5  
Outer Diameter [mm]: 302  
Tightening Torque [Nm]: 120

## Brake system

### 61-00-0940C

#### Brake Disc



AUDI A8 (4E\_)  
VW PHAETON (3D\_)

#### OE

3D0615601D  
4E0615601A  
4E0615601K

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Centering Diameter [mm]: 68  
Fitting Position: Rear Axle  
Height [mm]: 42,4  
Minimum Thickness [mm]: 20  
Number of Holes: 5  
Outer Diameter [mm]: 310  
Supplementary Article/Supplementary Info 2:  
Without screws  
Tightening Torque [Nm]: 120

### 61-00-0941C

#### Brake Disc



AUDI A6 (4B2, C5)  
AUDI A6 Avant (4B5, C5)  
VW PASSAT (3B2)  
VW PASSAT (3B3)  
VW PASSAT Variant (3B5)  
VW PASSAT Variant (3B6)

#### OE

4B3615601  
4B3615601B

Brake Disc Thickness [mm]: 22  
Brake Disc Type: Vented  
Centering Diameter [mm]: 68  
Fitting Position: Rear Axle  
Height [mm]: 53,8  
Minimum Thickness [mm]: 20  
Number of Holes: 5  
Outer Diameter [mm]: 269

### 61-00-0942C

#### Brake Disc



AUDI Q7 (4L)  
PORSCHE CAYENNE  
PORSCHE CAYENNE (955)  
VW TOUAREG (7LA, 7L6, 7L7)

#### OE

7L8615601  
7L8615601A  
7L8615601D  
7L8615601E  
95535240150  
95535240151

Brake Disc Thickness [mm]: 28  
Brake Disc Type: Vented  
Centering Diameter [mm]: 85  
Colour: Black  
Fitting Position: Rear Axle  
Height [mm]: 73,5  
Minimum Thickness [mm]: 26  
Number of Holes: 5  
Outer Diameter [mm]: 358  
Surface: Painted  
Tightening Torque [Nm]: 160

### 61-00-0943C

#### Brake Disc



AUDI Q2  
SEAT ATECA  
SKODA KAROQ (NU7)  
SKODA OCTAVIA IV Combi (NX5)  
VW T-ROC (A11)

#### OE

5Q0615601  
5Q0615601B  
5QD615601C  
5QN615601A

Brake Disc Thickness [mm]: 10,0  
Brake Disc Type: Solid  
Centering Diameter [mm]: 65,0  
Colour: Black  
Fitting Position: Rear Axle  
Height [mm]: 58,8  
Minimum Thickness [mm]: 8,0  
Number of Bores: 5  
Outer Diameter [mm]: 272  
Pitch Circle [mm]: 112,0  
Surface: Painted

### 61-02-270C-KIT

#### Brake Disc



LEXUS LS (F5\_)  
TOYOTA MIRAI (JPD2\_)

#### OE

4243150110  
4243250020

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Centering Diameter [mm]: 62  
Fitting Position: Rear Axle  
Full Set:  
Height [mm]: 66  
Number of Holes: 5  
Outer Diameter [mm]: 335  
Tightening Torque [Nm]: 110

## Brake system

### 61-07-717C

#### Brake Disc



SUBARU IMPREZA 2 volumi /Coda spiovente (GR, GH, G3)  
SUBARU IMPREZA Tre volumi (GJ)  
SUBARU IMPREZA Tre volumi (GR)

**OE**  
26700FG010

Brake Disc Thickness [mm]: 20  
Brake Disc Type: Vented  
Centering Diameter [mm]: 58  
Fitting Position: Rear Axle  
Height [mm]: 63,3  
Minimum Thickness [mm]: 18  
Number of Holes: 5  
Number of mounting bores: 4  
Outer Diameter [mm]: 316  
Pitch Circle [mm]: 114,3

### 61-0L-L15C

#### Brake Disc



LAND ROVER RANGE ROVER IV (LG)  
LAND ROVER RANGE ROVER SPORT (LW)

**OE**  
LR033303  
LR099038  
LR161899

Brake Disc Thickness [mm]: 25  
Brake Disc Type: Vented  
Colour: Black  
Fitting Position: Rear Axle  
Height [mm]: 49  
Hub Diameter 1 [mm]: 79  
Minimum Thickness [mm]: 22  
Outer Diameter [mm]: 365  
Pitch Circle [mm]: 120  
Rim Hole Number: 5  
Surface: Painted

### 55-00-0337

#### Brake Shoe Set



FORD ESCORT '91 Express (AVL)  
FORD ESCORT '95 Furgonato (AVL)  
FORD ESCORT V Station wagon (GAL, AVL)  
FORD ESCORT VI Station wagon (GAL)

**OE**  
1544634  
5027753  
6500945  
650945  
91AB2200MA  
92AX2200CA

Brake System: LUCAS GIRLING  
Diameter [mm]: 228,6  
Fitting Position: Rear Axle  
Width [mm]: 45

### 55-00-0345

#### Brake Shoe Set



FORD SIERRA (GBG, GB4)  
FORD SIERRA 2 volumi /Coda spiovente (GBC)  
FORD SIERRA 2 volumi /Coda spiovente (GBC, GBG)  
PANTHER KALLISTA

**OE**  
0449726030  
5020560  
5021303  
6096058  
6159641

Brake System: BENDIX  
Diameter [mm]: 203,2  
Fitting Position: Rear Axle  
Width [mm]: 38

### 55-00-041

#### Brake Shoe Set



**OE**  
1213888  
384296  
384481

Fitting Position: Rear Axle  
Inner Br. Drum Diam. [mm]: 160  
Width [mm]: 35

## Brake system

**55-00-044**

### Brake Shoe Set



MERCEDES-BENZ CLASSE A (W168)  
 MERCEDES-BENZ CLASSE C (W202)  
 MERCEDES-BENZ CLASSE C (W203)  
 MERCEDES-BENZ CLASSE C Coupe (CL203)  
 MERCEDES-BENZ CLASSE C Station wagon (S202)

#### OE

0509004080  
 0980103790

Fitting Position: Rear Axle  
 Inner Br. Drum Diam. [mm]: 200  
 Width [mm]: 50

**55-00-045**

### Brake Shoe Set



#### OE

384294

Fitting Position: Rear Axle  
 Inner Br. Drum Diam. [mm]: 200  
 Width [mm]: 50

**55-00-046**

### Brake Shoe Set



#### OE

202425/1  
 20964/1

Fitting Position: Rear Axle  
 Inner Br. Drum Diam. [mm]: 200  
 Width [mm]: 50

**55-00-0916**

### Brake Shoe Set



MITSUBISHI Canter

#### OE

MB060596  
 MB162045  
 MB162427  
 MB162665  
 MB295178  
 MB295179

Brake System: AKEBONO  
 Diameter [mm]: 320  
 Fitting Position: Front Axle  
 Fitting Position: Rear Axle  
 Width [mm]: 75

**55-00-0919**

### Brake Shoe Set



ISUZU D-MAX (8DH)  
 ISUZU D-MAX (TFR, TFS)  
 ISUZU D-MAX Pianale piatto/Telaio  
 ISUZU D-MAX Pianale piatto/Telaio (8DH)

#### OE

5878322570

Fitting Position: Rear Axle  
 Inner Br. Drum Diam. [mm]: 295  
 Width [mm]: 50

## Brake system

**55-02-274**

### Brake Shoe Set



LEXUS GS (GRL1\_, GWL1\_)  
LEXUS IS III (GSE3\_, AVE3\_)  
TOYOTA MIRAI (JPD1\_)  
TOYOTA PRIUS PHV (LW3\_)  
TOYOTA PRIUS PLUS (ZVW4\_)

#### OE

4653030040  
4654047020  
4655047010  
4655047020  
4659047010  
4659047020

Fitting Position: Rear Axle  
Inner Br. Drum Diam. [mm]: 190  
Width [mm]: 27

**55-07-716**

### Brake Shoe Set



SUBARU LEONE I (AB)  
SUBARU LEONE I Hatchback  
SUBARU LEONE I Station wagon

#### OE

625300111  
625301111  
625301310  
725161760  
725178250

Brake System: AKEBONO  
Diameter [mm]: 180  
Fitting Position: Rear Axle  
Width [mm]: 30

**55-09-927**

### Brake Shoe Set



#### OE

4026647  
4049682  
4364766  
4423029  
4761805  
K04026647

Brake System: KELSEY-HAYNES  
Diameter [mm]: 254  
Fitting Position: Rear Axle  
Width [mm]: 63,5

**55-0K-K32**

### Brake Shoe Set



DAEWOO LEGANZA (KLAV)  
DAEWOO NUBIRA (J150)  
DAEWOO NUBIRA (KLAJ)  
DAEWOO NUBIRA Station wagon (J150)  
DAEWOO NUBIRA Tre volumi (J150)  
DAEWOO NUBIRA Tre volumi (KLAJ)

#### OE

583053SA20  
583053SA30  
58305F6A10  
96298281  
96298282  
B521030

Brake System: TRW  
Diameter [mm]: 167  
Fitting Position: Rear Axle  
Width [mm]: 24

**55-0K-K33**

### Brake Shoe Set



HYUNDAI GRAND SANTA FÉ  
HYUNDAI SANTA FÉ III (DM)  
KIA SORENTO II (XM)

#### OE

583052MA00  
583052WA00  
583053MA00  
583053MA03

Diameter [mm]: 190  
Fitting Position: Rear Axle  
Width [mm]: 27

## Brake system

### 55-0L-L14

#### Brake Shoe Set



AUSTIN MAESTRO (XC)  
AUSTIN MONTEGO (XE)  
AUSTIN MONTEGO Station wagon (XE)  
MG MAESTRO  
MG MONTEGO  
ROVER MAESTRO

#### OE

GBS1106  
GBS817  
GBS90820  
GBS90828  
GBS90828AF

Brake System: LUCAS GIRLING  
Diameter [mm]: 203,2  
Fitting Position: Rear Axle  
Width [mm]: 38

### 55-0W-W12

#### Brake Shoe Set



CADILLAC ESCALADE

#### OE

Brake System: BOSCH/BENDIX  
Diameter [mm]: 283  
Fitting Position: Rear Axle  
Width [mm]: 70

### 55-0W-W14

#### Brake Shoe Set



CHEVROLET C1500 Pick-up

#### OE

12477878  
15591391  
15634849  
15662505  
15665563  
372379

Brake System: BOSCH/BENDIX  
Diameter [mm]: 330  
Fitting Position: Front Axle  
Fitting Position: Rear Axle  
Width [mm]: 89

### 50-00-0147

#### Brake Pad Set, disc brake



BMW 3 (E30)  
BMW 3 Cabriolet (E30)  
BMW 3 Touring (E30)  
BMW Z1  
MERCEDES-BENZ 190 (W201)  
SAAB 9000 2 volumi /Coda spiovente

#### OE

0004208920  
0014201020  
34 11 1 154 443  
34111154442  
89 61 815

Brake System: LUCAS GIRLING  
Fitting Position: Front Axle  
Height [mm]: 49,5  
Length [mm]: 95  
Thickness [mm]: 17,5  
WVA Number: 20890  
WVA Number: 20891

### 50-00-0151

#### Brake Pad Set, disc brake



ALFA ROMEO 1750-2000  
ALFA ROMEO 75 (162B)  
ALFA ROMEO 90 (162)  
ALFA ROMEO ALFETTA (116)  
ALFA ROMEO ALFETTA GT (116)  
ALFA ROMEO GIULIA

#### OE

0060 724 237  
0060 727 290  
0060 778 260  
0060 778 290  
10 548 260 030 125  
11 600 260 030 8

Brake System: ATE  
Fitting Position: Rear Axle  
Height [mm]: 53,2  
Length [mm]: 55,7  
Thickness [mm]: 14,8  
WVA Number: 20174  
WVA Number: 20175  
WVA Number: 20641  
WVA Number: 20642

## Brake system

### 50-00-0259

#### Brake Pad Set, disc brake



ALFA ROMEO AR 8 Furgonato (280)  
ALFA ROMEO AR 8 Pianale piatto/Telaio (280)  
IVECO DAILY I Autobus  
IVECO DAILY I Cassone / Furgonato / Promiscuo  
IVECO DAILY I Pianale piatto/Telaio  
IVECO DAILY IV Cassone / Furgonato /

#### OE

1906039  
1906159

Brake System: BREMBO  
Fitting Position: Front Axle  
Height [mm]: 73,1  
Length [mm]: 109,7  
Number of Wear Indicators: 2  
Thickness [mm]: 18  
Warning Contact Length [mm]: 130  
Wear Warning Contact: Incl. wear warning contact  
WVA Number: 29041

### 50-00-0289

#### Brake Pad Set, disc brake



OPEL FRONTERA B (6B\_)

#### OE

16 05 620  
16 05 978  
1605002  
1605084  
93 169 003  
93 173 154

Brake System: SUMITOMO  
Fitting Position: Front Axle  
Height [mm]: 58,5  
Length [mm]: 137,6  
Thickness [mm]: 17  
WVA Number: 21845  
WVA Number: 23250  
WVA Number: 23251

### 50-00-0361

#### Brake Pad Set, disc brake



FORD FIESTA Furgonato (FVD)  
FORD FIESTA II (FBD)

#### OE

5015917  
5016917  
5018193  
5018898  
5023993  
6132471

Brake System: ATE  
Fitting Position: Front Axle  
Height [mm]: 44  
Length [mm]: 141,3  
Thickness [mm]: 17,5  
WVA Number: 20857  
WVA Number: 20858

### 50-00-0376

#### Brake Pad Set, disc brake



FORD FOCUS Cassone / Furgonato / Promiscuo (DNW)  
ZASTAVA YUGO  
ZASTAVA YUGO FLORIDA

#### OE

46602617  
72320156NBK  
72320159NBK

Brake System: LUCAS GIRLING  
Fitting Position: Front Axle  
Height [mm]: 63,4  
Length [mm]: 89,9  
Number of Wear Indicators: 2  
Thickness [mm]: 16,5  
Warning Contact Length [mm]: 273  
Wear Warning Contact: Incl. wear warning contact  
WVA Number: 21533

### 50-00-0575

#### Brake Pad Set, disc brake



MERCEDES-BENZ 190 (W201)

#### OE

000 420 01 20  
000 420 88 20  
000 420 90 20  
001 420 01 20  
460 420 01 20  
86 60 004 470

Brake System: ATE  
Fitting Position: Rear Axle  
Height [mm]: 54,4  
Length [mm]: 61,7  
Thickness [mm]: 13  
WVA Number: 20687  
WVA Number: 20758  
WVA Number: 21215

## Brake system

**50-00-0576**

### Brake Pad Set, disc brake



LAND ROVER DISCOVERY III (TAA)  
LAND ROVER DISCOVERY IV (LA)  
LAND ROVER RANGE ROVER III (LM)  
LAND ROVER RANGE ROVER SPORT (LS)  
LAND ROVER RANGE ROVER SPORT (LW)  
MERCEDES-BENZ PULLMANN (W100)

#### OE

LR-012993  
LR-015519  
LR-032060  
PAD-1733

Brake System: TRW  
Fitting Position: Rear Axle  
Height [mm]: 46,5  
Length [mm]: 116,5  
Thickness [mm]: 17,1  
WVA Number: 24192

**50-00-0739**

### Brake Pad Set, disc brake



NISSAN TRADE Cassone / Furgonato / Promiscuo  
NISSAN TRADE Furgonato  
NISSAN TRADE Pianale piatto/Telaio  
RENAULT MASTER I Autobus (T\_)  
RENAULT MASTER I Furgonato (T\_)

#### OE

069052941  
41060G490A  
5000295329  
5000815574  
5000823566  
5001834527

Bolt [mm]: 12  
Brake System: BENDIX  
Fitting Position: Front Axle  
Height [mm]: 61,6  
Length [mm]: 166,7  
Number of Wear Indicators: 2  
Thickness [mm]: 17  
Warning Contact Length [mm]: 250  
Wear Warning Contact: Incl. wear warning contact  
WVA Number: 29071  
WVA Number: 29984  
WVA Number: 29985

**50-09-09116**

### Brake Pad Set, disc brake



VW ATLAS (CA1)

#### OE

3QF698151

Brake System: TRW  
Fitting Position: Front Axle  
Height [mm]: 74,5  
Thickness [mm]: 19,3  
Width [mm]: 179,1  
WVA Number: 22769

**50-02-2033**

### Brake Pad Set, disc brake



LEXUS GS (GRL1\_, GWL1\_)  
LEXUS LS (UCF30)  
LEXUS LS (UVF4\_, USF4\_)

#### OE

044650W150  
044650W151  
044650W191

Brake System: Brembo  
Height [mm]: 87  
Number of Wear Indicators: 2  
Thickness [mm]: 16,8  
Wear Warning Contact: With integrated wear warning contact  
Width [mm]: 189,9  
WVA Number: 24607

**50-0L-L17**

### Brake Pad Set, disc brake



JAGUAR F-TYPE Cabriolet  
JAGUAR F-TYPE Coupé  
JAGUAR XF (\_J05\_, CC9)  
JAGUAR XF SPORTBRAKE (CC9)  
JAGUAR XJ (X35\_, \_J12\_, \_J24\_)  
JAGUAR XK Cabriolet (\_J43\_)

#### OE

C2D3801  
C2P26236  
EX532K021BA  
T2R22312  
T2R7248

Brake System: ATE  
Fitting Position: Front Axle  
Height [mm]: 79,2  
Length 1 [mm]: 193  
Length [mm]: 193,2  
Thickness/Strength 1 [mm]: 17,9  
Thickness/Strength 2 [mm]: 18,7  
WVA Number: 24474  
WVA Number: 24475

## Brake system

### 50-0W-W29

#### Brake Pad Set, disc brake



CADILLAC SRX

#### OE

20872587  
20983943

Brake System: MANDO  
Brake Type: Disc Brake  
Fitting Position: Front Axle  
Height [mm]: 68,4  
Length [mm]: 176,1  
Thickness [mm]: 16,6  
WVA Number: 22077  
WVA Number: 22078  
WVA Number: 22079

### 68-00-022

#### Master Cylinder, brakes



GREAT WALL STEED 5 Pick-up  
GREAT WALL STEED Pick-up

#### OE

3540120P00

### 68-00-023

#### Master Cylinder, brakes



GREAT WALL HOVER H6

#### OE

3540102XKZ16A

### 51-00-0125

#### Brake Pad Set, disc brake



ALPINA ROADSTER (Z8)  
BMW 3 (E46)  
BMW 3 Cabriolet (E46)  
BMW 3 Coupe (E46)  
BMW 3 Touring (E46)  
BMW 5 (E39)

#### OE

34 21 2 413 040  
34 21 6 753 850  
34 21 6 758 870  
34 21 6 761 285

Brake System: ATE  
Fitting Position: Rear Axle  
Height 1 [mm]: 58,2  
Height [mm]: 59,2  
Length 1 [mm]: 122  
Length [mm]: 123,1  
Thickness [mm]: 17,3  
WVA Number: 23447

### 51-00-0126

#### Brake Pad Set, disc brake



ALFA ROMEO ALFETTA (116)  
ALFA ROMEO ALFETTA GT (116)  
ALFA ROMEO GIULIA  
ALFA ROMEO GIULIA GT  
ALFA ROMEO GIULIETTA (116)  
ALFA ROMEO GT

#### OE

2 701 662  
2 714 772  
2 715 860  
2 716 62  
2 716 686  
2 717 023

Brake System: ATE  
Fitting Position: Rear Axle  
Height [mm]: 56,3  
Length [mm]: 61,4  
Thickness [mm]: 15  
WVA Number: 20755

## Brake system

### 51-00-0127

#### Brake Pad Set, disc brake



BMW 5 (G30)  
BMW 7 (G11, G12)  
BMW 8 (G15)  
BMW 8 Cabriolet (G14)  
BMW 8 Gran Coupe (G16, F93)  
BMW X5 (G05)

#### OE

34 20 7 883 269  
34 20 7 883 273  
34 20 8 092 823  
34 20 8 093 737  
34 21 6 876 905  
34 21 6 885 187

Brake System: Trw  
Fitting Position: Rear Axle  
Height 2 [mm]: 80,5  
Height [mm]: 74,8  
Length [mm]: 116,1  
Thickness [mm]: 18  
WVA Number: 22039  
WVA Number: 22040

### 51-00-0128

#### Brake Pad Set, disc brake



MINI MINI COUNTRYMAN (R60)  
MINI MINI PACEMAN (R61)

#### OE

34 21 2 444 446  
34 21 9 804 735  
34 21 9 804 739  
34 21 9 808 172  
34 21 9 808 706

Brake System: Trw  
Brake Type: Disc Brake  
Fitting Position: Rear Axle  
Height 2 [mm]: 51,1  
Height [mm]: 44,7  
Length [mm]: 95,3  
Thickness [mm]: 16,9

### 51-00-0222

#### Brake Pad Set, disc brake



ALFA ROMEO 164 (164)  
ALFA ROMEO 33 (905)  
ALFA ROMEO RZ  
ALFA ROMEO SZ  
AUDI 100 (43, C2)  
AUDI 100 (44, 44Q, C3)

#### OE

0060 743 565  
0060 743 578  
0060 760 120  
16 416 260 030 130  
16 420 224 130 100  
16 420 260 030 030

Brake System: LUCAS GIRLING  
Fitting Position: Rear Axle  
Height [mm]: 66,9  
Length [mm]: 87  
Thickness [mm]: 16,5  
WVA Number: 21143  
WVA Number: 21144

### 51-00-0223

#### Brake Pad Set, disc brake



DAF 55  
IVECO DAILY Cassone / Furgonato / Promiscuo

#### OE

42579529

Fitting Position: Rear Axle  
Height [mm]: 57,5  
Thickness [mm]: 20  
Width [mm]: 128,6

### 51-00-0327

#### Brake Pad Set, disc brake



FORD FOCUS IV  
FORD FOCUS IV Tre volumi (HM)  
FORD FOCUS IV Turnier (HP)  
FORD GALAXY  
FORD GALAXY MK III VAN (CK)  
FORD KUGA III (DFK)

#### OE

2 209 329  
2 247 444  
2 367 295  
24 937 19  
BRF-1954  
JX6Z-2200-D

Axle Version: Rear  
Brake System: Ate - Teves  
Fitting Position: Rear Axle  
Height 2 [mm]: 53,5  
Height [mm]: 48,7  
Thickness [mm]: 14,6  
Wear Warning Contact: Incl. wear warning contact  
Width [mm]: 123,15

## Brake system

### 51-00-0328

#### Brake Pad Set, disc brake



FORD GALAXY (WGR)  
SEAT ALHAMBRA (7V8, 7V9)  
VW SHARAN (7M8, 7M9, 7M6)  
VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)  
VW TRANSPORTER IV Furgonato (70XA)

#### OE

1 205 697  
1133448  
1386603  
5M21-2M008-BB  
7D0 698 451 F  
7D0698451C

Brake System: LUCAS GIRLING  
Fitting Position: Rear Axle  
Height [mm]: 51  
Length [mm]: 94,9  
Number of Wear Indicators: 2  
Thickness [mm]: 16,5  
Warning Contact Length [mm]: 210  
Wear Warning Contact: Incl. wear warning contact  
WVA Number: 23223  
WVA Number: 23446

### 51-00-0938

#### Brake Pad Set, disc brake



VW TRANSPORTER IV Autobus (70XB, 70XC, 7DB, 7DW)  
VW TRANSPORTER IV Furgonato (70XA)  
VW TRANSPORTER IV Pianale piatto/Telaio (70XD)

#### OE

7M3698451D  
7M3698451F

Brake System: LUCAS GIRLING  
Fitting Position: Rear Axle  
Height [mm]: 57,4  
Length [mm]: 94,9  
Number of Wear Indicators: 2  
Thickness [mm]: 16  
Warning Contact Length [mm]: 210  
Wear Warning Contact: Incl. wear warning contact  
WVA Number: 23980

### 51-00-0939

#### Brake Pad Set, disc brake



AUDI A4 (8EC, B7)  
AUDI A4 Avant (8ED, B7)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)  
AUDI A6 (4F2, C6)  
AUDI A6 Avant (4F5, C6)  
AUDI A8 (4E\_)

#### OE

3D0 698 451  
3D0 698 451 A  
4E4 698 451  
4E4 698 451 A  
4F0 698 451 K

Brake System: LUCAS GIRLING  
Fitting Position: Rear Axle  
Height [mm]: 58,6  
Length [mm]: 116,2  
Thickness [mm]: 17,5  
WVA Number: 23854  
WVA Number: 23882  
WVA Number: 23883

### 51-00-0940

#### Brake Pad Set, disc brake



SEAT ALTEA (5P1)  
SEAT ALTEA XL (5P5, 5P8)  
SEAT IBIZA IV (6L1)  
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)  
SEAT LEON (1P1)  
SKODA FABIA (6Y2)

#### OE

6Q0 698 451  
6Q0 698 451 B  
JZW 698 451  
JZW 698 451 F

Brake System: LUCAS GIRLING  
Fitting Position: Rear Axle  
Height [mm]: 52,9  
Length [mm]: 87  
Number of Wear Indicators: 1  
Thickness [mm]: 17  
Warning Contact Length [mm]: 260  
Wear Warning Contact: Incl. wear warning contact  
WVA Number: 23553  
WVA Number: 23556

### 51-01-155

#### Brake Pad Set, disc brake



INFINITI J30  
INFINITI Q45 I  
INFINITI Q45 II (FY33)  
NISSAN MAXIMA QX (A32)  
NISSAN MAXIMA QX (A33)

#### OE

44060-4U090  
440600P691  
440600P692  
440604U090  
4406060U85  
4406060U86

Brake System: SUMITOMO  
Fitting Position: Rear Axle  
Height [mm]: 35,3  
Length [mm]: 108,7  
Thickness [mm]: 15  
WVA Number: 23367

## Brake system

### 51-01-156

#### Brake Pad Set, disc brake



INFINITI EX  
INFINITI G Coupé  
INFINITI G Tre volumi  
INFINITI M (Y51)  
INFINITI Q50  
INFINITI Q60 Cabriolet

#### OE

44 06 054 35R  
8660005142  
D4060-1BN0A  
D4060-1GZ0C  
D4060-1MB0A  
D4060-3JY0A

Brake System: Akebono  
Brake Type: Disc Brake  
Fitting Position: Rear Axle  
Height [mm]: 39,5  
Length [mm]: 105,5  
Thickness [mm]: 14,2

### 51-02-2007

#### Brake Pad Set, disc brake



LEXUS LC  
LEXUS LC Cabriolet (\_Z10\_)  
LEXUS LS (\_F5\_)

#### OE

0446611010  
044661101079  
0446611020  
044661102079

Brake System: Akebono  
Height [mm]: 76  
Observe mounting information:  
Supplementary Article/Supplementary Info:  
With accessories  
Thickness [mm]: 16,3  
Wear Warning Contact: Prepared for wear indicator  
Weight [kg]: 1,1  
Width [mm]: 111,1  
WVA Number: 22836

### 51-02-236

#### Brake Pad Set, disc brake



TOYOTA YARIS (\_P21\_, \_PA1\_, \_PH1\_)

#### OE

04465-K0020

Axle Version: Rear  
Brake System: Akebono  
Fitting Position: Rear Axle  
Height [mm]: 48,8  
Thickness [mm]: 16,5  
Width [mm]: 125,1

### 51-02-237

#### Brake Pad Set, disc brake



TOYOTA PRIUS PHV (\_W3\_)  
TOYOTA PRIUS PHV (\_W52\_)  
TOYOTA PRIUS PLUS (ZVW4\_)  
TOYOTA URBAN CRUISER (NSP1\_, NLP1\_, ZSP1\_, NCP11\_)

#### OE

04466-02330  
04466-21020  
04466-47020  
04466-47030  
04466-47040  
04466-47060

Brake System: AKEBONO  
Fitting Position: Rear Axle  
Height [mm]: 42,5  
Length [mm]: 98,6  
Thickness [mm]: 15  
WVA Number: 25016  
WVA Number: 25017  
WVA Number: 25018

### 51-04-419

#### Brake Pad Set, disc brake



HONDA CIVIC IV Tre volumi (ED)  
HONDA CIVIC V Fastback (MB)  
HONDA CIVIC V Hatchback (EG)  
HONDA CIVIC V Tre volumi (EG, EH)  
HONDA CIVIC VI Aerodeck (MB, MC)  
HONDA CIVIC VI Coupé (EJ, EM1)

#### OE

06430-SAA-E50  
43022-S04-E00  
43022-S04-E01  
43022-S04-E02  
43022-S04-E03  
43022-SAA-E51

Brake System: AKEBONO  
Fitting Position: Rear Axle  
Height [mm]: 37  
Length [mm]: 89  
Thickness [mm]: 12,6  
WVA Number: 21738  
WVA Number: 21739

## Brake system

**56-05-513C**

### Brake Drum



MITSUBISHI SPACE RUNNER (N1\_W, N2\_W)  
MITSUBISHI SPACE WAGON (D0\_V/W)  
MITSUBISHI SPACE WAGON (N3\_W, N4\_W)

**OE**  
MB587937

Centering Diameter [mm]: 90  
Fitting Position: Rear Axle  
Inner Br. Drum Diam. [mm]: 228,5  
Inner Brake Drum Height [mm]: 47  
Inner Diameter [mm]: 90  
Number of Holes: 4  
Total Br. Drum Height [mm]: 62

**56-08-823C**

### Brake Drum



SUZUKI VITARA (ET, TA)  
SUZUKI VITARA Cabrio (ET, TA)

**OE**  
4351160A10

Centering Diameter [mm]: 100  
Fitting Position: Rear Axle  
Inner Br. Drum Diam. [mm]: 220  
Inner Brake Drum Height [mm]: 41  
Inner Diameter [mm]: 100  
Number of Holes: 5  
Total Br. Drum Height [mm]: 61

## Clutch

**167-00-2168**

### Cable, manual transmission



FIAT IDEA  
LANCIA MUSA (350)

**OE**  
55207641  
55224825  
55228850

Fitting Position: Left

**167-00-0276**

### Cable, manual transmission



FIAT BRAVO II (198)  
LANCIA DELTA III (844)

**OE**  
55211803  
55213298  
55225098

Length 1 [mm]: 1200  
Length 2 [mm]: 920

**85-00-016**

### Slave Cylinder, clutch



GREAT WALL STEED 5 Pick-up

**OE**  
ZM015A16010201

Diameter [in]: 13/16"  
Diameter [mm]: 20,63  
Mounting Bores Distance [mm]: 35  
Thread Size: M10

## Clutch

**85-00-0500**

### Clutch Actuator



MITSUBISHI COLT VI (Z3\_A, Z2\_A)  
SMART FORFOUR (454)

#### OE

454 257 05 79  
A 454 257 05 79  
MN900584  
SMN900584

**85-00-0501**

### Clutch Actuator



SMART FORFOUR 2 volumi /Coda spiovente (453)  
SMART FORTWO Cabriolet (453)  
SMART FORTWO Coupé (453)

#### OE

4539063001

**85-00-0502**

### Clutch Actuator



SMART FORTWO Cabrio (451)  
SMART FORTWO Coupé (451)

#### OE

451 250 00 62  
A 451 250 00 62

**85-02-2000**

### Clutch Actuator

TOYOTA COROLLA Tre volumi (E15\_)  
TOYOTA YARIS (SCP9\_, NSP9\_, KSP9\_, NCP9\_, ZSP9\_)

#### OE

31360-52042  
31360-52043  
31360-52044

**85-02-2001**

### Clutch Actuator

TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_, ZRE15\_, NDE15\_)  
TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA VERSO S (NLP12\_, NCP12\_, NSP12\_)  
TOYOTA YARIS (SCP9\_, NSP9\_, KSP9\_, NCP9\_, ZSP9\_)

#### OE

31363-52020  
31363-52041

## Clutch

**85-02-2002**

### Clutch Actuator

|                                                                                                                                                                                       |                                                     |                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|---------------------------|
| TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)<br>TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)<br>TOYOTA COROLLA Station wagon (_E12J_, _E12T_)<br>TOYOTA COROLLA Tre volumi (E15_) | <b>OE</b><br>3136312010<br>3136312030<br>3136312040 | For OE number: 3136312040 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|---------------------------|

**85-02-2003**

### Clutch Actuator

|                                                                                                                                                                                            |                                                                   |                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------|
| TOYOTA COROLLA (ZZE12_, NDE12_, ZDE12_)<br>TOYOTA COROLLA Station wagon (_E12J_, _E12T_)<br>TOYOTA COROLLA Tre volumi (E15_)<br>TOYOTA COROLLA Tre volumi (NRE18_, ZRE17_, ZRE18_, NDE18_) | <b>OE</b><br>3136012010<br>3136012030<br>3136064010<br>3136064011 | For OE number: 3136012030 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------|

**85-02-2004**

### Clutch Actuator



CITROEN C1 (PM\_, PN\_)  
PEUGEOT 107  
TOYOTA AYGO (PAB4\_, KGB4\_)  
TOYOTA AYGO (WNB1\_, KGB1\_)  
TOYOTA YARIS (SCP9\_, NSP9\_, KSP9\_, NCP9\_, ZSP9\_)

**OE**  
1612909880  
3136052030  
3136052070  
3137052021

For OE number: 3136052030

**85-02-2005**

### Clutch Actuator



CITROEN C2 (JM\_)  
CITROEN C3 I (FC\_)  
CITROEN C3 Pluriel (HB\_)  
PEUGEOT 1007 (KM\_)  
PEUGEOT 207 (WA\_, WC\_)

**OE**  
2182 33  
2182 52  
96 493 945 80  
96 563 820 80

**85-0M-M02**

### Clutch Actuator

|                                                                      |                                                                                  |  |
|----------------------------------------------------------------------|----------------------------------------------------------------------------------|--|
| SMART CABRIO (450)<br>SMART CITY-COUPE (450)<br>SMART ROADSTER (452) | <b>OE</b><br>0003226V014000000<br>0003226V016000000<br>4310021600<br>A4310021600 |  |
|----------------------------------------------------------------------|----------------------------------------------------------------------------------|--|

## Clutch

### 95-0H-H37

#### Master Cylinder, clutch



HYUNDAI H-1 / STAREX  
HYUNDAI H-1 Cargo (TQ)  
HYUNDAI H-1 Furgonato

**OE**  
4160047000

Diameter [in]: 5/8  
Diameter [mm]: 15,87  
Mounting Bores Distance [mm]: 63  
Thread Size: M10

### 95-0L-L01

#### Master Cylinder, clutch



LAND ROVER DISCOVERY I (LJ, LG)  
LAND ROVER RANGE ROVER I (AE, AN, HAA, HAB,  
HAM, HBM, RE, RN)

**OE**  
AEU1714

Diameter [mm]: 17,78  
Mounting Bores Distance [mm]: 56

### 95-0L-L02

#### Master Cylinder, clutch



LAND ROVER DISCOVERY I (LJ, LG)  
LAND ROVER RANGE ROVER I (AE, AN, HAA, HAB,  
HAM, HBM, RE, RN)

**OE**  
ANR2186  
ANR2651

Bore [mm]: 24,5  
Mounting Bores Distance [mm]: 56  
Thread Size: 7/16 - M11

### 154-0W-W07

#### Clutch Cable



CHEVROLET MATIZ (M200, M250)

**OE**  
96495487

Length 1 [mm]: 795  
Length 2 [mm]: 1080  
Length 3 [mm]: 790  
Length [mm]: 1115

### 92-00-036

#### Clutch Kit



GREAT WALL TENGYI C20R 2 volumi /Coda  
spiovente

**OE**  
1601021001  
1601100EG01  
1601200EG01B1

Centering Diameter [mm]: 23  
Diameter [mm]: 210  
Number of Teeth: 21

## Cooling System

## Cooling System

**35-00-0283**

### Water Pump



IVECO DAILY Cassone / Furgonato / Promiscuo  
IVECO DAILY CITYS Autobus  
IVECO DAILY III Autobus  
IVECO DAILY III Cassone / Furgonato / Promiscuo  
IVECO DAILY III Pianale piatto/Telaio

#### OE

504360207  
504369725

Socket Height [mm]: 82

**38-00-008**

### Thermostat, coolant



DACIA DOKKER  
DACIA DUSTER  
DACIA LODGY  
DACIA LOGAN II  
DACIA LOGAN MCV II  
DACIA SANDERO II

#### OE

11 06 027 70R  
11 06 084 31R  
11060-00Q01  
11060-00Q02  
11060-00Q0Y  
1106000Q01

Opening Temperature [°C]: 83  
Supplementary Article/Supplementary Info 2: with sensor  
Supplementary Article/Supplementary Info 2: With thermostat  
Supplementary Article/Supplementary Info: with seal

**38-00-0126**

### Thermostat, coolant



BMW 1 (F20)  
BMW 1 (F21)  
BMW 2 Cabriolet (F23)  
BMW 2 Coupé (F22)  
BMW 3 (F30, F35, F80)  
BMW 3 GRAN TURISMO (F34)

#### OE

11 53 7 588 257  
11 53 7 633 476  
11 53 7 633 477  
11 53 8 635 689  
11 53 8 636 594  
11 53 8 636 595

Number of ports: 2  
Opening Temperature [°C]: 108  
Outer Diameter [mm]: 38,0  
Weight [kg]: 0,27

**38-00-0133**

### Thermostat, coolant



BMW 3 (E46)  
BMW 3 Cabriolet (E46)  
BMW 3 Compact (E46)  
BMW 3 Coupe (E46)  
BMW 3 Touring (E46)  
BMW 5 (E39)


#### OE

11712247723

Opening Temperature [°C]: 70

**38-00-0134**

### Thermostat, coolant



BMW 1 (F20)  
BMW 1 (F21)  
BMW 2 Coupé (F22)  
BMW 3 (E90)  
BMW 3 (F30, F35, F80)  
BMW 3 Cabriolet (E93)

#### OE

1151 8516 203

Opening Temperature [°C]: 87

## Cooling System

**38-00-0137**

**Thermostat, coolant**



BMW 5 (E60)  
BMW 5 Touring (E61)  
BMW 6 (E63)  
BMW 6 Cabriolet (E64)  
BMW 7 (E65, E66, E67)

**OE**

1712 7507 982  
1721 7559 962

Opening Temperature [°C]: 82

**38-00-0513**

**Thermostat, coolant**



MERCEDES-BENZ CLASSE A (W169)  
MERCEDES-BENZ CLASSE B (W245)

**OE**

6402000415  
6402000515  
6462000415  
A6402000415  
A6402000515  
A6462000415

Opening Temperature [°C]: 85  
Supplementary Article/Supplementary Info:  
with seal

**38-00-0713**

**Thermostat, coolant**



RENAULT CLIO III (BR0/1, CR0/1)

**OE**

8200525397  
8200772994

Number of seals: 1  
Opening Temperature [°C]: 75  
Supplementary Article/Supplementary Info:  
With gaskets/seals

**38-00-0937**

**Thermostat, coolant**



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A3 (8V1)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Sportback (8VA)

**OE**

04E 121 113 G

Opening Temperature [°C]: 87  
Supplementary Article/Supplementary Info:  
with seal

**38-00-0943**

**Thermostat, coolant**



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)  
SEAT IBIZA V (6J5, 6P5)  
SEAT IBIZA V SPORTCOUPE (6J1, 6P1)  
SEAT IBIZA V ST (6J8, 6P8)  
SEAT LEON (5F1)

**OE**

04E121113C  
04E121113K

Opening Temperature [°C]: 80

## Cooling System

**38-00-0951**
**Thermostat, coolant**


AUDI A4 (8K2, B8)  
AUDI A4 Avant (8K5, B8)  
AUDI A5 (8T3)  
AUDI A5 Sportback (8TA)  
AUDI Q7 (4L)  
VW PHAETON (3D\_)

**OE**  
059121111N

Opening Temperature [°C]: 95

**38-00-0956**
**Thermostat, coolant**


VW AMAROK (2H\_, S1B)  
VW AMAROK Pianale piatto/Telaio (S1B)  
VW CRAFTER 30-35 Autobus (2E\_)  
VW CRAFTER 30-50 Furgonato (2E\_)  
VW CRAFTER 30-50 Pianale piatto/Telaio (2F\_)

**OE**  
03L 121 111 AB  
03L 121 111 H  
03L121111AB  
03L121111H

Opening Temperature [°C]: 87  
Supplementary Article/Supplementary Info:  
with seal

**38-00-0961**
**Thermostat, coolant**


AUDI A3 Cabriolet (8V7)  
AUDI A4 (8EC, B7)  
AUDI A4 Avant (8ED, B7)  
AUDI A6 (4F2, C6)  
AUDI A6 Avant (4F5, C6)  
SEAT EXEO (3R2)

**OE**  
06D 121 111 G  
06D121111G

Opening Temperature [°C]: 87  
Supplementary Article/Supplementary Info:  
with seal

**38-0H-H19**
**Thermostat, coolant**


LEXUS GS (GRS19\_, UZS19\_, GWS19\_)  
LEXUS GS (UZS161, JZS160)  
LEXUS LS (UCF20)  
LEXUS LS (UCF30)  
LEXUS LX (UZJ100)  
LEXUS SC (UZZ40\_)

**OE**  
8AH1-15-171A  
8AH1-15-171B  
8AH115171  
90916-03094  
90916-03100  
90916-03117

Housing Type: Without housing  
Opening Temperature [°C]: 82

## Electrics

**151-00-0700**
**ABS Sensor**


RENAULT CLIO V (BF\_)

**OE**  
47 91 073 47R  
47 91 095 72R

Fitting Position: Front Axle left and right

## Electrics

**151-01-1030**

**ABS Sensor**



NISSAN MURANO III (Z52)

**OE**  
47900-5AA0A

Cable Length [mm]: 1270  
Fitting Position: Rear Axle Right

**151-02-2034**

**ABS Sensor**



TOYOTA SIENNA (ASL3\_ GSL3\_)

**OE**  
89542-08040  
89542-08050

Fitting Position: Front Axle Right

**151-04-4000**

**ABS Sensor**



HONDA ODYSSEY (RB\_)

**OE**  
57470-SFJ-W01  
57470-SHJ-A02

Fitting Position: Right Rear  
Paired article numbers: 151-04-4001  
Paired article numbers: 1514001  
Paired article numbers: ABS-4001

**151-04-4001**

**ABS Sensor**



HONDA ODYSSEY (RB\_)

**OE**  
57475-SFJ-W01  
57475-SHJ-A02

Fitting Position: Left Rear  
Paired article numbers: 151-04-4000  
Paired article numbers: 1514000  
Paired article numbers: ABS-4000

**151-04-4003**

**ABS Sensor**



HONDA ODYSSEY (RB\_)

**OE**  
57470-SHJ-A05  
57470-SLE-003

Fitting Position: Rear Axle Right  
Paired article numbers: 151-04-4004  
Paired article numbers: 1514004  
Paired article numbers: ABS-4004

## Electrics

**151-04-4004**

**ABS Sensor**



HONDA ODYSSEY (RB\_)

**OE**

57475-SHJ-A05  
57475-SLE-003

Fitting Position: Rear Axle Left  
Paired article numbers: 151-04-4003  
Paired article numbers: 1514003  
Paired article numbers: ABS-4003

**151-07-702**

**ABS Sensor**



SUBARU OUTBACK (BM, BR)

**OE**

27540AJ04A

Fitting Position: Rear Axle Right

**151-0K-K62**

**ABS Sensor**



HYUNDAI ELANTRA Tre volumi (AD)

**OE**

59810-F2300

Connector Shape: Square  
Fitting Position: Front Axle Left  
Paired article numbers: 151-0K-K63  
Paired article numbers: 151K63  
Paired article numbers: ABS-K63

**151-0K-K63**

**ABS Sensor**



HYUNDAI ELANTRA Tre volumi (AD)


**OE**

59830-F2300

Fitting Position: Front Axle Right  
Number of mounting bores: 3  
Paired article numbers: 151-0K-K62  
Paired article numbers: 151K62  
Paired article numbers: ABS-K62  
Sensor Type: Active sensor

**151-0K-K64**

**ABS Sensor**



HYUNDAI XG (XG)

**OE**

95680-39601

Braking / Drive Dynamics: For vehicles with ABS  
Fitting Position: Rear Axle Right  
Paired article numbers: 151-0K-K65  
Paired article numbers: 151K65  
Paired article numbers: ABS-K65  
Rated Voltage [V]: 12

## Electrics

### BO-0216KJM

#### Coil, ignition



ALFA ROMEO MITO (955)  
FIAT 500 (312)  
FIAT 500 C (312)  
FIAT DOBLO (119)  
FIAT DOBLO Cargo (223)  
FIAT FIORINO Cassone / Furgonato / Promiscuo

#### OE

1535713  
1671690  
5135 419  
55 19 57 75  
55 19 57 76  
55 20 01 12

Ignition Coil: Coupling Type SAE  
Number of Inlets / Outlets: 4  
Number of Poles: 6

### 132-00-0202

#### Ignition Cable Kit



ALFA ROMEO 145 (930)  
ALFA ROMEO 146 (930)


#### OE

60597355  
60597943

Length 1 [mm]: 810  
Length 2 [mm]: 870  
Length 3 [mm]: 810  
Length 4 [mm]: 750  
Number of circuits: 4  
Outer Diameter [mm]: 7

### 132-00-0203

#### Ignition Cable Kit



ALFA ROMEO 155 (167)


#### OE

60566481  
60566483

Length 1 [mm]: 550  
Length 2 [mm]: 580  
Length 3 [mm]: 610  
Length 4 [mm]: 670  
Length 5 [mm]: 550  
Length 6 [mm]: 580  
Length 7 [mm]: 610  
Length 8 [mm]: 690  
Number of circuits: 8  
Outer Diameter [mm]: 7

### 132-00-0223

#### Ignition Cable Kit



FIAT PANDA (141A\_)

#### OE

110-5013  
1105013  
7604977

Length 1 [mm]: 370  
Length 2 [mm]: 430  
Length 3 [mm]: 490  
Length 4 [mm]: 550  
Length 5 [mm]: 500  
Number of circuits: 5  
Outer Diameter [mm]: 7

### 132-00-0233

#### Ignition Cable Kit



FIAT REGATA (138)  
FIAT RITMO II (138A)  
FIAT TEMPRA (159)  
FIAT TEMPRA S.W. (159)  
LANCIA DELTA I (831AB0)

#### OE


7596561  
7604227

Length 1 [mm]: 290  
Length 2 [mm]: 320  
Length 3 [mm]: 410  
Length 4 [mm]: 530  
Length 5 [mm]: 530  
Number of circuits: 5  
Outer Diameter [mm]: 7

## Electrics

### 132-00-0306

#### Ignition Cable Kit




FIAT DUNA (146 B)  
FIAT FIORINO (127)  
FIAT FIORINO (147)  
FIAT FIORINO Furgonato (146)  
FIAT FIORINO Pick up (146)  
FORD TOURNEO CONNECT

**OE**  
4371000  
7597720

Length 1 [mm]: 310  
Length 2 [mm]: 370  
Length 3 [mm]: 370  
Length 4 [mm]: 370  
Length 5 [mm]: 410  
Number of circuits: 5  
Outer Diameter [mm]: 7

### 132-00-0308

#### Ignition Cable Kit




VOLVO S40 I (VS)  
VOLVO V40 Station wagon (VW)

**OE**  
1275603  
134958

Length 1 [mm]: 460  
Length 2 [mm]: 460  
Number of circuits: 2  
Outer Diameter [mm]: 7

### 132-00-0309

#### Ignition Cable Kit



VOLVO 850 (LS)  
VOLVO 850 Station wagon (LW)  
VOLVO C70 I Cabriolet  
VOLVO C70 I Coupé  
VOLVO S70 (LS)  
VOLVO V70 I (LV)

**OE**  
9135701

Length 1 [mm]: 830  
Length 2 [mm]: 770  
Length 3 [mm]: 620  
Length 4 [mm]: 530  
Length 5 [mm]: 440  
Number of circuits: 5  
Outer Diameter [mm]: 7

### 132-00-0310

#### Ignition Cable Kit




RENAULT SAFRANE II (B54\_)  
VOLVO 850 (LS)  
VOLVO 850 Station wagon (LW)  
VOLVO C70 I Cabriolet  
VOLVO C70 I Coupé  
VOLVO S70 (LS)

**OE**  
134549  
9135700

Length 1 [mm]: 470  
Length 2 [mm]: 570  
Length 3 [mm]: 650  
Length 4 [mm]: 780  
Length 5 [mm]: 860  
Length 6 [mm]: 570  
Number of circuits: 6  
Outer Diameter [mm]: 7

### 132-00-0702

#### Ignition Cable Kit



RENAULT 19 I (B/C53\_)  
RENAULT 19 II (B/C53\_)  
RENAULT 19 II Chamade (L53\_)  
RENAULT CLIO I (B/C57\_ 5/357\_)  
RENAULT RAPID Furgonato (F40\_ G40\_)

**OE**  
60 25 003 095  
6025003095  
77 00 726 626  
77 00 850 463  
77 01 349 467  
7700726626

Length 1 [mm]: 420  
Length 2 [mm]: 430  
Length 3 [mm]: 480  
Length 4 [mm]: 520  
Length 5 [mm]: 600  
Number of circuits: 5  
Outer Diameter [mm]: 7

## Electrics

### 132-00-0707

#### Ignition Cable Kit



RENAULT 18 (134\_)  
RENAULT CLIO I (B/C57\_, 5/357\_)  
RENAULT RAPID Furgonato (F40\_, G40\_)  
VOLVO 340-360 (343, 345)  
VOLVO 340-360 Tre volumi (344)

#### OE

134439  
77 00 749 521  
77 00 857 045  
7700749521  
7700857045

Length 1 [mm]: 410  
Length 2 [mm]: 410  
Length 3 [mm]: 410  
Length 4 [mm]: 410  
Length 5 [mm]: 420  
Number of circuits: 5  
Outer Diameter [mm]: 7

### 132-00-0712

#### Ignition Cable Kit




RENAULT ESPACE II (J/S63\_)

#### OE

7700720783

### 132-00-0715

#### Ignition Cable Kit



RENAULT LAGUNA I (B56\_, 556\_)  
RENAULT LAGUNA I Grandtour (K56\_)  
RENAULT SAFRANE II (B54\_)  
VOLVO S40 I (VS)  
VOLVO V40 Station wagon (VW)

#### OE

1275284  
1275284-6  
12752846  
134560  
74 31 275 284  
7431275284

Length 1 [mm]: 350  
Length 2 [mm]: 390  
Length 3 [mm]: 510  
Length 4 [mm]: 510  
Number of circuits: 4  
Outer Diameter [mm]: 7

### 132-04-423

#### Ignition Cable Kit



LAND ROVER FREELANDER (LN)  
LAND ROVER FREELANDER Soft Top  
MG MG TF  
MG MG ZR  
MG MG ZS  
MG MG ZS Hatchback


#### OE

134373  
GHT 291  
GHT291  
NGC 000 040  
NGC000040

Length 1 [mm]: 440  
Length 2 [mm]: 440  
Number of circuits: 2  
Outer Diameter [mm]: 7

### 132-04-424

#### Ignition Cable Kit



MG MG TF  
MG MG ZR  
MG MGF (RD)  
ROVER 200 (RF)  
ROVER 200 2 volumi /Coda spiovente (XW)  
ROVER 25 (RF)

#### OE

134287  
GHT284  
NGC 000 090  
NGC000090

Length 1 [mm]: 510  
Length 2 [mm]: 540  
Length 3 [mm]: 680  
Length 4 [mm]: 730  
Length 5 [mm]: 490  
Number of circuits: 5  
Outer Diameter [mm]: 7

## Electrics

**132-06-615**

### Ignition Cable Kit



PIAGGIO PORTER Pianale piatto/Telaio

#### OE

1990187790000  
1990187D88000

**003-9001**

### Starter



DAIHATSU HIJET Furgonato (S85)  
DAIHATSU HIJET Pick-up  
PIAGGIO PORTER Autobus  
PIAGGIO PORTER Furgonato  
PIAGGIO PORTER Pianale piatto/Telaio

#### OE

28100 87551  
28100 87551 000

Clamp: M8  
Flange [mm]: 74  
Number of mounting bores: 2  
Number of Teeth: 8  
Rated Power [kW]: 0,8  
Rotation Direction: Clockwise rotation  
Voltage [V]: 12

**153-05-501**

### Sensor, crankshaft pulse



MITSUBISHI OUTLANDER II (CW\_W)  
SMART FORTWO Cabrio (451)  
SMART FORTWO Coupé (451)

#### OE

006 153 39 28  
1865A069  
A006 153 39 28

Number of ports: 3

**153-08-804**

### Sensor, crankshaft pulse



OPEL AGILA (B) (H08)  
SUZUKI GRAND VITARA II (JT)  
SUZUKI KIZASHI (FR)  
SUZUKI SPLASH

#### OE

093194164  
095512953  
33220-50M00  
33220-50M00-000  
33220-51K00  
47 00 346

Length [mm]: 55  
Number of ports: 3  
Outer Diameter [mm]: 15  
Supplementary Article/Supplementary Info 2:  
With seal  
Weight [kg]: 0,023

**156-09-926**

### Water Pump, window cleaning



AUDI A4 (8K2, B8)  
AUDI A4 Allroad (8KH, B8)  
AUDI A4 Avant (8K5, B8)  
AUDI A5 (8T3)  
AUDI A5 Cabriolet (8F7)  
AUDI A5 Sportback (8TA)

#### OE

67637217792  
8K0955681

Number of ports: 2  
Pump Type: Dual Pump  
Supplementary Article/Supplementary Info 2:  
For windscreen cleaning system  
Voltage [V]: 12  
Weight [kg]: 0,122

## Engine

## Engine

### 16PE001

#### Camshaft



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 III (SX)

**OE**  
39175858  
9825017880

Additionally required articles (article numbers): KDK-0603  
Fitting Position: Exhaust Side  
Paired article numbers: 16PE002  
Paired article numbers: 6PE002  
Paired article numbers: AA-PE002  
Timing Chain Size: 7 mm

### 16PE002

#### Camshaft



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 III (SX)

**OE**  
39175857  
9825013780

Additionally required articles (article numbers): KDK-0603  
Fitting Position: Intake Side  
Paired article numbers: 16PE001  
Paired article numbers: 6PE001  
Paired article numbers: AA-PE001  
Timing Chain Size: 7 mm

### 16PE003

#### Camshaft



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 III (SX)

**OE**  
2646854  
9828655580  
JX6Q-6A273-BA

Additionally required articles (article numbers): KDK-0603-8  
Fitting Position: Exhaust Side  
Paired article numbers: 16PE004  
Paired article numbers: 6PE004  
Paired article numbers: AA-PE004  
Timing Chain Size: 8 mm

### 16PE004

#### Camshaft



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 III (SX)

**OE**  
2646852  
9828655380  
JX6Q-6A270-BA

Additionally required articles (article numbers): KDK-0603-8  
Fitting Position: Intake Side  
Paired article numbers: 16PE003  
Paired article numbers: 6PE003  
Paired article numbers: AA-PE003  
Timing Chain Size: 8 mm

### 162-02-201

#### Accelerator Cable



TOYOTA YARIS (SCP1\_, NLP1\_, NCP1\_)

**OE**  
781800D040

Length 1/ Length 2 [mm]: 1350/1135

## Engine

### 23SS000

#### Connecting Rod



SSANGYONG ACTYON I  
SSANGYONG ACTYON SPORTS I (QJ)  
SSANGYONG KYRON  
SSANGYONG REXTON (GAB\_)  
SSANGYONG REXTON W  
SSANGYONG RODIUS

**OE**  
6640300020  
6640300220

Inner Diameter [mm]: 30  
Inner Diameter [mm]: 54,5

### 150-00-0504

#### EGR Valve



CHRYSLER 300 C (LX)  
CHRYSLER 300 C Touring (LX)  
JEEP COMMANDER (XK)  
JEEP GRAND CHEROKEE IV (WK, WK2)  
MERCEDES-BENZ CLASSE C (W204)  
MERCEDES-BENZ CLASSE C T-Model (S204)

**OE**  
6421401060  
A6421401060

Conductor Number: 5  
For article number: 83.1046AS  
Operating Mode: Electric  
Standard: ARMAN

### 150-00-0505

#### EGR Valve



MERCEDES-BENZ CLASSE A (W169)  
MERCEDES-BENZ CLASSE B (W245)

**OE**  
A 640 140 19 60

Operating Mode: Electric  
Supplementary Article/Supplementary Info:  
with seal  
Valve Type: Control Valve

### 150-02-206

#### EGR Valve



TOYOTA AURIS (NRE15\_, ZZE15\_, ADE15\_, ZRE15\_, NDE15\_)  
TOYOTA IQ (KPJ1\_, NGJ1\_, KGJ1\_, NUJ1\_)  
TOYOTA URBAN CRUISER (NSP1\_, NLP1\_, ZSP1\_, NCP11\_)  
TOYOTA VERSO S (NLP12\_, NCP12\_, NSP12\_)

**OE**  
2580033010  
2580033011

For article number: 83.967AS  
Standard: ARMAN

### 157-FI-FI16

#### Oil Pump



ALFA ROMEO GIULIETTA (940)  
ALFA ROMEO MITO (955)  
FIAT BRAVO II (198)  
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)  
FIAT DOBLO MPV / Space wagon (152, 263)

**OE**  
16100-79J80  
55207179  
55269804  
55271883  
55277857  
6 46 107

Supplementary Article/Supplementary Info 2:  
With shaft oil seal  
Supplementary Article/Supplementary Info:  
with seal

## Engine

### 157-FO-F012

#### Oil Pump



CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

**OE**  
1719368  
9677507180  
BK2Q-6L630-AA

Additionally required articles (article numbers): OP315  
For OE number: 1719368

### 157-OP-OP14

#### Oil Pump



OPEL ADAM  
OPEL ASTRA GTC J  
OPEL ASTRA J  
OPEL ASTRA J Sports Tourer  
OPEL ASTRA J Tre volumi  
OPEL CORSA D

**OE**  
0638127  
12688813  
12691509  
25197591  
25199425  
25199823

### 157-VW-VW36

#### Oil Pump



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A3 (8P1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Sportback (8PA)  
SEAT ALTEA (5P1)

**OE**  
03F 115 105D

### 157-VW-VW37

#### Oil Pump



VW AMAROK (2H\_, S1B)  
VW AMAROK Pianale piatto/Telaio (S1B)

**OE**  
03L 115 105 C

Number of Teeth: 33

### 122-0H-H22

#### Belt Pulley, crankshaft



HYUNDAI ACCENT Tre volumi (HC)  
HYUNDAI i10 (IA)  
HYUNDAI i10 Tre volumi  
HYUNDAI i20 (GB)  
HYUNDAI i20 ACTIVE (GB)  
HYUNDAI i20 Coupe

**OE**  
23124-03800  
23124-03801

Inner Diameter [mm]: 25  
Outer Diameter [mm]: 147  
Parameter: 6 PK  
Supplementary Article/Supplementary Info 2:  
For crankshaft  
Weight [kg]: 1,258  
Width [mm]: 41

## Engine

### 122-0K-K16

#### Belt Pulley, crankshaft



HYUNDAI ACCENT IV Tre volumi (RB)  
HYUNDAI i30 (GD)  
HYUNDAI i30 (PDE)  
HYUNDAI i30 CW (GD)  
HYUNDAI i40 (VF)  
HYUNDAI i40 CW (VF)

#### OE

23124-2A801  
23124-2A803  
23124-2A804

Diameter [mm]: 154  
Height [mm]: 42  
Number of grooves: 5

### VVTA-0142

#### Camshaft Adjuster



SUZUKI SWIFT IV (FZ, NZ)


#### OE

12740-54GE1  
12740-54GE1 S3  
1274054GE1  
12761-54G00  
12761-54G00 S3  
12831-69G10

Chain Type: Closed chain  
Number of Chain Links: 162  
Weight [kg]: 0,883

### XX-COPERCHIO

#### Rocker Cover



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 III (SX)

#### OE

9830580480

### HY020S

#### Cylinder Head



HYUNDAI i20  
HYUNDAI i20 (PB, PBT)  
HYUNDAI i30 (FD)  
HYUNDAI i30 (GD)  
HYUNDAI i30 Coupé  
HYUNDAI i30 CW (FD)

#### OE

221002A200  
96RU52AF00

## Engine Timing Control

### 109-10X580

#### V-Belt



LIGIER BE UP  
LIGIER X-TOO MAX  
LIGIER XTOO (LXT)

#### OE

0112990  
112990

Length [mm]: 580  
Parameter: 10X580  
Width [mm]: 10

## Engine Timing Control

### KCK0310

#### Timing Chain Kit



FORD RANGER (TKE)  
FORD TRANSIT Autobus  
FORD TRANSIT Furgonato  
FORD TRANSIT Pianale piatto/Telaio

#### OE

1704089  
1717658  
1754585  
6C1Q6256AC  
6C1Q6306AB  
6C1Q6K261AB

Chain Type: Roller chain  
Chain Type: Simplex  
Fitting Position: Upper  
Number of Chain Links: 132  
Number of Parts [parts]: 11  
Supplementary Article/Supplementary Info:  
With gaskets/seals  
Supplementary Article/Supplementary Info:  
with gears

### KCK0603

#### Timing Chain Kit



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 III (SX)

#### OE

3557000  
9823920080  
9823954880  
9826028980

Additionally required articles (article numbers): AA-PE001  
Additionally required articles (article numbers): AA-PE002  
Chain Type: Roller chain  
Chain Type: Simplex  
Fitting Position: Cylinder Head  
Fitting Position: Upper  
Machine Width [mm]: 7  
Number of Chain Links: 44  
Number of Parts [parts]: 3  
Supplementary Article/Supplementary Info 2:  
With gear  
Supplementary Article/Supplementary Info:  
Without gaskets/seals

### KCK0603-8

#### Timing Chain Kit



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 III (SX)

#### OE

2191039  
2646850  
2646864  
3557000  
9823920080  
9830146880

Additionally required articles (article numbers): AA-PE003  
Additionally required articles (article numbers): AA-PE004  
Chain Type: Roller chain  
Chain Type: Simplex  
Number of Chain Links: 44  
Supplementary Article/Supplementary Info 2:  
With gear  
Supplementary Article/Supplementary Info:  
Without gaskets/seals  
Timing Chain Size: 8 MM

### KCK138

#### Timing Chain Kit



NISSAN MICRA IV (K13)  
NISSAN NOTE (E12)

#### OE

130218AA0A  
13021ED000  
13021EE50A  
13021EE50D  
130241751R  
13024CJ00A

Chain Type: Low-noise chain  
Chain Type: Simplex  
Fitting Position: Upper  
Number of Chain Links: 152  
Number of Chain Links: 56  
Number of Parts [parts]: 11  
Supplementary Article/Supplementary Info:  
With gaskets/seals  
Supplementary Article/Supplementary Info:  
with gears

## Engine Timing Control

### KCK229

#### Timing Chain Kit



TOYOTA HIACE VI Autobus (\_H3\_)  
TOYOTA HILUX Pick-up (GUN1\_)  
TOYOTA LAND CRUISER 150 (KDJ15\_, GRJ15\_)

#### OE

135060E010  
135070E010  
1350711010  
135190E010  
135210E010  
135230E010

Fitting Position: Upper  
Number of Chain Links: 116  
Number of Chain Links: 62  
Number of Parts [parts]: Not available

### KCK307

#### Timing Chain Kit



MAZDA 3 (BM)  
MAZDA 3 Tre volumi (BM)  
MAZDA 6 Station wagon (GJ, GH)  
MAZDA 6 Tre volumi (GJ, GH)  
MAZDA CX-5 (KE, GH)  
MAZDA CX-5 (KF)

#### OE

SH0111730  
SH0112500  
SH0211316  
SH0211760  
SH0212201  
SH0212425

Number of Chain Links: 108  
Number of Chain Links: 58  
Number of Parts [parts]: 10

### KCK701

#### Timing Chain Kit



SUBARU BRZ  
SUBARU FORESTER (SH)  
SUBARU FORESTER (SJ)  
SUBARU LEGACY V Station wagon (BM, BR)  
SUBARU OUTBACK  
SUBARU XV

#### OE

13142AA090  
13142AA160

Fitting Position: Upper  
Number of Chain Links: 130  
Number of Parts [parts]: With roof rails  
Supplementary Article/Supplementary Info:  
with gears

### KCKH08

#### Timing Chain Kit



HYUNDAI i30 (FD)  
HYUNDAI i30 Coupé  
HYUNDAI i30 CW (GD)  
HYUNDAI i40 (VF)  
HYUNDAI i40 CW (VF)  
HYUNDAI ix35 (LM, EL, ELH)

#### OE

231212B710  
243212B600  
243212B620  
244102B600  
244102B610  
244102B700

Number of Chain Links: 124  
Number of Parts [parts]: 5

### KCKS03

#### Timing Chain Kit



SSANGYONG KORANDO

#### OE

6710500116  
6710500211  
6710520016  
6710520101  
6711800159  
6719970294

Chain Type: Simplex  
Number of Chain Links: 112  
Number of Chain Links: 60  
Number of Parts [parts]: 7

## Engine Timing Control

**128-04-407**

### Tensioner Lever, v-ribbed belt



HONDA CIVIC VII Hatchback (EU, EP, EV)  
OPEL ASTRA H (L48)  
OPEL ASTRA H Furgonato (L70)  
OPEL ASTRA H GTC (L08)  
OPEL ASTRA H Station wagon (L35)  
OPEL ASTRA H Tre volumi (L69)

**OE**  
31160PLZD00

Diameter [mm]: 70  
Height [mm]: 24

**128-04-408**

### Tensioner Lever, v-ribbed belt



HONDA CIVIC VII Hatchback (EU, EP, EV)  
OPEL ASTRA H (L48)  
OPEL ASTRA H Furgonato (L70)  
OPEL ASTRA H GTC (L08)  
OPEL ASTRA H Station wagon (L35)  
OPEL ASTRA H Tre volumi (L69)

**OE**  
31160PLZD00  
6204663  
98005564

Diameter [mm]: 70  
Height [mm]: 26

## Filter

**FA-158JM**

### Air Filter



MITSUBISHI ASX (VSX\_, VSE\_)  
NISSAN JUKE (F16\_)  
NISSAN MICRA V  
RENAULT CAPTUR II  
RENAULT CLIO V (BF\_)

**OE**  
16546-5FN1A  
165465FN1A  
MQ 000139

Filter Type: Filter Insert  
Height [mm]: 53  
Length [mm]: 226  
Width [mm]: 129

**FA-2009JM**

### Air Filter



CITROEN C1 II  
PEUGEOT 108  
TOYOTA AYGO (PAB4\_, KGB4\_)  
TOYOTA C-HR VAN (\_X1\_)  
TOYOTA CH-R (NGX1, NGX5\_, ZYX1\_)  
TOYOTA COROLLA (\_E21\_)

**OE**  
16 124 967 80  
16 163 688 80  
1612496780  
1616368880  
17801-0M030  
17801-21060

Filter Type: Filter Insert  
Height [mm]: 38  
Length [mm]: 178  
Width [mm]: 117

**20-02-2026**

### Air Filter



LEXUS LC  
LEXUS LC Cabriolet (\_Z10\_)  
LEXUS LS (\_F5\_)

**OE**  
17801-38060

Filter Type: Filter Insert  
Fitting Position: Left  
Fitting Position: Right  
Height [mm]: 49  
Length [mm]: 187  
Weight [kg]: 0,197  
Width [mm]: 178

## Filter

### FAA-015JM

#### Filter, interior air



CITROEN BERLINGO (B9)  
CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN BERLINGO Pianale piatto/Telaio (B9)  
CITROEN C4 Grand Picasso I (UA\_)

#### OE

3638979  
6447 XG  
6479 93  
87139-YYZ91  
95525903  
98 014 481 80

Filter Type: Activated Carbon Filter  
Height [mm]: 32  
Length [mm]: 293  
Quantity Unit: Kit  
Width [mm]: 96

### FAA-022JM

#### Filter, interior air



CADILLAC SRX  
CHEVROLET AVEO 2 volumi /Coda spiovente (T300)  
CHEVROLET AVEO Tre volumi (T300)  
CHEVROLET CRUZE (J300)  
CHEVROLET CRUZE 2 volumi /Coda spiovente

#### OE

13271191  
13503675  
1808246  
52420930  
95527473  
J13271191

Filter Type: Activated Carbon Filter  
Height [mm]: 36  
Length [mm]: 240  
Width [mm]: 204

### FAA-026JM

#### Filter, interior air



FORD C-MAX II  
FORD C-MAX II Van  
FORD FOCUS III  
FORD FOCUS III Cassone / coda spiovente  
FORD FOCUS III Tre volumi  
FORD FOCUS III Turnier

#### OE

1709 013  
1776 360  
2504 776  
31369455  
31404958  
AV6N 19G244 AA

Filter Type: Activated Carbon Filter  
Height [mm]: 36  
Length [mm]: 260  
Width [mm]: 202

### FC-0201JM

#### Fuel filter



FIAT DOBLO (119)  
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)  
FIAT DOBLO MPV / Space wagon (152, 263)  
FIAT DOBLO Pianale piatto/Telaio (263)  
FIAT FIORINO Cassone / Furgonato / Promiscuo

#### OE

1578143  
55702102  
570309110108  
570309110112  
71772778  
71772815

Diameter 1/ Diameter 2 [mm]: IN : 10 OUT : 8  
Filter Type: In-Line Filter  
Height [mm]: 205  
Outer Diameter [mm]: 90

### FC-138JM

#### Fuel filter



NISSAN QASHQAI  
NISSAN QASHQAI (J11, J11\_)  
NISSAN X-TRAIL (T32)  
RENAULT KADJAR  
RENAULT KOLEOS II

#### OE

16400HV80A  
164A0HV80A

Filter Type: Filter Insert  
Fitted Diameter [mm]: 38,5  
Height [mm]: 158,7  
Height [mm]: 159  
Inner Diameter [mm]: 18  
Outer Diameter 1 [mm]: 98,2  
Outer Diameter [mm]: 93,4  
Outer Diameter [mm]: 98

## Filter

### FC-295JM

#### Fuel filter



MAZDA 3 (BK)  
MAZDA 3 Tre volumi (BK)  
MAZDA 323 F VI (BJ)  
MAZDA 323 S VI (BJ)  
MAZDA 6 (GG)  
MAZDA 6 2 volumi /Coda spiovente (GH)

#### OE

23390-33010  
23390-33020  
23390-33030  
23390-33060  
23390-64450  
23390-YZZAA

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 65  
Inner Thread [mm]: IN:3/4 x 16 OUT  
Length [mm]: 124  
Outer Diameter [mm]: 72

### FC-320JM

#### Fuel filter



FORD C-MAX (DM2)  
FORD FIESTA V (JH\_, JD\_)  
FORD FIESTA Van  
FORD FIESTA VI  
FORD FIESTA VI Van  
FORD FOCUS C-MAX

#### OE

1386 037  
1386037  
30783135  
5M5Q 9155AA  
Y603-13-480  
Y603-13-480-9A

Diameter 1/ Diameter 2 [mm]: 10  
Filter Type: In-Line Filter  
Length [mm]: 107  
Outer Diameter [mm]: 98

### 30-05-538S

#### Fuel filter



FUSO (MITSUBISHI) CANTER  
IRISBUS DAILY TOURYS  
IVECO DAILY Cassone / Furgonato / Promiscuo  
IVECO DAILY CITYS Autobus  
IVECO DAILY Pianale piatto/Telaio  
IVECO DAILY V Cassone / Furgonato /

#### OE

500054702  
5801350522  
5801354114  
MK667920  
ML239124

Filter Type: Filter Insert  
Height [mm]: 164  
Inner Diameter 1 [mm]: 11,5  
Inner Diameter [mm]: 27  
Outer Diameter [mm]: 67,3

### FCE-020JM

#### Fuel filter



CHEVROLET CRUZE  
CHEVROLET CRUZE (J300)  
CHEVROLET CRUZE 2 volumi /Coda spiovente (J305)  
CHEVROLET CRUZE Station Wagon (J308)  
CHEVROLET MALIBU (V300)

#### OE

05818085  
13263262  
58 18 085

Filter Type: Filter Insert  
Fitted Diameter [mm]: 39  
Inner Diameter [mm]: 25  
Length [mm]: 90  
Outer Diameter [mm]: 78

### FCE-033JM

#### Fuel filter



AUDI A3 (8P1)  
AUDI A3 Sportback (8PA)  
SEAT ALTEA (5P1)  
SEAT ALTEA XL (5P5, 5P8)  
SEAT LEON (1P1)  
SEAT TOLEDO III (5P2)

#### OE

1K0 127 177 B  
1K0 127 434 B  
1K0127177B  
1K0127434B  
3C0127400D

Filter Type: Filter Insert  
Fitted Diameter [mm]: 27  
Inner Diameter [mm]: 19  
Length [mm]: 114  
Outer Diameter [mm]: 83  
Technical Information Number:  
MANN+HUMMEL system

## Filter

### FCE-096JM

#### Fuel filter



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_ 2R\_)  
CITROEN C3 III (SX)

#### OE

093479473  
3559103  
3559106  
93479473  
98 202 263 80  
9816182880

Filter Type: Filter Insert  
Height [mm]: 66  
Inner Diameter [mm]: 49  
Outer Diameter [mm]: 95  
Seal Diameter [mm]: 100  
Supplementary Article/Supplementary Info 2:  
With seal  
Weight [kg]: 0,135

### FCE-102JM

#### Fuel filter



MERCEDES-BENZ CLA (C118)  
MERCEDES-BENZ CLA Shooting Brake (X118)  
MERCEDES-BENZ CLASSE B (W247)  
MERCEDES-BENZ CLASSE C (W205)  
MERCEDES-BENZ CLASSE C (W206)  
MERCEDES-BENZ CLASSE C Cabriolet (A205)

#### OE

654 092 00 05  
654 092 01 00  
6540920005  
6540920100  
A654 092 00 05  
A654 092 01 00

Filter Type: Filter Insert  
Height [mm]: 67,3  
Outer Diameter [mm]: 107,6

### FCE-103JM

#### Fuel filter



CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
PEUGEOT BOXER Autobus  
PEUGEOT BOXER Furgonato  
PEUGEOT BOXER Pianale piatto/Telaio

#### OE

1638149580  
1674210980  
77368556  
77368658

Diameter 3 [mm]: 9,3  
Diameter [mm]: 78  
Filter Type: Filter Insert  
Height [mm]: 112,8  
Inner Diameter 2 [mm]: 21

### FCE-191JM

#### Fuel filter



FIAT TALENTO Furgonato  
FIAT TALENTO Kombi  
FIAT TALENTO Pianale piatto/Telaio  
MERCEDES-BENZ CLASSE X (470)  
MERCEDES-BENZ CLASSE X Pianale piatto/Telaio (470)

#### OE

000 090 02 00  
16 40 035 60R  
16 40 312 19R  
16 40 330 36R  
16 40 388 99R  
16 40 394 75R

Filter Type: Filter Insert  
Height [mm]: 144  
Outer Diameter 1 [mm]: 32  
Outer Diameter [mm]: 84  
Supplementary Article/Supplementary Info:  
with seal

### 30-ECO105

#### Fuel filter



AUDI Q7 (4M)  
AUDI Q8 (4MN)  
VW TOUTAREG (CR7)

#### OE

4M0 127 434 E  
4M0 127 434 H  
9A7.127.434.08

Filter Type: Filter Insert

## Filter

### 30-ECO106

#### Fuel filter



RENAULT ESPACE V  
RENAULT GRAND SCÉNICC IV  
RENAULT MEGANE IV  
RENAULT MEGANE IV Grandtour (K9A/M\_)  
RENAULT SCÉNIC IV  
RENAULT TALISMAN

#### OE

164000637R  
165571618R

Filter Type: Filter Insert

### 30-ECO191

#### Fuel filter



FIAT TALENTO Furgonato  
FIAT TALENTO Kombi  
FIAT TALENTO Pianale piatto/Telaio  
MERCEDES-BENZ CLASSE X (470)  
MERCEDES-BENZ CLASSE X Pianale  
piatto/Telaio (470)

#### OE

000 090 02 00  
16 40 035 60R  
16 40 312 19R  
16 40 330 36R  
16 40 388 99R  
16 40 394 75R

Filter Type: Filter Insert  
Height [mm]: 144  
Outer Diameter 1 [mm]: 32  
Outer Diameter [mm]: 84  
Supplementary Article/Supplementary Info:  
with seal

### 10-00-034S

#### Oil Filter



GIOTTI VICTORIA GLADIATOR Furgonato

#### OE

1012100C0300

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 70  
Height [mm]: 68  
Thread Size: M18X,15

### FO-051JM

#### Oil Filter



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A3 (8P1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Sportback (8PA)  
SEAT ALHAMBRA (710)

#### OE

03C 115 561 D  
03C 115 561 H

Bypass Valve Opening Pressure [bar]: 2,0  
Filter Type: Screw-on Filter  
Height [mm]: 97  
Outer Diameter [mm]: 76  
Supplementary Article/Supplementary Info 2:  
With two anti-return valves  
Thread Size: 3/4-16 UNF-1B

### 10-00-0900

#### Oil Filter



AUDI A1 (8X1, 8XF)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A1 Sportback (GBA)  
AUDI A3 (8V1)  
AUDI A3 Cabriolet (8V7)

#### OE

04E 115 561 AC  
04E 115 561 B  
04E 115 561 H  
4E 115 561 AC  
4E 115 561 B  
4E 115 561 H

Filter Type: Screw-on Filter  
For OE number: 04E 115 561 H  
Height [mm]: 79  
Outer Diameter [mm]: 76  
Seal Diameter [mm]: 72  
Weight [kg]: 0,315

## Filter

### FO-121JM

#### Oil Filter



DACIA LOGAN (LS\_)  
DACIA LOGAN II  
DACIA LOGAN MCV II  
DACIA SANDERO  
DACIA SANDERO II  
NISSAN KUBISTAR (X76)

#### OE

15208-00QAG  
1520800QAG  
7700112686  
7700869029  
8200257642  
8671005907

Filter Type: Screw-on Filter  
Fitted Diameter [mm]: 62  
Inner Thread [mm]: M 20 X 1,5  
Length [mm]: 59,5  
Outer Diameter [mm]: 69

### FOE-106JM

#### Oil Filter



DODGE CALIBER  
INFINITI Q30  
INFINITI Q50  
INFINITI Q70 (Y51)  
INFINITI QX30  
JEEP COMPASS (MK49)

#### OE

1121840425  
15209-HG00A  
15209HG00A  
651 180 00 09  
651 180 01 09  
651 180 03 09

Filter Type: Filter Insert  
Fitted Diameter [mm]: 46,5  
Inner Diameter [mm]: 32  
Length [mm]: 115,5  
Outer Diameter [mm]: 64,5

### FOE-139JM

#### Oil Filter



CITROEN BERLINGO (B9)  
CITROEN BERLINGO (MF)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN BERLINGO Furgonato (M\_)  
CITROEN BERLINGO Pianale piatto/Telaio (B9)  
CITROEN C-ELYSEE

#### OE

11 42 7 805 978  
1109 AY  
1109 S5  
1109 T3  
1109 Y1  
1109 Y2

Filter Type: Filter Insert  
Inner Diameter 1 [mm]: 20  
Inner Diameter [mm]: 25,5  
Length [mm]: 82,2  
Outer Diameter [mm]: 64,6  
Specification: con Guarnizione nera  
Specification: per veicoli EURO 4/5

### FOE-148JM

#### Oil Filter



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C-ELYSEE  
CITROEN C3 AIRCROSS II  
CITROEN C3 III (SX)  
CITROEN C3 III Van (SX\_, SY\_)

#### OE

03557009  
155254505  
16 247 977 80  
16 806 824 80  
1624797780  
1680682480

Diameter [mm]: 64  
Filter Type: Filter Insert  
Fitted Diameter [mm]: 45  
Height [mm]: 70,5  
Inner Diameter 1 [mm]: 23,5  
Inner Diameter [mm]: 31,5  
Supplementary Article/Supplementary Info 2:  
With seal

### FOE-157JM

#### Oil Filter



AUDI A4 (8W2, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)  
AUDI A6 (C8, 4A2)  
AUDI A6 Avant (C8, 4A5)

#### OE

05L 115 466  
05L 115 562

Filter Type: Filter Insert

## Filter

### 10-ECO165

#### Oil Filter



NISSAN NAVARA Pick-up (D23)  
RENAULT ALASKAN

#### OE

16403-4KV0A  
164034KV0A

Filter Type: Filter Insert  
Gasket inner diameter: 75  
Gasket outer diameter: 81  
Height [mm]: 162  
Inner Diameter [mm]: 11,0  
Outer Diameter [mm]: 81,5  
Supplementary Article/Supplementary Info 2:  
With seal  
Weight [kg]: 0,13

### 10-ECO166

#### Oil Filter



KIA SPORTAGE V (NQ5)

#### OE

26350-2J000

Filter Type: Filter Insert  
Gasket inner diameter: 73,5  
Gasket outer diameter: 79,9  
Height [mm]: 64  
Inner Diameter [mm]: 25  
Outer Diameter [mm]: 66  
Supplementary Article/Supplementary Info:  
With add-on material  
Supplementary Article/Supplementary Info:  
with seal

### FO-M02JM

#### Oil Filter



SMART FORTWO Cabrio (451)  
SMART FORTWO Coupé (451)

#### OE

1230A040  
132 180 00 10  
132 180 01 10  
A 132 180 01 10

Bypass Valve Opening Pressure [bar]: 1,0  
Filter Type: Screw-on Filter  
Gasket inner diameter: 54  
Gasket outer diameter: 62  
Height [mm]: 58  
Outer Diameter [mm]: 66  
Part number of the recommended special tools: LS 6/1  
Supplementary Article/Supplementary Info 2:  
With one anti-return valve  
Thread Size: M 20 X 1,5

### FTA166

#### Hydraulic Filter, automatic transmission



HONDA ACCORD VIII (CU)  
HONDA ACCORD VIII Station wagon  
HONDA CR-V II (RD\_)  
HONDA CR-V III (RE)  
HONDA CR-V IV (RE)  
OPEL ASTRA CLASSIC (L48)

#### OE

0703478  
0703478S1  
25420RXH003  
703478S1  
90444592  
90444592S1

Filter Type: Screen Filter

### FTA171

#### Hydraulic Filter, automatic transmission



TOYOTA AURIS (NZE18\_, ZRE18\_)  
TOYOTA AURIS TOURING SPORTS (ADE18\_, ZWE18\_, ZRE18\_)  
TOYOTA CH-R (NGX1, NGX5\_, ZYX1\_)  
TOYOTA COROLLA Tre volumi (NRE18\_, ZRE17\_, ZRE18\_, NDE18\_)

#### OE

35168-12091  
35330-12050

Filter Type: Screen Filter

## Filter

### FTA179

#### Hydraulic Filter, automatic transmission



SUBARU FORESTER (SJ)  
SUBARU IMPREZA 2 volumi /Coda spiovente (GP)  
SUBARU IMPREZA 2 volumi /Coda spiovente (GT\_)  
SUBARU IMPREZA Tre volumi (GJ)

**OE**  
31835-AA030

Filter Type: Filter Insert  
Height [mm]: 60,5  
Inner Diameter [mm]: 23,2  
Outer Diameter 1 [mm]: 54,5  
Outer Diameter 2 [mm]: 50

### FTA180

#### Hydraulic Filter, automatic transmission



LEXUS UX (\_AA1\_, \_AH1\_)  
TOYOTA C-HR VAN (\_X1\_)  
TOYOTA CAMRY (\_V7\_, \_VA7\_, \_VH7\_)  
TOYOTA CH-R (NGX1, NGX5\_, ZYX1\_)  
TOYOTA COROLLA (\_E21\_)  
TOYOTA COROLLA Station wagon (\_E21\_)

**OE**  
35330-12080  
35330-12090

Filter Type: Filter Insert  
Specification: CAMBIO AUTOMATICO A

### FTA181

#### Hydraulic Filter, automatic transmission



TOYOTA HILUX Pick-up (GUN1\_)  
TOYOTA LAND CRUISER 150 (KDJ15\_, GRJ15\_)

**OE**  
35168-71010  
35168-71010 S1  
35330-71010  
35330-71010 S1

Filter Type: Screen Filter  
Height [mm]: 72  
Length [mm]: 217  
Supplementary Article/Supplementary Info 2:  
with oil pan gasket  
Weight [kg]: 0,405  
Width [mm]: 167

## Joints

### AC-0004

#### Propshaft, axle drive



PIAGGIO PORTER Pianale piatto/Telaio

**OE**  
CM038106

Length [cm]: 623  
Outer Diameter 1 [mm]: 51

### AC-0104

#### Propshaft, axle drive



AUDI Q7 (4L)  
PORSCHE CAYENNE (955)  
VW TOUAREG (7LA, 7L6, 7L7)

**OE**  
7L0 521 101 H  
7L0521101  
7L0521101A  
7L0521101B  
7L0521101C  
7L0521101D

Length [mm]: 632

## Joins

### AC-0105

#### Propshaft, axle drive



NISSAN SERENA (C23M)  
NISSAN VANETTE CARGO Autobus (HC 23)  
NISSAN VANETTE CARGO Furgonato (HC 23)

**OE**  
370007C003  
370009C504

Length [mm]: 833  
Outer Diameter 1 [mm]: 50  
Outer Diameter 2 [mm]: 35  
Pitch Circle [mm]: 81,2

### AC-0106

#### Propshaft, axle drive



NISSAN SERENA (C23M)  
NISSAN VANETTE CARGO Autobus (HC 23)  
NISSAN VANETTE CARGO Furgonato (HC 23)

**OE**  
370007C001  
370008C801  
370009C001

Length [mm]: 673  
Outer Diameter 1 [mm]: 50  
Outer Diameter 2 [mm]: 35  
Pitch Circle [mm]: 81,2

### AC-0107

#### Propshaft, axle drive



NISSAN SERENA (C23M)  
NISSAN VANETTE CARGO Autobus (HC 23)  
NISSAN VANETTE CARGO Furgonato (HC 23)

**OE**  
370007C002  
370008C802  
370009C002

Length [mm]: 769  
Outer Diameter 1 [mm]: 50  
Outer Diameter 2 [mm]: 35  
Pitch Circle [mm]: 81,2

### AC-0109

#### Propshaft, axle drive



NISSAN X-TRAIL (T30)

**OE**  
370008H310  
370008H510  
370008H800

Length [mm]: 2035  
Outer Diameter 1 [mm]: 50  
Outer Diameter 2 [mm]: 50  
Pitch Circle [mm]: 81,3  
Pitch Circle 2 [mm]: 81,3

### AC-0110

#### Propshaft, axle drive



HYUNDAI ix35 (LM, EL, ELH)

**OE**  
49300-2S000

Length [mm]: 1980  
Outer Diameter 1 [mm]: 16  
Outer Diameter 2 [mm]: 45  
Pitch Circle [mm]: 90  
Pitch Circle 2 [mm]: 90

## Joins

### AC-0111

#### Propshaft, axle drive



MERCEDES-BENZ CLASSE M (W163)

#### OE

1634100301  
1634100301-39  
A1634100301  
A1634100301-39

Fitting Position: Front

Length [mm]: 766

Outer Diameter 1 [mm]: 69,85

Outer Diameter 2 [mm]: 100

Pitch Circle [mm]: 95,18

Pitch Circle 2 [mm]: 86

Transmission Type: Automatic Transmission

### AC-0112

#### Propshaft, axle drive



MERCEDES-BENZ CLASSE GL (X164)

MERCEDES-BENZ CLASSE M (W164)

MERCEDES-BENZ CLASSE R (W251, V251)

#### OE

1644100501  
1644100701  
A1644100501  
A1644100701

Length [mm]: 620

Outer Diameter 1 [mm]: 95

Outer Diameter 2 [mm]: 95

Pitch Circle [mm]: 81,2

Pitch Circle 2 [mm]: 81,2

### AC-0113

#### Propshaft, axle drive



MERCEDES-BENZ CLASSE C (W204)

MERCEDES-BENZ CLASSE GLK (X204)

MERCEDES-BENZ CLASSE S (W221)

MERCEDES-BENZ CLASSE S (W222, V222, X222)

MERCEDES-BENZ CLASSE S Coupé (C217)

MERCEDES-BENZ CLS (C218)

#### OE

2044101801  
2044102601  
2044106701  
204410670180  
2044106801  
2214101701

Length [mm]: 660

Outer Diameter 1 [mm]: 96

Pitch Circle [mm]: 78

### AC-0114

#### Propshaft, axle drive



BMW 1 (E87)

#### OE

26117545280  
26117550770

Length [mm]: 1443

### AC-0115

#### Propshaft, axle drive



BMW 3 (E90)

BMW 3 Coupé (E92)

BMW 3 Touring (E91)

BMW X1 (E84)

#### OE

26207529294  
26207620520  
26207629987  
26208628042  
26209488491

Length [mm]: 738

Outer Diameter 1 [mm]: 47

Outer Diameter 2 [mm]: 47

Pitch Circle [mm]: 77

Pitch Circle 2 [mm]: 77

## Joins

### AC-0116

#### Propshaft, axle drive



BMW 5 (E60)  
BMW 5 Touring (E61)

#### OE

26207534636  
26209488490

Fitting Position: Front  
Length [mm]: 644  
Outer Diameter 1 [mm]: 47  
Outer Diameter 2 [mm]: 47  
Pitch Circle [mm]: 77  
Pitch Circle 2 [mm]: 77  
Transmission Type: Automatic Transmission  
Transmission Type: Manual Transmission

### AC-0117

#### Propshaft, axle drive



BMW X3 (E83)

#### OE

26203401609

Length [mm]: 702  
Outer Diameter 1 [mm]: 47  
Outer Diameter 2 [mm]: 47  
Pitch Circle [mm]: 84  
Pitch Circle 2 [mm]: 84

### AC-0118

#### Propshaft, axle drive



BMW X5 (E53)

#### OE

26201229606  
26207508629

External Teeth, diff.side: 27  
Outer Diameter 1 [mm]: 10  
Overall Length [mm]: 774  
Pitch Circle [mm]: 78

### AC-0119

#### Propshaft, axle drive



JEEP GRAND CHEROKEE II (WJ, WG)

#### OE

52099499  
52099499AD  
52099499AF  
52099499AG

Length 1 [mm]: 804  
Length 2 [mm]: 840  
Outer Diameter 1 [mm]: 100  
Outer Diameter 2 [mm]: 100  
Pitch Circle [mm]: 86  
Pitch Circle 2 [mm]: 86

### AC-0120

#### Propshaft, axle drive



JEEP CHEROKEE (KJ)  
JEEP GRAND CHEROKEE II (WJ, WG)

#### OE

52099498AB  
52099498AD  
52099498AE

Length 1 [mm]: 805  
Length 2 [mm]: 835  
Outer Diameter 1 [mm]: 100  
Outer Diameter 2 [mm]: 100  
Pipe [mm]: 47  
Pitch Circle [mm]: 86  
Pitch Circle 2 [mm]: 86

## Joins

### AC-0121

#### Propshaft, axle drive



DODGE CALIBER  
JEEP COMPASS (MK49)  
JEEP PATRIOT (MK74)

#### OE

05273310AA  
05273310AB  
5273310AA  
5273310AB  
K05273310AA  
K05273310AB

Length [mm]: 2020  
Outer Diameter 1 [mm]: 46  
Outer Diameter 2 [mm]: 42,7  
Pitch Circle [mm]: 77,8

### 62-00-0101

#### Joint Kit, drive shaft



MINI MINI (R50, R53)  
MINI MINI (R56)  
MINI MINI Cabriolet (R52)  
MINI MINI Cabriolet (R57)  
MINI MINI CLUBMAN (R55)  
MINI MINI Coupé (R58)

#### OE

31607585381  
31607585382  
31607596059  
31607596060  
31608605466  
31608605467

External Teeth, wheel side: 26  
Internal Teeth, wheel side: 26  
Length [mm]: 145,5  
Seal Diameter [mm]: 54  
Thread Size: M22X1,5

### 62-00-0203

#### Joint Kit, drive shaft



FIAT PANDA (169)  
FIAT PANDA (519, 312, 319)  
FIAT PANDA Van (141\_)  
FIAT PANDA Van (169)  
FIAT PANDA VAN (312, 519)

#### OE

55193595  
55197051  
55222107  
55264146  
552641461  
552641462

Fitting Position: Transmission End  
Length [mm]: 21  
Number of splines on input shaft: 20  
Outer Diameter [mm]: 86

### 62-00-0204

#### Joint Kit, drive shaft



CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

#### OE

1349787080  
1349790080  
1355333080  
1355334080  
1357488080  
1369959080

External Teeth, wheel side: 35  
For OE number: 46308370  
Internal Teeth, wheel side: 29  
Length [mm]: 198  
Seal Diameter [mm]: 71,5  
Technical Information Number: Groove Type  
Inner  
Thread Size: M33X1,5

### 62-00-0205

#### Joint Kit, drive shaft



ALFA ROMEO 146 (930)  
ALFA ROMEO 155 (167)  
FIAT BARCHETTA (183)  
FIAT BRAVA (182)  
FIAT BRAVO I (182)  
FIAT COUPE (FA/175)

#### OE

164001704701  
5890430  
60584659  
60810018  
60810224  
7081660

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 25  
Length [mm]: 143  
Seal Diameter [mm]: 52  
Technical Information Number: Groove Type  
Inner  
Thread Size: M24X1,5

## Joins

### 62-00-0206

#### Joint Kit, drive shaft



FIAT DOBLO (119)  
FIAT DOBLO Cargo (223)

#### OE

46307543  
46307678

External Teeth, diff.side: 24  
Int. teeth, diff.side, conn.to transm.: 24  
Length [mm]: 479,5  
Seal Diameter [mm]: 29,7

### 62-00-0208

#### Joint Kit, drive shaft



FIAT DOBLO MPV / Space wagon (152, 263)  
FIAT STILO (192)  
FIAT STILO Multi Wagon (192)  
LANCIA DELTA III (844)

#### OE

46308070  
46308922  
60802035  
71783512  
71783514  
71783876

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 26  
Length [mm]: 149  
Seal Diameter [mm]: 51  
Thread Size: M24X1,5

### 62-00-0209

#### Joint Kit, drive shaft



FIAT REGATA (138)  
FIAT REGATA Weekend  
FIAT RITMO Cabriolet  
FIAT RITMO I (138A)  
FIAT RITMO II (138A)  
FIAT UNO (146A/E)

#### OE

4393155  
4393157  
737319  
7373193  
7573193  
7608632

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 25  
Length [mm]: 154  
Seal Diameter [mm]: 48,1  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0210

#### Joint Kit, drive shaft



OPEL CORSA D Van

#### OE

26119537

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 21  
Length [mm]: 134  
Seal Diameter [mm]: 51  
Thread Size: M22X1,5

### 62-00-0211

#### Joint Kit, drive shaft



FIAT STRADA Pick-up (178E)

#### OE

46307366

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 22  
Length [mm]: 150  
Seal Diameter [mm]: 51  
Thread Size: M22X1,5

## Joins

### 62-00-0213

#### Joint Kit, drive shaft



ALFA ROMEO 156 (932)  
ALFA ROMEO 156 Sportwagon (932)  
FIAT STILO (192)  
FIAT STILO Multi Wagon (192)  
LANCIA DELTA III (844)  
LANCIA LYBRA (839AX)

#### OE

46307522  
60801882

External Teeth, diff.side: 25  
Int. teeth, diff.side, conn.to transm.: 26  
Length [mm]: 186  
Seal Diameter [mm]: 32  
Technical Information Number: TJ

### 62-00-0214

#### Joint Kit, drive shaft



ALFA ROMEO 156 (932)  
ALFA ROMEO 156 Sportwagon (932)  
FIAT STILO (192)  
FIAT STILO Multi Wagon (192)  
LANCIA DELTA III (844)  
LANCIA LYBRA (839AX)

#### OE

46307865  
60802017

External Teeth, diff.side: 25  
Int. teeth, diff.side, conn.to transm.: 26  
Length [mm]: 485  
Seal Diameter [mm]: 29,8  
Technical Information Number: TJ

### 62-00-0215

#### Joint Kit, drive shaft



ALFA ROMEO 145 (930)  
ALFA ROMEO 146 (930)  
ALFA ROMEO 155 (167)  
ALFA ROMEO 166 (936)  
ALFA ROMEO GTV (916C\_)  
ALFA ROMEO SPIDER (916S\_)

#### OE

42601388  
42601892

For OE number: 42601892  
Int. teeth, diff.side, conn.to transm.: 25  
Length [mm]: 32  
Technical Information Number: VL

### 62-00-0217

#### Joint Kit, drive shaft



ALFA ROMEO 146 (930)  
ALFA ROMEO 155 (167)  
ALFA ROMEO 164 (164)  
FIAT BARCHETTA (183)  
FIAT BRAVA (182)  
FIAT BRAVO I (182)

#### OE

60605055  
60811033  
7627971  
7646402  
7652958  
7656949

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 25  
Length [mm]: 143  
Number of Teeth, ABS ring: 44  
Seal Diameter [mm]: 52  
Technical Information Number: Groove Type  
Inner  
Thread Size: M24X1,5

### 62-00-0218

#### Joint Kit, drive shaft



ALFA ROMEO 156 (932)  
ALFA ROMEO 156 Sportwagon (932)  
ALFA ROMEO GT (937)  
LANCIA LYBRA (839AX)  
LANCIA LYBRA SW (839BX)

#### OE

46307301  
46307309  
46307901  
7081591  
77366004

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 25  
Length [mm]: 143,3  
Seal Diameter [mm]: 58,8  
Thread Size: M24X1,5

## Joins

### 62-00-0219

#### Joint Kit, drive shaft



ALFA ROMEO 159 (939)  
ALFA ROMEO 159 Sportwagon (939)

#### OE

46308266  
46308722  
46308801  
71771186

External Teeth, wheel side: 30  
Internal Teeth, wheel side: 26  
Length [mm]: 157,5  
Seal Diameter [mm]: 61  
Thread Size: M24X1,5

### 62-00-0220

#### Joint Kit, drive shaft



ALFA ROMEO 159 (939)  
ALFA ROMEO 159 Sportwagon (939)  
ALFA ROMEO BRERA  
ALFA ROMEO SPIDER (939)

#### OE

4630798  
46308235  
46308710  
46308798  
50500529  
50517138

External Teeth, wheel side: 30  
Internal Teeth, wheel side: 27  
Length [mm]: 158  
Seal Diameter [mm]: 61  
Thread Size: M24X1,5

### 62-00-0221

#### Joint Kit, drive shaft



FIAT FIORINO Furgonato (146)  
FIAT FIORINO Pick up (146)  
FIAT PALIO (178BX)  
FIAT PALIO Weekend (178DX)  
FIAT SIENA (178\_)

#### OE

46307047  
46307420  
7079221  
71720788  
7758266

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 20  
Length [mm]: 151,5  
Seal Diameter [mm]: 52  
Thread Size: M22X1,5

### 62-00-0223

#### Joint Kit, drive shaft



FIAT BRAVA (182)  
FIAT BRAVO I (182)  
FIAT MAREA (185)  
FIAT MAREA Weekend (185)  
FIAT PUNTO (176)  
FIAT PUNTO Cabriolet (176C)

#### OE

46307080  
7631082  
7659161

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 20  
Length [mm]: 127,5  
Number of Teeth, ABS ring: 44  
Seal Diameter [mm]: 46,8  
Thread Size: M22X1,5

### 62-00-0224

#### Joint Kit, drive shaft



CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

#### OE

1349786080  
1349789080  
3272PA  
3272PC  
3273PJ  
3273PK

External Teeth, wheel side: 35  
Internal Teeth, wheel side: 27  
Length [mm]: 193,5  
Seal Diameter [mm]: 71,5  
Technical Information Number: Groove Type  
Inner  
Thread Size: M33X1,5

## Joins

### 62-00-0226

#### Joint Kit, drive shaft



FIAT CINQUECENTO (170)  
FIAT CINQUECENTO VAN (170)  
FIAT PANDA (169)  
FIAT PANDA (519, 312, 319)  
FIAT PANDA VAN (312, 519)  
FIAT PUNTO (188)

#### OE

55183134  
7672181

External Teeth, diff.side: 22  
Int. teeth, diff.side, conn.to transm.: 19  
Length [mm]: 150  
Seal Diameter [mm]: 36

### 62-00-0227

#### Joint Kit, drive shaft



ALFA ROMEO MITO (955)  
FIAT 500 (312)  
FIAT 500 C (312)  
FIAT 500L  
FIAT GRANDE PUNTO (199)  
FIAT IDEA

#### OE

51787864  
51905706  
51905707  
51929168

External Teeth, diff.side: 22  
Int. teeth, diff.side, conn.to transm.: 17  
Length [mm]: 154,5  
Seal Diameter [mm]: 36

### 62-00-0228

#### Joint Kit, drive shaft



OPEL COMBO Cassone / Furgonato / Promiscuo (X12)

#### OE

55209968

External Teeth, diff.side: 24  
Int. teeth, diff.side, conn.to transm.: 24  
Length [mm]: 479,5  
Seal Diameter [mm]: 29,7

### 62-00-0229

#### Joint Kit, drive shaft



FIAT LINEA (323)  
FIAT PANDA (169)  
FIAT PANDA (519, 312, 319)  
FIAT PANDA VAN (312, 519)  
FIAT STILO (192)  
FIAT TIPO (356)

#### OE

46307884  
46775436  
55182803  
7702606

External Teeth, diff.side: 22  
Int. teeth, diff.side, conn.to transm.: 22  
Length [mm]: 155  
Seal Diameter [mm]: 36

### 62-00-0230

#### Joint Kit, drive shaft



ALFA ROMEO 159 (939)  
ALFA ROMEO 159 Sportwagon (939)  
FIAT BRAVO Van (198)  
LANCIA DELTA III (844)

#### OE

55221323  
55256720  
71771199

External Teeth, diff.side: 25  
Int. teeth, diff.side, conn.to transm.: 26  
Length [mm]: 169,5  
Seal Diameter [mm]: 32

## Joins

### 62-00-0231

#### Joint Kit, drive shaft



FIAT BRAVO II (198)  
FIAT CROMA (194)  
LANCIA DELTA III (844)

#### OE

55199295  
71791757

External Teeth, diff.side: 25  
Int. teeth, diff.side, conn.to transm.: 26  
Length [mm]: 172  
Seal Diameter [mm]: 34,9

### 62-00-0232

#### Joint Kit, drive shaft



FIAT CROMA (194)

#### OE

51742366

External Teeth, diff.side: 25  
Int. teeth, diff.side, conn.to transm.: 26  
Length [mm]: 543  
Seal Diameter [mm]: 34,9

### 62-00-0233

#### Joint Kit, drive shaft



FIAT FIORINO Cassone / Furgonato / Promiscuo (225)  
FIAT FIORINO MPV / Space wagon (225\_)  
FIAT QUBO (225)

#### OE

55197717

External Teeth, diff.side: 25  
Int. teeth, diff.side, conn.to transm.: 23  
Length [mm]: 497  
Seal Diameter [mm]: 34,9

### 62-00-0234

#### Joint Kit, drive shaft



FIAT DOBLO Cassone / Furgonato / Promiscuo (263)  
FIAT DOBLO MPV / Space wagon (152, 263)  
FIAT DOBLO Pianale piatto/Telaio (263)

#### OE

55214684

External Teeth, diff.side: 25  
Int. teeth, diff.side, conn.to transm.: 26  
Length [mm]: 542  
Seal Diameter [mm]: 29,7

### 62-00-0235

#### Joint Kit, drive shaft



ALFA ROMEO 166 (936)  
LANCIA KAPPA SW (838B)

#### OE

46307299  
60815163

External Teeth, wheel side: 27  
Internal Teeth, wheel side: 28  
Length [mm]: 146,5  
Seal Diameter [mm]: 59  
Thread Size: M24X1,5

## Joins

### 62-00-0238

#### Joint Kit, drive shaft



CITROEN EVASION (22, U6)  
FIAT SCUDO Combinato (220P)  
FIAT SCUDO Furgonato (220L)  
FIAT SCUDO Pianale piatto/Telaio (220\_)  
LANCIA ZETA (220)  
PEUGEOT EXPERT (224)

#### OE

9619947580  
9619947588  
9619947680  
9619947688  
9621456388  
9621456488

External Teeth, wheel side: 27  
Internal Teeth, wheel side: 34  
Length [mm]: 137  
Number of Teeth, ABS ring: 48  
Seal Diameter [mm]: 59  
Technical Information Number: Groove Type  
Inner  
Thread Size: M24X1,5

### 62-00-0239

#### Joint Kit, drive shaft



ABARTH PUNTO EVO (199\_)  
ALFA ROMEO MITO (955)  
FIAT 500L  
FIAT BRAVO Van (198)  
FIAT GRANDE PUNTO (199)  
FIAT LINEA (323)

#### OE

46308463  
46308551  
46308629  
46308706  
46308759  
46308915

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 25  
Length [mm]: 145,5  
Seal Diameter [mm]: 51,1  
Thread Size: M24X1,5

### 62-00-0240

#### Joint Kit, drive shaft



ALFA ROMEO MITO (955)  
FIAT GRANDE PUNTO (199)

#### OE

71745011  
71789090

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 33  
Length [mm]: 145,5  
Seal Diameter [mm]: 51,1  
Technical Information Number: Groove Type  
Inner  
Thread Size: M24X1,5

### 62-00-0241

#### Joint Kit, drive shaft



CITROEN C8 (EA\_, EB\_)  
FIAT ULYSSE (179AX)  
LANCIA PHEDRA (179)  
PEUGEOT 807 (E)

#### OE

1485695080  
9645249280

External Teeth, wheel side: 27  
Internal Teeth, wheel side: 29  
Length [mm]: 152  
Seal Diameter [mm]: 58  
Thread Size: M24X1,5

### 62-00-0242

#### Joint Kit, drive shaft



ALFA ROMEO MITO (955)  
CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)

#### OE

1349788080  
3272PG  
46308335  
46308488  
46308499  
46308787

External Teeth, diff.side: 41  
Int. teeth, diff.side, conn.to transm.: 29  
Length [mm]: 179  
Seal Diameter [mm]: 43

## Joins

### 62-00-0245

#### Joint Kit, drive shaft



ALFA ROMEO GIULIETTA (940)  
ALFA ROMEO GIULIETTA Furgonato (940\_)

#### OE

46308677  
53345186  
71771177

External Teeth, wheel side: 27  
Internal Teeth, wheel side: 25  
Length [mm]: 145,5  
Seal Diameter [mm]: 59  
Thread Size: M24X1,5

### 62-00-0246

#### Joint Kit, drive shaft



ALFA ROMEO GIULIETTA (940)  
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)  
FIAT DOBLO Pianale piatto/Telaio (263)  
LANCIA DELTA III (844)

#### OE

46308564  
46308682  
46308795  
59259001  
59259157  
68189930AA

External Teeth, wheel side: 27  
Internal Teeth, wheel side: 27  
Length [mm]: 148,5  
Seal Diameter [mm]: 59  
Thread Size: M24X1,5

### 62-00-0247

#### Joint Kit, drive shaft



FIAT 500X  
FIAT DOBLO Cassone / Furgonato / Promiscuo (263)  
FIAT DOBLO MPV / Space wagon (152, 263)  
FIAT DOBLO Pianale piatto/Telaio (263)  
JEEP RENEGADE Fuoristrada chiuso

#### OE

374939  
374945  
46307834  
46307934  
46308648  
46308773

External Teeth, wheel side: 27  
Internal Teeth, wheel side: 26  
Length [mm]: 147,5  
Seal Diameter [mm]: 59  
Thread Size: M24X1,5

### 62-00-0249

#### Joint Kit, drive shaft



CITROEN C5 III (RD\_)  
CITROEN C5 III Break (TD\_)  
CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
FIAT SCUDO (270\_)

#### OE

1497191088  
1497192088  
3272NK  
3273NK  
9686348580

External Teeth, wheel side: 28  
Internal Teeth, wheel side: 34  
Length [mm]: 147  
Seal Diameter [mm]: 58,5  
Technical Information Number: Groove Type Inner  
Thread Size: M24X1,5

### 62-00-0250

#### Joint Kit, drive shaft



FIAT PANDA (519, 312, 319)  
FIAT PANDA VAN (312, 519)  
LANCIA YPSILON (312, 846)

#### OE

46308702  
59259181

External Teeth, wheel side: 25  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 22  
Length [mm]: 138,5  
Seal Diameter [mm]: 51  
Technical Information Number: Groove Type Inner  
Thread Size: M24X1,5

## Joints

### 62-00-0251

#### Joint Kit, drive shaft



FIAT PANDA (519, 312, 319)  
FIAT PANDA VAN (312, 519)

**OE**  
77366260

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 29  
Machined: Without groove in internal component  
Material: Elastomer  
Outer Diameter [mm]: 72,3  
Seal Diameter [mm]: 51  
Standard: 8 Balls/Sfere  
Thread Size: M24 x 1,5

### 62-00-0302

#### Joint Kit, drive shaft



FORD FIESTA V (JH\_, JD\_)  
FORD FIESTA Van  
FORD FUSION (JU\_)  
FORD KA  
FORD KA + Tre volumi

**OE**  
1142787  
1537377  
2S613A327AA  
2S613A327AB  
2S6W3A327AB  
GG1122510A

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 20  
Length [mm]: 141  
Seal Diameter [mm]: 52,9  
Thread Size: M22X1,5

### 62-00-0303

#### Joint Kit, drive shaft



FORD FOCUS (DAW, DBW)  
FORD FOCUS Station wagon (DNW)

**OE**  
1S4W3B413AA  
4166906

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 24  
Length [mm]: 147  
Seal Diameter [mm]: 52,6  
Thread Size: M22X1,5

### 62-00-0304

#### Joint Kit, drive shaft



FORD GALAXY (WGR)  
FORD GALAXY MK I VAN (WGR)  
SEAT ALHAMBRA (7V8, 7V9)  
SEAT ALHAMBRA VAN (7V8, 7V9)  
VW SHARAN (7M8, 7M9, 7M6)  
VW SHARAN VAN (7M\_)

**OE**  
1111900  
1202578  
7M0407321B  
7M0498099A  
7M0498099AX  
7M0498340AX

External Teeth, wheel side: 38  
Internal Teeth, wheel side: 36  
Length [mm]: 106,5  
Number of Teeth, ABS ring: 48  
Seal Diameter [mm]: 60  
Technical Information Number: Groove Type Inner  
Thread Size: M16X1,5

### 62-00-0305

#### Joint Kit, drive shaft



FORD TOURNEO CONNECT  
FORD TRANSIT CONNECT (P65\_, P70\_, P80\_)

**OE**  
1329584  
1329586  
1383753  
1451463  
1477380  
1501261

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 26  
Length [mm]: 159  
Seal Diameter [mm]: 53,3  
Thread Size: M22X1,5

## Joints

### 62-00-0306

#### Joint Kit, drive shaft



VOLVO S70 (LS)  
VOLVO S80 II (AS)  
VOLVO V70 II (SW)  
VOLVO XC90 I

#### OE

30614441  
31216176

Length [mm]: 22,6  
Number of splines on input shaft: 19  
Outer Diameter [mm]: 86

### 62-00-0307

#### Joint Kit, drive shaft



VOLVO XC90 I

#### OE

30713272  
31216175

Length [mm]: 23,5  
Number of splines on input shaft: 24  
Outer Diameter [mm]: 78

### 62-00-0308

#### Joint Kit, drive shaft



FORD B-MAX (JK)  
FORD B-MAX Van  
FORD FIESTA V (JHL, JD\_)  
FORD FIESTA VI  
FORD FIESTA VI Van  
FORD KA Van (RB)

#### OE

1539142  
1763563  
1802807  
1837849  
1840169  
1840175

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 23  
Length [mm]: 143  
Seal Diameter [mm]: 53,3  
Thread Size: M22X1,5

### 62-00-0309

#### Joint Kit, drive shaft



FORD B-MAX (JK)  
FORD B-MAX Van  
FORD FIESTA VI  
FORD FIESTA VII  
FORD FIESTA VII Van

#### OE

1763562  
1790563  
1837850  
1840087  
2112409  
2118141

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 24  
Length [mm]: 147  
Seal Diameter [mm]: 53,2  
Thread Size: M22X1,5

### 62-00-0310

#### Joint Kit, drive shaft



FORD C-MAX II  
FORD FOCUS III  
FORD FOCUS III Turnier  
FORD GRAND C-MAX  
FORD TOURNEO CONNECT / GRAND TOURNEO  
CONNECT Kombi

#### OE

1692096  
1692097  
1840093  
1909741  
AV613A327CA  
AV613A328CA

External Teeth, wheel side: 27  
Internal Teeth, wheel side: 26  
Length [mm]: 158,5  
Seal Diameter [mm]: 63  
Thread Size: M22X1,5

## Joins

### 62-00-0311

#### Joint Kit, drive shaft



FORD C-MAX II  
FORD C-MAX II Van  
FORD FOCUS III  
FORD FOCUS III Cassone / coda spiovente  
FORD FOCUS III Tre volumi  
FORD FOCUS III Turnier

**OE**  
1797214  
1797218

External Teeth, wheel side: 27  
Internal Teeth, wheel side: 26  
Length [mm]: 155  
Seal Diameter [mm]: 62,8  
Thread Size: M22X1,5

### 62-00-0312

#### Joint Kit, drive shaft



FIAT 500 (312)  
FIAT 500 C (312)  
FIAT PANDA (169)  
FIAT PANDA (519, 312, 319)  
FIAT PANDA Van (141\_)  
FIAT PANDA Van (169)

**OE**  
1538689  
9S513B414AA

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 20  
Length [mm]: 61,5  
Outer Diameter [mm]: 65

### 62-00-0313

#### Joint Kit, drive shaft



FORD GALAXY (WA6)  
FORD MONDEO IV (BA7)  
FORD MONDEO IV Tre volumi (BA7)  
FORD MONDEO IV Turnier (BA7)  
FORD S-MAX  
FORD S-MAX (WA6)

**OE**  
1417222  
1437736  
1446223  
1446227  
1459738  
1460786

External Teeth, wheel side: 40  
Internal Teeth, wheel side: 28  
Length [mm]: 114  
Seal Diameter [mm]: 57,4  
Thread Size: M10X1,5  
Transmission Type: Automatic Transmission

### 62-00-036

#### Joint Kit, drive shaft



DR DR 5

**OE**

Braking / Drive Dynamics: For vehicles with ABS  
External Teeth, wheel side: 26  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 25  
Number of Teeth, ABS ring: 48  
Overall Length [mm]: 161  
Seal Diameter [mm]: 55  
Thread Size: M22 X 1,5

### 62-00-0400

#### Joint Kit, drive shaft



FIAT CROMA (194)  
OPEL ASTRA GTC J  
OPEL ASTRA H (L48)  
OPEL ASTRA H Furgonato (L70)  
OPEL ASTRA H GTC (L08)  
OPEL ASTRA H Station wagon (L35)

**OE**  
0374843  
1603234  
1603275  
46308230  
93173410  
93182576

External Teeth, wheel side: 30  
Internal Teeth, wheel side: 26  
Length [mm]: 160  
Seal Diameter [mm]: 53,8  
Thread Size: M24X1,5

## Joins

### 62-00-0401

#### Joint Kit, drive shaft



OPEL CORSA B (73\_, 78\_, 79\_)  
OPEL CORSA C (F08, F68)  
OPEL CORSA C Furgonato (F08, W5L)

#### OE

0374053  
0374368  
26060699  
26067600  
374053  
374368

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 28  
Length [mm]: 150  
Number of Teeth, ABS ring: 29  
Seal Diameter [mm]: 52  
Thread Size: M20X1

### 62-00-0402

#### Joint Kit, drive shaft



OPEL ASCONA C (81\_, 86\_, 87\_, 88\_)  
OPEL ASCONA C 2 volumi /Coda spiovente (84\_, 89\_)  
OPEL ASTRA F (56\_, 57\_)  
OPEL ASTRA F 2 volumi /Coda spiovente (53\_, 54\_, 58\_, 5)

#### OE

0374118  
0374195  
1603237  
374048  
374067  
37408

External Teeth, diff.side: 34  
Int. teeth, diff.side, conn.to transm.: 25  
Length [mm]: 141,8  
Seal Diameter [mm]: 35

### 62-00-0403

#### Joint Kit, drive shaft



OPEL ASTRA CLASSIC (L48)  
OPEL ASTRA CLASSIC Station wagon  
OPEL ASTRA CLASSIC Tre volumi  
OPEL ASTRA H (L48)  
OPEL ASTRA H Furgonato (L70)  
OPEL ASTRA H GTC (L08)

#### OE

0374672  
13296186  
1603274  
374672  
93182543

External Teeth, wheel side: 33  
Internal Teeth, wheel side: 24  
Length [mm]: 157  
Seal Diameter [mm]: 53  
Thread Size: M22X1,5

### 62-00-0404

#### Joint Kit, drive shaft



OPEL ASCONA C (81\_, 86\_, 87\_, 88\_)  
OPEL ASTRA G 2 volumi /Coda spiovente (F48\_, F08\_)  
OPEL ASTRA G Cabriolet (F67)  
OPEL ASTRA G CLASSIC (T98)  
OPEL ASTRA G Coupe (F07\_)

#### OE

0374003  
374430  
90538595  
93176549

External Teeth, wheel side: 33  
Internal Teeth, wheel side: 25  
Length [mm]: 170  
Seal Diameter [mm]: 52  
Thread Size: M20X1

### 62-00-0405

#### Joint Kit, drive shaft



OPEL AGILA (A) (H00)

#### OE

4410185E50  
4410285E50  
4707438  
93180229

External Teeth, wheel side: 25  
Fitting Position: Front Axle  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 21  
Length [mm]: 142,5  
Number of Teeth, ABS ring: 43  
Seal Diameter [mm]: 49  
Thread Size: M18X1,5  
Transmission Type: Manual Transmission, 5-speed

## Joins

### 62-00-0406

#### Joint Kit, drive shaft



OPEL ASTRA CLASSIC (L48)  
OPEL ASTRA H (L48)  
OPEL ASTRA H Station wagon (L35)  
OPEL ASTRA H Tre volumi (L69)  
OPEL ASTRA J  
OPEL ASTRA J Sports Tourer

#### OE

0374130  
13296193  
1603236  
1603272  
374130  
374674

External Teeth, diff.side: 34  
Int. teeth, diff.side, conn.to transm.: 25  
Length [mm]: 101  
Seal Diameter [mm]: 35

### 62-00-0407

#### Joint Kit, drive shaft



OPEL COMBO Cassone / Furgonato / Promiscuo  
OPEL COMBO Tour  
OPEL CORSA C (F08, F68)  
OPEL MERIVA  
OPEL TIGRA TwinTop

#### OE

0374403  
09201725  
374403  
9201725

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 23  
Length [mm]: 158,5  
Number of Teeth, ABS ring: 29  
Seal Diameter [mm]: 52  
Thread Size: M20X1

### 62-00-0408

#### Joint Kit, drive shaft



OPEL COMBO Cassone / Furgonato / Promiscuo  
OPEL COMBO Tour  
OPEL CORSA C (F08, F68)  
OPEL CORSA C Furgonato (F08, W5L)  
OPEL MERIVA

#### OE

1603261  
1603398  
91380019  
93180019  
93187468

External Teeth, wheel side: 33  
Internal Teeth, wheel side: 24  
Length [mm]: 168  
Number of Teeth, ABS ring: 29  
Seal Diameter [mm]: 52  
Thread Size: M20X1

### 62-00-0409

#### Joint Kit, drive shaft



OPEL ADAM  
OPEL AGILA (A) (H00)  
OPEL CORSA D  
OPEL CORSA D Van  
OPEL CORSA E  
OPEL CORSA E Van

#### OE

1603321  
1603413  
93190195  
95518274  
95520771

External Teeth, diff.side: 22  
Int. teeth, diff.side, conn.to transm.: 21  
Length [mm]: 150,5  
Seal Diameter [mm]: 35

### 62-00-0411

#### Joint Kit, drive shaft



OPEL ASTRA CLASSIC (L48)  
OPEL ASTRA CLASSIC Station wagon  
OPEL ASTRA CLASSIC Tre volumi  
OPEL ASTRA H (L48)  
OPEL ASTRA H Furgonato (L70)  
OPEL ASTRA H GTC (L08)

#### OE

1603270  
93182571  
93182577  
93185428

External Teeth, wheel side: 33  
Internal Teeth, wheel side: 26  
Length [mm]: 159,5  
Seal Diameter [mm]: 52,5  
Thread Size: M22X1,5

## Joins

### 62-00-0412

#### Joint Kit, drive shaft



OPEL ASTRA CLASSIC (L48)  
OPEL ASTRA CLASSIC Station wagon  
OPEL ASTRA CLASSIC Tre volumi  
OPEL ASTRA H (L48)  
OPEL ASTRA H Furgonato (L70)  
OPEL ASTRA H GTC (L08)

#### OE

13296181  
1603273  
374671  
93182575

External Teeth, wheel side: 33  
Internal Teeth, wheel side: 22  
Length [mm]: 149,5  
Seal Diameter [mm]: 53  
Thread Size: M22X1,5

### 62-00-0413

#### Joint Kit, drive shaft



OPEL ASTRA J  
OPEL ASTRA J Sports Tourer  
OPEL ASTRA J Tre volumi

#### OE

0374646

External Teeth, wheel side: 33  
Internal Teeth, wheel side: 23  
Length [mm]: 153,5  
Seal Diameter [mm]: 52,5  
Technical Information Number: Original design  
Thread Size: M22X1,5

### 62-00-0502

#### Joint Kit, drive shaft



MERCEDES-BENZ CLA Coupé (C117)  
MERCEDES-BENZ CLA Shooting Brake (X117)  
MERCEDES-BENZ CLASSE A (W176)  
MERCEDES-BENZ CLASSE B (W246, W242)  
MERCEDES-BENZ CLASSE GLA (X156)

#### OE

2463600075  
2463600175  
2463604001  
2463605101  
2463605201  
A2463600075

External Teeth, wheel side: 30  
Internal Teeth, wheel side: 27  
Length [mm]: 114,5  
Seal Diameter [mm]: 65  
Thread Size: M16X1,5

### 62-00-0603

#### Joint Kit, drive shaft



CITROEN BERLINGO (MF)  
CITROEN BERLINGO Furgonato (M\_)  
CITROEN C3 Picasso  
CITROEN XSARA (N1)  
CITROEN XSARA Break (N2)  
CITROEN XSARA Cassone / coda spiovente

#### OE

3272FG  
3272KL  
3272LE  
3272LP

External Teeth, wheel side: 25  
For OE number: 3272FG  
Internal Teeth, wheel side: 34  
Length [mm]: 134  
Number of Teeth, ABS ring: 48  
Seal Diameter [mm]: 58,5  
Technical Information Number: Groove Type Inner  
Thread Size: M24X1,5

### 62-00-0604

#### Joint Kit, drive shaft



CITROEN NEMO Furgonato (AA\_)  
CITROEN NEMO Station wagon  
PEUGEOT BIPPER (AA\_)  
PEUGEOT BIPPER Tepee

#### OE

1607735380  
1608901980  
3272SL  
3273TC

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 22  
Length [mm]: 141,5  
Seal Diameter [mm]: 51  
Thread Size: M24X1,5

## Joints

### 62-00-0605

#### Joint Kit, drive shaft



CITROEN C2 (JM\_)  
CITROEN C3 I (FC\_)  
CITROEN C3 II  
CITROEN C3 Pluriel (HB\_)  
PEUGEOT 1007 (KM\_)  
PEUGEOT 207 (WA\_, WC\_)

#### OE

3272EQ  
3272ER  
3272EX  
3272FR  
3272HY  
3272KJ

External Teeth, wheel side: 21  
Internal Teeth, wheel side: 22  
Length [mm]: 140,5  
Seal Diameter [mm]: 48  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0606

#### Joint Kit, drive shaft



PEUGEOT 206 2 volumi /Coda spiovente (2A/C)  
PEUGEOT 206 SW (2E/K)  
PEUGEOT 206 Tre volumi  
PEUGEOT 206 Van  
PEUGEOT 206+ (T3E)

#### OE

3272CS  
3272XJ  
3273CS

External Teeth, wheel side: 21  
Internal Teeth, wheel side: 21  
Length [mm]: 140  
Number of Teeth, ABS ring: 48  
Seal Diameter [mm]: 48,5  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0607

#### Joint Kit, drive shaft



CITROEN BERLINGO (MF)  
CITROEN XSARA (N1)  
CITROEN XSARA Break (N2)  
CITROEN XSARA Cassone / coda spiovente  
CITROEN XSARA Coupe (N0)  
CITROEN XSARA Furgonato

#### OE

3272FP  
32739Z

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 34  
Length [mm]: 134  
Number of Teeth, ABS ring: 29  
Seal Diameter [mm]: 58,5  
Technical Information Number: Groove Type  
Inner  
Thread Size: M24X1,5

### 62-00-0609

#### Joint Kit, drive shaft



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN BERLINGO Furgonato (K9)  
CITROEN C4 CACTUS  
CITROEN C4 Grand Picasso II  
CITROEN C4 Picasso II

#### OE

1610561580  
1611142680  
1612862980  
1613306680  
1617300580  
1631813280

External Teeth, wheel side: 28  
Internal Teeth, wheel side: 34  
Length [mm]: 149  
Seal Diameter [mm]: 59  
Technical Information Number: Groove Type  
Inner  
Thread Size: M22X1,5

### 62-00-0610

#### Joint Kit, drive shaft



CITROEN C3 AIRCROSS II  
CITROEN C3 AIRCROSS II VAN (2C\_, 2R\_)  
CITROEN C3 III (SX)  
CITROEN C3 III Van (SX\_, SY\_)  
CITROEN C3 Picasso  
CITROEN C4 CACTUS

#### OE

1613489780  
1613732480  
3642355  
3642359  
3642360  
3642361

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 34  
Length [mm]: 55,5  
Seal Diameter [mm]: 58,5  
Thread Size: M24X1,5

## Joints

### 62-00-0611

#### Joint Kit, drive shaft



CITROEN C2 (JM\_)  
CITROEN C3 I (FC\_)  
CITROEN C3 II  
CITROEN C4 CACTUS  
CITROEN DS3  
CITROEN DS3 Cabriolet

#### OE

3272NR  
3272PR  
3272VP  
3273NR  
3273WA

External Teeth, wheel side: 21  
Internal Teeth, wheel side: 34  
Length [mm]: 142  
Seal Diameter [mm]: 48,3  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0612

#### Joint Kit, drive shaft



CITROEN C3 II  
CITROEN C3 III (SX)  
CITROEN C3 III Van (SX\_, SY\_)  
CITROEN C4 CACTUS  
CITROEN C4 CACTUS Van (0B\_, 0P\_)  
CITROEN DS3

#### OE

1611524280  
9677476580  
9801048580  
9825391880

External Teeth, wheel side: 21  
Internal Teeth, wheel side: 34  
Length [mm]: 142  
Seal Diameter [mm]: 56  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0613

#### Joint Kit, drive shaft



CITROEN C4 III  
DS DS 3 CROSSBACK (U\_)  
OPEL CORSA F  
OPEL MOKKA  
PEUGEOT 2008 II (U\_)  
PEUGEOT 208 II (UB\_, UP\_, UW\_, UJ\_)

#### OE

1647577580  
9824359680  
9824878280  
9825390980  
9825391080  
9825392880

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 34  
Length [mm]: 140  
Seal Diameter [mm]: 55,7  
Technical Information Number: Groove Type  
Inner  
Thread Size: M24X1,5

### 62-00-0700

#### Joint Kit, drive shaft



RENAULT CLIO Grandtour (KR0/1\_)  
RENAULT CLIO III (BR0/1, CR0/1)  
RENAULT CLIO III Furgonato (SB\_, SR\_)  
RENAULT CLIO IV  
RENAULT MODUS / GRAND MODUS (F/JP0\_)  
RENAULT TWINGO II (CN0\_)

#### OE

8200341698  
8200378880  
8200482429  
8200684084

External Teeth, wheel side: 23  
Internal Teeth, wheel side: 28  
Length [mm]: 138  
Seal Diameter [mm]: 49  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0703

#### Joint Kit, drive shaft



DACIA LOGAN EXPRESS (FS\_)  
DACIA LOGAN MCV (KS\_)  
RENAULT CLIO Grandtour (KR0/1\_)  
RENAULT CLIO III (BR0/1, CR0/1)  
RENAULT CLIO III Furgonato (SB\_, SR\_)

#### OE

820011225  
8200261840  
8200261841  
8200482435  
8200511225  
8200557125

External Teeth, wheel side: 23  
Internal Teeth, wheel side: 29  
Length [mm]: 143  
Seal Diameter [mm]: 49  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

## Joins

### 62-00-0704

#### Joint Kit, drive shaft



RENAULT GRAND SCÉNIC II (JM0/1\_)  
RENAULT SCÉNIC II (JM0/1\_)

#### OE

8200216519  
8200216523  
8200432517  
8200623806

External Teeth, wheel side: 25  
Length [mm]: 146  
Seal Diameter [mm]: 52,6  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0705

#### Joint Kit, drive shaft



DACIA DUSTER  
DACIA DUSTER Furgonato  
RENAULT CAPTUR  
RENAULT FLUENCE (L30\_)  
RENAULT GRAND SCÉNIC II (JM0/1\_)  
RENAULT GRAND SCÉNIC III (JZ0/1\_)

#### OE

8200198016  
8200436366  
8200790517  
8201030262

External Teeth, wheel side: 25  
Length [mm]: 149,5  
Seal Diameter [mm]: 53  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0706

#### Joint Kit, drive shaft



RENAULT CAPTUR  
RENAULT FLUENCE (L30\_)  
RENAULT MEGANE III 2 volumi /Coda spiovente (BZ0\_)  
RENAULT MEGANE III Coupé (DZ0/1\_)  
RENAULT MEGANE III Grandtour (KZ0/1)

#### OE

7711497435  
8200724499  
8200725499  
8200725500  
8201353624

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 33  
Length [mm]: 148  
Seal Diameter [mm]: 52,7  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0707

#### Joint Kit, drive shaft



DACIA DOKKER  
DACIA DOKKER Express  
DACIA LODGY  
RENAULT DOKKER  
RENAULT FLUENCE (L30\_)  
RENAULT GRAND SCÉNIC III (JZ0/1\_)

#### OE

391003112R  
391004751R  
391006276R  
391011406R  
391013387R  
391014021R

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 23  
Length [mm]: 149  
Seal Diameter [mm]: 52,5  
Thread Size: M20X1,5

### 62-00-0708

#### Joint Kit, drive shaft



DACIA LOGAN (LS\_)  
DACIA LOGAN MCV (KS\_)  
DACIA SANDERO  
RENAULT LOGAN I (LS\_)  
RENAULT SANDERO/STEPWAY I

#### OE

8200985010

External Teeth, wheel side: 21  
Internal Teeth, wheel side: 28  
Length [mm]: 137,5  
Seal Diameter [mm]: 49  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

## Joints

**62-00-0709**

### Joint Kit, drive shaft



DACIA LOGAN (LS\_)  
DACIA LOGAN II  
DACIA LOGAN MCV II  
DACIA SANDERO  
DACIA SANDERO II  
LADA LARGUS (KS0\_, RS0\_, KSA\_)

#### OE

391011434R  
391018662R  
391019117R

External Teeth, wheel side: 23  
Internal Teeth, wheel side: 28  
Length [mm]: 138  
Seal Diameter [mm]: 49  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

**62-00-0710**

### Joint Kit, drive shaft



RENAULT TWINGO III  
SMART FORFOUR 2 volumi /Coda spiovente (453)  
SMART FORTWO Cabriolet (453)  
SMART FORTWO Coupé (453)

#### OE

396002941R  
396002998R  
396003780R  
396008196R  
4533503500  
4533503600

External Teeth, wheel side: 33  
Fitting Position: Rear Axle Left  
Fitting Position: Rear Axle Right  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 20  
Length [mm]: 96,5  
Seal Diameter [mm]: 49,2  
Thread Size: M10X1,5  
Transmission Type: Manual Transmission, 5-speed

**62-00-0900**

### Joint Kit, drive shaft



AUDI A4 (8K2, B8)  
AUDI A4 Allroad (8KH, B8)  
AUDI A4 Avant (8K5, B8)  
AUDI A5 (8T3)  
AUDI A5 Cabriolet (8F7)  
AUDI A5 Sportback (8TA)

#### OE

8K0407305D  
8K0407305F  
8K0407305H  
8K0498099  
8K0498099C  
8K0498099CX

Bellows Material: Polychloroprene (Neoprene)  
External Teeth, wheel side: 42  
Length [mm]: 88,5  
Seal Diameter [mm]: 76,5  
Thread Size: M16X1,5

**62-00-0901**

### Joint Kit, drive shaft



AUDI 100 (43, C2)  
AUDI 100 (44, 44Q, C3)  
AUDI 100 (4A, C4)  
AUDI 100 Avant (43, C2)  
AUDI 100 Avant (44, 44Q, C3)  
AUDI 100 Avant (4A, C4)

#### OE

251 598 101 A  
431 498 103 C  
431 498 103 CX  
431 498 104 CX  
431498103C  
443 498 103 A

Bore [mm]: 10,20  
Fitting Position: Transmission End  
Int.teeth, diff.side, conn.to conn.shaft: 28  
Joint Diameter (mm): 108,0  
Joint Type: Disc Joint  
Length [mm]: 32,0  
Machined: Without groove in internal component  
Number of Bores: 6  
Pitch Circle [mm]: 94,00  
Supplementary Article/Supplementary Info 2: With screws  
Thread Size: M10x1,5x48

**62-00-0902**

### Joint Kit, drive shaft



SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA (6K2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
SEAT IBIZA III (6K1)  
SEAT INCA (6K9)

#### OE

171407311F  
171407311J  
171498099A  
171498099C  
191407311  
191407311H

External Teeth, wheel side: 22  
For OE number: 191498099  
Internal Teeth, wheel side: 30  
Length [mm]: 129,5  
Seal Diameter [mm]: 53  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

## Joins

### 62-00-0903

#### Joint Kit, drive shaft



SEAT AROSA (6H)  
VW LUPO (6X1, 6E1)  
VW POLO (6N1)  
VW POLO (6N2)

**OE**  
6X0498099  
6X0498099X

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 30  
Length [mm]: 138,5  
Seal Diameter [mm]: 53  
Technical Information Number: Groove Type  
Inner  
Thread Size: M20X1,5

### 62-00-0905

#### Joint Kit, drive shaft



AUDI A3 (8L1)  
SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA (6K2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
SEAT IBIZA III (6K1)

**OE**  
191498104  
191498104A  
321498103C  
321498103CV  
321498103CX  
357498104

Fitting Position: Transmission End  
For OE number: 191498104  
Int. teeth, diff.side, conn.to transm.: 33  
Length [mm]: 34

### 62-00-0906

#### Joint Kit, drive shaft



AUDI 80 Avant (8C, B4)  
AUDI A2 (8Z0)  
AUDI A3 (8L1)  
AUDI A3 (8P1)  
AUDI A3 (8V1)  
AUDI A3 Cabriolet (8P7)

**OE**  
191498103  
191498103A  
191498103C  
191498103CV  
191498103CX  
191498104C

Fitting Position: Transmission End  
For OE number: 191498103  
Int. teeth, diff.side, conn.to transm.: 33  
Length [mm]: 34  
Supplementary Article/Supplementary Info 2:  
With screws

### 62-00-0907

#### Joint Kit, drive shaft



AUDI A2 (8Z0)  
AUDI A3 (8L1)  
AUDI A4 (8E2, B6)  
AUDI TT (8N3)  
AUDI TT Roadster (8N9)  
SEAT CORDOBA (6L2)

**OE**  
1J0407341D  
1J0407341F  
1J0498103K  
1J0498103KV  
1J0498103KX  
JJ0498103K

Int. teeth, diff.side, conn.to transm.: 30  
Length [mm]: 57,6  
Technical Information Number: AAR

### 62-00-0908

#### Joint Kit, drive shaft



AUDI A3 (8L1)  
AUDI A4 (8E2, B6)  
AUDI A4 (8EC, B7)  
AUDI A4 Avant (8E5, B6)  
AUDI A4 Avant (8ED, B7)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

**OE**  
1308629  
3M217L606EA  
4E0498103  
4E0498103X  
7M3498103  
7M3498103H

For OE number: 1308629  
Int. teeth, diff.side, conn.to transm.: 34  
Length [mm]: 82  
Technical Information Number: Non-Original  
design  
Technical Information Number: T J

## Joins

### 62-00-0909

#### Joint Kit, drive shaft



AUDI A4 (8E2, B6)  
AUDI A4 (8EC, B7)  
AUDI A4 Avant (8E5, B6)  
AUDI A4 Avant (8ED, B7)  
AUDI A4 B7 Cabriolet (8HE)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)

#### OE

8E0498099E  
8E0498099EX  
8E0498099F  
8E0498099FX

External Teeth, wheel side: 38  
Internal Teeth, wheel side: 27  
Length [mm]: 97,5  
Number of Teeth, ABS ring: 45  
Seal Diameter [mm]: 59,5  
Standard: Two  
Technical Information Number: Original design  
Thread Size: M16X1,5

### 62-00-0910

#### Joint Kit, drive shaft



SEAT CORDOBA (6L2)  
SEAT IBIZA IV (6L1)  
SKODA FABIA (6Y2)  
VW POLO (9N\_)

#### OE

6Q0407311D  
6Q0498099F  
6Q0498099FX

External Teeth, wheel side: 36  
Internal Teeth, wheel side: 27  
Length [mm]: 140  
Seal Diameter [mm]: 50,75  
Technical Information Number: Groove Type Inner  
Thread Size: M16X1,5

### 62-00-0911

#### Joint Kit, drive shaft



SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA (6K2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
SEAT INCA (6K9)  
SEAT TOLEDO I (1L)

#### OE

191407311B  
191407311C  
191407311F  
191407311J  
191407311L  
191497311J

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 30  
Length [mm]: 139  
Seal Diameter [mm]: 53,2  
Technical Information Number: Groove Type Inner  
Thread Size: M20X1,5

### 62-00-0912

#### Joint Kit, drive shaft



SKODA FAVORIT (781)  
SKODA FAVORIT Forman (785)  
SKODA FAVORIT Pick-up (787)  
SKODA FELICIA Cube Van (6U5)  
SKODA FELICIA I (6U1)  
SKODA FELICIA I Fun (797)

#### OE

115420170  
115420174  
115420214  
115420217  
441072651586  
441072651706

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 22  
Length [mm]: 135,5  
Seal Diameter [mm]: 45  
Technical Information Number: Groove Type Inner  
Thread Size: M20X1,5

### 62-00-0913

#### Joint Kit, drive shaft



AUDI A3 (8P1)  
AUDI A3 (8V1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Limousine (8YS)

#### OE

1K0498099F  
1K0498099G  
1K0498099GX  
1K0498099M  
1K0498099MX  
2Q0498099L

External Teeth, wheel side: 36  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 27  
Length [mm]: 105  
Seal Diameter [mm]: 59,5  
Thread Size: M16X1,5

## Joins

### 62-00-0915

#### Joint Kit, drive shaft



SEAT AROSA (6H)  
SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA (6K2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
SEAT IBIZA III (6K1)

#### OE

171407331C  
171407331E  
171407331L  
171498103B  
171498103D  
171498103DV

Int. teeth, diff.side, conn.to transm.: 33  
Length [mm]: 32

### 62-00-0916

#### Joint Kit, drive shaft



AUDI A1 (8X1, 8XF)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A3 (8L1)  
AUDI A3 (8P1)  
AUDI A3 (8V1)  
AUDI A3 Cabriolet (8P7)

#### OE

377498103E  
6R0498103  
6R0498103X  
6X0407331  
6X0498103

For OE number: 377498103E  
Int. teeth, diff.side, conn.to transm.: 33  
Length [mm]: 34  
Supplementary Article/Supplementary Info 2:  
with lock tab  
Supplementary Article/Supplementary Info 2:  
With screws  
Technical Information Number: Original  
design

### 62-00-0917

#### Joint Kit, drive shaft



AUDI 80 (89, 89Q, 8A, B3)  
AUDI 80 (8C, B4)  
AUDI 80 Avant (8C, B4)  
AUDI 90 (81, 85, B2)  
AUDI 90 (89, 89Q, 8A, B3)  
AUDI CABRIOLET (8G7, B4)

#### OE

893407305N  
893498099M  
893498099MX  
895407305B  
895498099A  
895498099H

External Teeth, wheel side: 33  
Internal Teeth, wheel side: 30  
Length [mm]: 93  
Number of Teeth, ABS ring: 45  
Seal Diameter [mm]: 53  
Technical Information Number: Groove Type  
Inner  
Thread Size: M14X1,5

### 62-00-0920

#### Joint Kit, drive shaft



VW FOX (5Z1, 5Z3)  
VW POLO Tre volumi (9A4)

#### OE

6QE407311C  
6QE498099B

External Teeth, wheel side: 36  
Internal Teeth, wheel side: 30  
Length [mm]: 123  
Seal Diameter [mm]: 52  
Technical Information Number: Groove Type  
Inner  
Thread Size: M16X1,5

### 62-00-0921

#### Joint Kit, drive shaft



VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN)  
VW TRANSPORTER V Autobus (7HB, 7HJ, 7EB, 7EJ, 7EF)  
VW TRANSPORTER V Furgonato (7HA, 7HH, 7EA, 7EH)

#### OE

7H0407321  
7H0407321C  
7H0407321D  
7H0498099A  
7H0498099B  
7H0498099BX

External Teeth, wheel side: 38  
Internal Teeth, wheel side: 29  
Length [mm]: 172,5  
Seal Diameter [mm]: 63  
Technical Information Number: Six balls  
Thread Size: M20X1,5

## Joins

**62-00-0922**

### Joint Kit, drive shaft



AUDI A3 (8P1)  
AUDI A3 (8V1)  
AUDI A3 Cabriolet (8P7)  
AUDI A3 Cabriolet (8V7)  
AUDI A3 Limousine (8VS)  
AUDI A3 Limousine (8YS)

#### OE

2Q0498099M  
2Q0498099MX  
5K0407311  
5M0498099  
5M0498099A  
5M0498099AX

External Teeth, wheel side: 36  
Length [mm]: 99,5  
Seal Diameter [mm]: 59,5  
Technical Information Number: Groove Type Inner  
Thread Size: M16X1,5

**62-00-0926**

### Joint Kit, drive shaft



AUDI A1 (8X1, 8XF)  
AUDI A1 CITY CARVER (GBH)  
AUDI A1 Sportback (8XA, 8XK)  
AUDI A1 Sportback (GBA)  
AUDI A3 (8L1)  
AUDI A3 (8P1)

#### OE

1K0407331  
1K0498103A  
1K0498103AX

Fitting Position: Transmission End  
For OE number: 1K0407331  
Int. teeth, diff.side, conn.to transm.: 28  
Length [mm]: 32  
Technical Information Number: Non-Original design

**62-00-0927**

### Joint Kit, drive shaft



AUDI A3 (8L1)  
AUDI A4 (8E2, B6)  
AUDI A4 Avant (8E5, B6)  
AUDI A4 Cabriolet (8H7, B6, 8HE, B7)  
AUDI A6 (4B2, C5)  
AUDI A6 Avant (4B5, C5)

#### OE

1J0498103J  
1J0498103JX  
4B0198103  
4B0498103  
4B0498103X  
8E0407272BA

For OE number: 1J0498103J  
Int. teeth, diff.side, conn.to transm.: 34  
Length [mm]: 82  
Technical Information Number: Original design  
Technical Information Number: T J

**62-00-0929**

### Joint Kit, drive shaft



SEAT ALHAMBRA (710)  
VW CADDY III Furgonato (2KA, 2KH, 2CA, 2CH)  
VW CADDY III Station wagon (2KB, 2KJ, 2CB, 2CJ)  
VW PASSAT (362)  
VW PASSAT Cassone / Furgonato / Promiscuo

#### OE

7N0 498 099 C  
7N0 498 099 CX  
7N0 498 099 X  
7N0498099A  
7N0498099AX  
7N0498099B

External Teeth, wheel side: 36  
Internal Teeth, wheel side: 28  
Length [mm]: 105  
Seal Diameter [mm]: 59,5  
Technical Information Number: Groove Type Inner  
Technical Information Number: Six balls  
Thread Size: M16X1,5

**62-00-0933**

### Joint Kit, drive shaft



AUDI A4 (8W2, B9)  
AUDI A4 Avant (8W5, B9)  
AUDI A5  
AUDI A5 Cabriolet  
AUDI A5 Sportback (F5A)  
AUDI A6 (C8, 4A2)

#### OE

4M0407305A  
8W0498099

External Teeth, wheel side: 42  
Internal Teeth, wheel side: 29  
Length [mm]: 94,0  
Seal Diameter [mm]: 76,50  
Technical Information Number: Eight balls  
Technical Information Number: Groove Type Inner  
Thread Size: M16X1,5

## Joints

### 62-00-0934

#### Joint Kit, drive shaft



SEAT IBIZA V (KJ1)  
SKODA FABIA IV (PJ3)  
VW LOAD UP  
VW POLO (AW1)  
VW UP

**OE**  
2Q0498099  
2Q0498099X

External Teeth, wheel side: 36  
Internal Teeth, wheel side: 23  
Length [mm]: 130  
Seal Diameter [mm]: 52  
Technical Information Number: Groove Type  
Middle  
Thread Size: M16X1,5

### 62-00-0935

#### Joint Kit, drive shaft



SKODA CITIGO  
VW UP

**OE**  
1S0498099A  
1S0498099AX

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 23  
Length [mm]: 136  
Seal Diameter [mm]: 46  
Technical Information Number: Groove Type  
Middle  
Thread Size: M20X1,5

### 62-00-0936

#### Joint Kit, drive shaft



SEAT Mii (KF1\_)  
SKODA CITIGO  
VW LOAD UP  
VW UP

**OE**  
1S0498099

External Teeth, wheel side: 22  
Internal Teeth, wheel side: 26  
Length [mm]: 131  
Seal Diameter [mm]: 46  
Thread Size: M20X1,5

### 62-01-1030

#### Joint Kit, drive shaft



NISSAN QASHQAI  
NISSAN QASHQAI (J11, J11\_)  
NISSAN X-TRAIL (T32)  
RENAULT KADJAR

**OE**  
C92114EB0A

External Teeth, wheel side: 29  
Internal Teeth, wheel side: 28  
Length [mm]: 170  
Seal Diameter [mm]: 62  
Specification: Inner groove  
Thread Size: M24x1,5

### 62-00-1032

#### Joint Kit, drive shaft



**OE**  
391004BA1D  
C92114ED0A

External Teeth, wheel side: 29  
Internal Teeth, wheel side: 26  
Length [mm]: 162,5  
Seal Diameter [mm]: 62  
Technical Information Number: Groove Type  
Inner  
Thread Size: M24X1,5

## Joints

**62-00-2000**

**Joint Kit, drive shaft**



**OE**

43420K0060  
4346009U60  
434708Z008

External Teeth, wheel side: 26  
Internal Teeth, wheel side: 21  
Length [mm]: 147,5  
Seal Diameter [mm]: 55,6  
Thread Size: M22X1,5

**62-04-490**

**Joint Kit, drive shaft**



HONDA CIVIC VIII Tre volumi (FD, FA)

**OE**

44305SMJG01  
44306SMJG01

External Teeth, wheel side: 28  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 35  
Overall Length [mm]: 149  
Seal Diameter [mm]: 63  
Thread Size: M24X1,5

**62-06-626**

**Joint Kit, drive shaft**



DAIHATSU TERIOS (J2\_)

**OE**

43410B4010  
43420B4010

External Teeth, wheel side: 24  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 22  
Length [mm]: 171  
Seal Diameter [mm]: 53,5

**62-08-850**

**Joint Kit, drive shaft**



FIAT SEDICI  
SUZUKI SX4 (EY, GY)  
SUZUKI SX4 Tre volumi (GY)

**OE**

4410179JC0  
4410280J10  
4410280J11

External Teeth, wheel side: 28  
Fitting Position: Front Axle Left  
Internal Teeth, wheel side: 29  
Length [mm]: 147  
Outer Diameter [mm]: 73  
Seal Diameter [mm]: 59,5  
Specification: Inner groove  
Thread Size: M22x1,5

**62-09-921**

**Joint Kit, drive shaft**



JEEP GRAND CHEROKEE III (WH, WK)  
JEEP GRAND CHEROKEE IV (WK, WK2)

**OE**

52104590AA  
52104701AB  
K52104590AA  
K52104701AB

External Teeth, wheel side: 29  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 36  
Overall Length [mm]: 171,5  
Seal Diameter [mm]: 70  
Thread Size: M24 X 2

## Joints

### 62-09-922

#### Joint Kit, drive shaft



DODGE NITRO  
JEEP CHEROKEE (KK)

#### OE

5189278AA  
5189279AA

External Teeth, wheel side: 32  
Internal Teeth, wheel side: 35  
Length [mm]: 179  
Seal Diameter [mm]: 57  
Specification: Outer groove  
Thread Size: M24X2

### 62-0H-H43

#### Joint Kit, drive shaft



HYUNDAI MATRIX (FC)

#### OE

4950017100  
4950117100

Braking / Drive Dynamics: For vehicles with ABS  
External Teeth, wheel side: 25  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 23  
Number of Teeth, ABS ring: 44  
Overall Length [mm]: 151  
Seal Diameter [mm]: 50

### 62-0H-H44

#### Joint Kit, drive shaft



HYUNDAI ATOS (MX)

#### OE

4950705A00

External Teeth, wheel side: 25  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 20  
Length [mm]: 151  
Number of Teeth, ABS ring: 38  
Seal Diameter [mm]: 50  
Specification: CON ANELLO ABS  
Thread Size: M22X1,5

### 62-0H-H47

#### Joint Kit, drive shaft



HYUNDAI ACCENT IV Tre volumi (RB)

#### OE

495251R700  
495261R700

External Teeth, wheel side: 25  
Fitting Position: Front Axle  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 24  
Length [mm]: 159  
Number of Teeth, ABS ring: 48  
Seal Diameter [mm]: 53  
Thread Size: M22x1,5  
Transmission Type: 9-Speed Dual-Clutch Transmission

### 62-0H-H48

#### Joint Kit, drive shaft



HYUNDAI i20 (GB)  
HYUNDAI i20 ACTIVE (GB)  
HYUNDAI i20 Coupe

#### OE

49525C7401  
59526C7401

External Teeth, wheel side: 25  
Fitting Position: Front Axle  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 23  
Length [mm]: 151  
Seal Diameter [mm]: 53  
Thread Size: M22x1,5  
Transmission Type: 6-Speed manual transmission, operated automatically

## Joints

### 62-0H-H53

#### Joint Kit, drive shaft



HYUNDAI IONIQ  
HYUNDAI KONA (OS)

#### OE

49525G4700  
49525G5000  
49525J9100  
49525J9400  
49526J9400  
495L1CM000

External Teeth, wheel side: 27  
Internal Teeth, wheel side: 24  
Length [mm]: 154,5  
Seal Diameter [mm]: 60  
Specification: Middle groove  
Thread Size: M22x1,5

### 62-0K-K26

#### Joint Kit, drive shaft



KIA CARNIVAL I (UP)  
KIA CARNIVAL II (GQ)

#### OE

Braking / Drive Dynamics: For vehicles without ABS  
External Teeth, wheel side: 28  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 24  
Overall Length [mm]: 160  
Seal Diameter [mm]: 56

### 62-0K-K28

#### Joint Kit, drive shaft



KIA CARNIVAL I (UP)  
KIA CARNIVAL II (GQ)

#### OE

Braking / Drive Dynamics: For vehicles with ABS  
External Teeth, wheel side: 28  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 24  
Number of Teeth, ABS ring: 54  
Overall Length [mm]: 156  
Seal Diameter [mm]: 56

### 62-0K-K29

#### Joint Kit, drive shaft



KIA RIO II (JB)  
KIA RIO II Tre volumi (JB)

#### OE

49500-1G100  
49500-1G111  
49500-25302  
49500-25312  
49591-1G000  
49591-1G010

External Teeth, wheel side: 25  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 24  
Length [mm]: 158  
Number of Teeth, ABS ring: 48  
Seal Diameter [mm]: 50

### 62-0K-K30

#### Joint Kit, drive shaft



HYUNDAI i30 (FD)  
HYUNDAI i30 CW (FD)  
KIA CEE'D  
KIA CEE'D 2 volumi /Coda spiovente (ED)  
KIA CEE'D SW (ED)  
KIA CEE'D Sportswagon

#### OE

495002H002  
495002H010  
495002H011  
495012H002  
495012H011

Braking / Drive Dynamics: For vehicles with ABS  
External Teeth, wheel side: 27  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 22  
Length [mm]: 149  
Number of Teeth, ABS ring: 46  
Seal Diameter [mm]: 60

## Joins

### 62-0K-K37

#### Joint Kit, drive shaft



HYUNDAI ACCENT Tre volumi (HC)  
KIA PICANTO (JA)

#### OE

49525G6400  
49525H5000  
49526G6400  
49526H5000

External Teeth, wheel side: 25  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 22  
Length [mm]: 148,5  
Seal Diameter [mm]: 52,5  
Thread Size: M22X1,5

### 62-0K-K38

#### Joint Kit, drive shaft



HYUNDAI i10 (AC3, AI3)  
HYUNDAI i10 (IA)  
HYUNDAI i20 (GB)  
HYUNDAI i20 Coupe  
HYUNDAI i20 Hatchback Van (GB, IB)

#### OE

49526C8001

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 21  
Length [mm]: 148,5  
Number of Teeth, ABS ring: 48  
Seal Diameter [mm]: 52,5  
Thread Size: M22X1,5

### 62-0K-K39

#### Joint Kit, drive shaft



KIA PICANTO (JA)

#### OE

49525G6000  
49525G6300  
49526G6000  
49526G6300

External Teeth, wheel side: 25  
Internal Teeth, wheel side: 21  
Length [mm]: 150  
Seal Diameter [mm]: 53  
Thread Size: M22X1,5

### 62-0L-L23

#### Joint Kit, drive shaft



LAND ROVER DISCOVERY I (LJ, LG)  
LAND ROVER RANGE ROVER I (AE, AN, HAA, HAB,  
HAM, HBM, RE, RN)

#### OE

RTC5843

Fitting Position: Wheel Side

### 62-0L-L24

#### Joint Kit, drive shaft



LAND ROVER 90 (LDV)  
LAND ROVER DEFENDER Cabrio (LD)  
LAND ROVER DEFENDER Pick-up (LD\_)  
LAND ROVER DEFENDER Station Wagon (LD)  
LAND ROVER DISCOVERY I (LJ, LG)  
LAND ROVER RANGE ROVER I (AE, AN, HAA, HAB,  
HAM, HBM, RE, RN)

#### OE

STC3051  
TDB500280  
TDJ000010

External Teeth, wheel side: 24  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 32  
Length [mm]: 211  
Number of Teeth, ABS ring: 60  
Outer Diameter [mm]: 93  
Seal Diameter [mm]: 67  
Thread Size: M11 X 1,5

## Joints

### 62-0L-L25

#### Joint Kit, drive shaft



LAND ROVER FREELANDER 2 (FA\_)

#### OE

36000363  
36000716  
36001194  
LR003159  
LR005870

External Teeth, wheel side: 40  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 27  
Length [mm]: 116  
Seal Diameter [mm]: 57

### 62-0L-L27

#### Joint Kit, drive shaft



LAND ROVER DEFENDER Station Wagon (L663)  
LAND ROVER DISCOVERY V (LR\_)  
LAND ROVER RANGE ROVER IV (LG)  
LAND ROVER RANGE ROVER SPORT (LW)

#### OE

CPLA4K327AA  
DPLA4K327AA  
LR034511  
LR079502

External Teeth, wheel side: 31  
Fitting Position: Front Axle left and right  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 28  
Length [mm]: 158  
Seal Diameter [mm]: 68,2  
Thread Size: M24

### 62-0W-W35

#### Joint Kit, drive shaft



CHEVROLET SPARK  
CHEVROLET SPARK (M300)

#### OE

94564013  
94564015  
9H2423B

External Teeth, wheel side: 22  
Fitting Position: Wheel Side  
Internal Teeth, wheel side: 20  
Length [mm]: 148  
Number of Teeth, ABS ring: 47  
Seal Diameter [mm]: 52  
Transmission Type: Manual Transmission

## Mounting

### 73-02-261

#### Ball Joint



TOYOTA LAND CRUISER (VDJ20\_, UZJ20\_)  
TOYOTA LAND CRUISER V8

#### OE

4806860030+  
4806960030+

Cone Size [mm]: 20,2  
Diameter [mm]: 54,3  
Fitting Position: Lower Front Axle  
Thread Measurement 1: MM18x1,5R

### 73-02-265

#### Ball Joint



CITROEN BERLINGO (K9)  
CITROEN BERLINGO Furgonato (K9)  
OPEL COMBO Cassone / Furgonato / Promiscuo (X19)  
OPEL COMBO MPV / Space wagon (X19)  
PEUGEOT PARTNER Furgonato (K9)

#### OE

9831088580  
SU001B1566

Cone Size [mm]: 16,7  
Fitting Position: Lower Front Axle  
Thread Measurement 1: MM14X1,5R

## Mounting

### 72-00-030L

#### Track Control Arm



DR DR 4.0  
DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

202000228AA  
3360200048  
3360200078

Cone Size [mm]: 15  
Fitting Position: Front Axle Left  
Outer Thread 1 [mm]: M 14X1,5 mm  
Paired article numbers: 72-00-030R  
Paired article numbers: 72030R  
Paired article numbers: BS-030R  
Steering Type: Control Arm

### 72-00-030R

#### Track Control Arm



DR DR 4.0  
DR DR 5.0 SUV  
DR DR F35 SUV

#### OE

202000229AA  
3360200049  
3360200079

Cone Size [mm]: 15  
Fitting Position: Front Axle Right  
Outer Thread 1 [mm]: M 14X1,5 mm  
Paired article numbers: 72-00-030L  
Paired article numbers: 72030L  
Paired article numbers: BS-030L  
Steering Type: Control Arm

### 72-01-190L

#### Track Control Arm



NISSAN QASHQAI III (J12)

#### OE

54501 6UA0A

Bar/Strut: Push Rod  
Cone Size [mm]: 20  
Fitting Position: Front Axle Left  
Material: Aluminium  
Paired article numbers: 72-01-190R  
Paired article numbers: 72190R  
Paired article numbers: BS-190R  
Steering Type: Control Arm

### 72-01-190R

#### Track Control Arm



NISSAN QASHQAI III (J12)

#### OE

54500 6UA0A

Bar/Strut: Push Rod  
Cone Size [mm]: 20  
Fitting Position: Front Axle Right  
Material: Aluminium  
Paired article numbers: 72-01-190L  
Paired article numbers: 72190L  
Paired article numbers: BS-190L  
Steering Type: Control Arm

### 72-01-195L

#### Track Control Arm



FIAT TALENTO Furgonato  
FIAT TALENTO Kombi  
FIAT TALENTO Pianale piatto/Telaio  
NISSAN NV300 Furgonato (X82)  
NISSAN NV300 Kombi (X82)  
NISSAN NV300 Pianale piatto/Telaio (X82)

#### OE

4422269S1  
4422270  
5450100Q1M  
545016850R  
545019956R  
6000618836

Bar/Strut: Push Rod  
Cone Size [mm]: 17  
Fitting Position: Front Axle Left  
Fitting Position: Lower  
Material: Steel  
Paired article numbers: 72-01-195R  
Paired article numbers: 72195R  
Paired article numbers: BS-195R  
Steering Type: Control Arm

## Mounting

### 72-01-195R

#### Track Control Arm



FIAT TALENTO Furgonato  
FIAT TALENTO Kombi  
FIAT TALENTO Pianale piatto/Telaio  
NISSAN NV300 Furgonato (X82)  
NISSAN NV300 Kombi (X82)  
NISSAN NV300 Pianale piatto/Telaio (X82)

#### OE

4422269  
4422270S1  
5450000Q2B  
545002914R  
545006069R  
6000618835

Bar/Strut: Push Rod  
Cone Size [mm]: 17  
Fitting Position: Front Axle Right  
Fitting Position: Lower  
Material: Steel  
Paired article numbers: 72-01-195L  
Paired article numbers: 72195L  
Paired article numbers: BS-195L  
Steering Type: Control Arm

### 72-03-368L

#### Track Control Arm



MAZDA CX-5 (KE, GH)  
MAZDA CX-5 (KF)  
MAZDA CX-5 Van (KE\_)

#### OE

KD3528350

Bar/Strut: Push Rod  
Fitting Position: Lower  
Fitting Position: Rear Axle Left  
Length [mm]: 595  
Material: Sheet Steel  
Paired article numbers: 72-03-368R  
Paired article numbers: 72368R  
Paired article numbers: BS-368R  
Steering Type: Trailing Arm

### 72-03-368R

#### Track Control Arm



MAZDA CX-5 (KE, GH)  
MAZDA CX-5 (KF)  
MAZDA CX-5 Van (KE\_)

#### OE

KD3528300

Bar/Strut: Push Rod  
Fitting Position: Lower  
Fitting Position: Rear Axle Right  
Length [mm]: 595  
Material: Sheet Steel  
Paired article numbers: 72-03-368L  
Paired article numbers: 72368L  
Paired article numbers: BS-368L  
Steering Type: Trailing Arm

### 72-03-376

#### Track Control Arm



MAZDA CX-7 (ER)

#### OE

EG2128500B

Fitting Position: Left and right  
Fitting Position: Lower  
Fitting Position: Rear Axle  
Length [mm]: 298  
Material: Sheet Steel  
Steering Type: Control Arm

### 72-04-483L

#### Track Control Arm



HONDA CIVIC X 2 volumi /Coda spiovente (FC\_, FK)

#### OE

51360TBAA01

Fitting Position: Front Axle Left  
Paired article numbers: 72-04-483R  
Paired article numbers: 72483R  
Paired article numbers: BS-483R  
Steering Type: Control Arm

## Mounting

### 72-04-483R

#### Track Control Arm



HONDA CIVIC X 2 volumi /Coda spiovente (FC\_, FK)

**OE**  
5135-0TB-AA01

Fitting Position: Front Axle Right  
Paired article numbers: 72-04-483L  
Paired article numbers: 72483L  
Paired article numbers: BS-483L  
Steering Type: Control Arm

### 72-04-485L

#### Track Control Arm



MG MG ZS Fuoristrada chiuso

**OE**  
10228100  
10252196  
10727535

Bar/Strut: Push Rod  
Cone Size [mm]: 18  
Fitting Position: Front Axle Left  
Material: Sheet Steel  
Paired article numbers: 72-04-485R  
Paired article numbers: 72485R  
Paired article numbers: BS-485R  
Steering Type: Control Arm

### 72-04-485R

#### Track Control Arm



MG MG ZS Fuoristrada chiuso

**OE**  
10228200  
10319515  
10727561

Bar/Strut: Push Rod  
Cone Size [mm]: 18  
Fitting Position: Front Axle Right  
Material: Sheet Steel  
Paired article numbers: 72-04-485L  
Paired article numbers: 72485L  
Paired article numbers: BS-485L  
Steering Type: Control Arm

### 72-07-713L

#### Track Control Arm



SUBARU BRZ  
TOYOTA GT 86 Coupé (ZN6\_)

**OE**  
20202CA010  
SU00300355  
SU00308017

Bar/Strut: Push Rod  
Cone Size [mm]: 13,5  
Fitting Position: Front Axle Left  
Material: Sheet Steel  
Paired article numbers: 72-07-713R  
Paired article numbers: 72713R  
Paired article numbers: BS-713R  
Steering Type: Control Arm

### 72-07-713R

#### Track Control Arm



SUBARU BRZ  
TOYOTA GT 86 Coupé (ZN6\_)

**OE**  
20202CA000  
SU00300354  
SU00308016

Bar/Strut: Push Rod  
Cone Size [mm]: 13,5  
Fitting Position: Front Axle Right  
Material: Sheet Steel  
Paired article numbers: 72-07-713L  
Paired article numbers: 72713L  
Paired article numbers: BS-713L  
Steering Type: Control Arm

## Mounting

### 72-07-715L

#### Track Control Arm



SUBARU IMPREZA 2 volumi /Coda spiovente (GT\_)  
SUBARU LEGACY VI (BN, BS)  
SUBARU OUTBACK

**OE**  
20252FJ030  
20252VC030

Fitting Position: Rear Axle Left  
Fitting Position: Upper  
Length [mm]: 266  
Paired article numbers: 72-07-715R  
Paired article numbers: 72715R  
Paired article numbers: BS-715R  
Steering Type: Control Arm

### 72-08-825

#### Track Control Arm



OPEL AGILA (A) (H00)  
SUZUKI WAGON R+ (EM)  
SUZUKI WAGON R+ (MM)

**OE**  
4620183E00  
4620183E01  
4706002

Fitting Position: Lower  
Fitting Position: Rear Axle Right  
Inner Diameter [mm]: 11,5  
Steering Type: Control Arm

### 72-08-826

#### Track Control Arm



OPEL AGILA (A) (H00)  
SUZUKI WAGON R+ (EM)  
SUZUKI WAGON R+ (MM)

**OE**  
4620283E00  
4620283E01  
4706814

Fitting Position: Lower  
Fitting Position: Rear Axle Left  
Inner Diameter [mm]: 11,5  
Steering Type: Control Arm

### 72-09-941L

#### Track Control Arm



JEEP COMPASS (MP)

**OE**  
68318011AC  
68318011AD  
68318011AE

Bar/Strut: Push Rod  
Cone Size [mm]: 19  
Fitting Position: Front Axle Left  
Fitting Position: Lower  
Material: Sheet Steel  
Paired article numbers: 72-09-941L  
Paired article numbers: 72941L  
Paired article numbers: BS-941L  
Steering Type: Control Arm

### 72-09-941R

#### Track Control Arm



JEEP COMPASS (MP)

**OE**  
53448529  
68318010AC  
68318010AD  
68318010AE

Bar/Strut: Push Rod  
Cone Size [mm]: 19  
Fitting Position: Front Axle Right  
Fitting Position: Lower  
Material: Sheet Steel  
Paired article numbers: 72-09-941L  
Paired article numbers: 72941L  
Paired article numbers: BS-941L  
Steering Type: Control Arm

## Mounting

### 72-0K-K7R

#### Track Control Arm



KIA K2700 (SD)

**OE**  
0K63B-34300B

Fitting Position: Front Axle Left  
Steering Type: Control Arm

### 72-0K-K48R

#### Track Control Arm



KIA CARENS II (FJ)

**OE**  
0K2FA-28300

Steering Type: Trailing Arm

### 44-29052

#### Wheel Hub



JEEP WRANGLER IV (JL)

**OE**  
68272624AC

Fitting Position: Front Axle left and right  
Number of splines on input shaft: 32  
Outer Diameter [mm]: 161,5  
Rim Hole Number: 5  
Thread Size: M14X1,5

### MA-00941

#### Shock Absorber



CITROEN C3 III (SX)  
CITROEN C3 III Van (SX\_, SY\_)  
CITROEN C4 CACTUS  
CITROEN C4 CACTUS Van (0B\_, 0P\_)

**OE**  
9811371280  
9820202780  
9820948680  
9827488680

Fitting Position: Front Axle Left  
Paired article numbers: MA-00940  
Paired article numbers: MJ00940  
Paired article numbers: MM-00940  
Piston Rod Diameter [mm]: 20  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure  
Strut outside diameter [mm]: 47

### MA-01024

#### Shock Absorber



HONDA CR-V V (RW\_)

**OE**  
51611-T1V-E02

Fitting Position: Front Axle Right  
Paired article numbers: MA-01023  
Paired article numbers: MJ01023  
Paired article numbers: MM-01023  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom  
Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MA-01185

#### Shock Absorber



VOLVO S60 II  
VOLVO V60  
VOLVO V60 Cassone / Furgonato / Promiscuo (155)  
VOLVO V60 II (225)

#### OE

31262901  
31262902  
31262903  
31277201  
31277976  
31304051

Fitting Position: Front Axle Left  
Paired article numbers: MA-01186  
Paired article numbers: MJ01186  
Paired article numbers: MM-01186  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-01186

#### Shock Absorber



VOLVO S60 II  
VOLVO V60  
VOLVO V60 Cassone / Furgonato / Promiscuo (155)  
VOLVO V60 II (225)

#### OE

31262895  
31262896  
31262897  
31277200  
31277975  
31304052

Fitting Position: Front Axle Right  
Paired article numbers: MA-01185  
Paired article numbers: MJ01185  
Paired article numbers: MM-01185  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-01235

#### Shock Absorber



FORD RANGER (TKE)

#### OE

2218993

Fitting Position: Front Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-01239

#### Shock Absorber



HYUNDAI IONIQ  
HYUNDAI KONA (OS)  
HYUNDAI KONA Cassone/SUV (OS)

#### OE

55307G7600  
55307G7650  
55307J9300  
55307J9320  
55307J9350  
55310G7000

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-01243

#### Shock Absorber



SUZUKI SWIFT V (AZ)

#### OE

4160252RA0  
4160253RA0  
4160280SA0  
4160280SA1

Fitting Position: Front Axle Left  
Paired article numbers: MA-01244  
Paired article numbers: MJ01244  
Paired article numbers: MM-01244  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MA-01244

#### Shock Absorber



SUZUKI SWIFT V (AZ)

#### OE

4160152RA0  
4160153RA0  
4160180SA0  
4160180SA1

Fitting Position: Front Axle Right  
Paired article numbers: MA-01243  
Paired article numbers: MJ01243  
Paired article numbers: MM-01243  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-01248

#### Shock Absorber



BMW X3 (G01, F97)  
BMW X3 Van (G01)  
BMW X4 (G02)

#### OE

31 30 6 890 944  
31 31 6 871 780  
31 31 6 871 782  
31 31 6 871 788  
31 31 6 871 790  
6 871 780

Fitting Position: Front Axle Right  
Paired article numbers: MA-01247  
Paired article numbers: MJ01247  
Paired article numbers: MM-01247  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Plate  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MA-01253

#### Shock Absorber



HYUNDAI i30 (PDE)  
HYUNDAI i30 FASTBACK (PDE)  
HYUNDAI i30 Hatchback Van (PDE)  
HYUNDAI i30 Kombi Van (PDE)  
HYUNDAI i30 Station wagon

#### OE

55310G4AA0  
55310G4AB0  
55310G4AC0  
55310G4AD0  
55310G4CA0  
55310G4CB0

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-01261

#### Shock Absorber



HONDA CR-V IV (RE)

#### OE

51621T1WR00  
51621T1WR01

Fitting Position: Front Axle Left  
Paired article numbers: MA-01260  
Paired article numbers: MJ01260  
Paired article numbers: MM-01260  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-10142

#### Shock Absorber



NISSAN ARIYA

#### OE

E43035MP1B  
E43035MS1C

Fitting Position: Front Axle Left  
Paired article numbers: MA-10143  
Paired article numbers: MJ10143  
Paired article numbers: MM-10143  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top eye  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

## Mounting

### MA-10143

#### Shock Absorber



NISSAN ARIYA

#### OE

E43025MP1B  
E43025MS1C

Fitting Position: Front Axle Right  
Paired article numbers: MA-10142  
Paired article numbers: MJ10142  
Paired article numbers: MM-10142  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top eye  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-33117

#### Shock Absorber



TOYOTA YARIS (\_P21\_, \_PA1\_, \_PH1\_)

#### OE

48530K0070  
48530K0080  
48530K0090

Fitting Position: Rear Axle  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-33118

#### Shock Absorber



MAZDA 3 2 volumi /Coda spiovente (BP)  
MAZDA 3 Tre volumi

#### OE

BDEN-34-90XA  
BDEN-34-90XB  
BDNG-34-70XA  
BDNG-34-90X  
BDNG-34-90XA  
BDNH-34-70XB

Fitting Position: Front Axle Left  
Paired article numbers: MA-33119  
Paired article numbers: MJ33119  
Paired article numbers: MM-33119  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MA-33119

#### Shock Absorber



MAZDA 3 2 volumi /Coda spiovente (BP)  
MAZDA 3 Tre volumi

#### OE

BDEN-34-70XA  
BDEN-34-70XB  
BDNG-34-70X  
BDNG-34-90X  
BDNK-34-70X  
BEPN-34-70XL

Fitting Position: Front Axle Right  
Paired article numbers: MA-33118  
Paired article numbers: MJ33118  
Paired article numbers: MM-33118  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MA-33123

#### Shock Absorber



MAZDA CX-30 (DM)

#### OE

DFR5-34-900  
DFS4-34-900  
DGK9-34-900

Fitting Position: Front Axle Left  
Paired article numbers: MA-33124  
Paired article numbers: MJ33124  
Paired article numbers: MM-33124  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MA-33124

#### Shock Absorber



MAZDA CX-30 (DM)

#### OE

DFR5-34-700  
DFS4-34-700  
DGK9-34-700

Fitting Position: Front Axle Right  
Paired article numbers: MA-33123  
Paired article numbers: MJ33123  
Paired article numbers: MM-33123  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-33129

#### Shock Absorber



MAZDA CX-5 (KF)

#### OE

KB7W-34-900B  
KB8M-34-900  
KD5M34900  
KN3L-34-900B  
KN4C-34-900B

Fitting Position: Front Axle Left  
Paired article numbers: MA-33130  
Paired article numbers: MJ33130  
Paired article numbers: MM-33130  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MA-33130

#### Shock Absorber



MAZDA CX-5 (KF)

#### OE

KB7W-34-700B  
KB8M-34-700  
KD5M34700  
KN3L-34-700B  
KN4C-34-700B

Fitting Position: Front Axle Right  
Paired article numbers: MA-33129  
Paired article numbers: MJ33129  
Paired article numbers: MM-33129  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MA-50095

#### Shock Absorber



MAZDA CX-5 (KF)  
MAZDA CX-5 (KF)  
MAZDA CX-5 (KF)

#### OE

5621000Q4F  
562106017R  
562106PA0A  
562109129R

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber System: Twin-Tube  
Shock Absorber Type: Gas Pressure

### MA-AS455

#### Shock Absorber



MERCEDES-BENZ CLASSE E Pianale  
piatto/Telaio (VF211)  
MERCEDES-BENZ CLASSE E T-Model (S211)

#### OE

211 326 12 00  
A 211 326 12 00

Fitting Position: Rear Axle Right  
Paired article numbers: MA-AS456  
Paired article numbers: MJAS456  
Paired article numbers: MM-AS456  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MA-AS456

#### Shock Absorber



MERCEDES-BENZ CLASSE E Pianale  
piatto/Telaio (VF211)  
MERCEDES-BENZ CLASSE E T-Model (S211)

#### OE

211 326 11 00  
A 211 326 11 00

Fitting Position: Rear Axle Left  
Paired article numbers: MA-AS455  
Paired article numbers: MJAS455  
Paired article numbers: MM-AS455  
Shock Absorber Design: Absorber does not carry a spring  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

### MA-AS457

#### Shock Absorber



PORSCHE MACAN

#### OE

95B513035A  
95B513035E  
95B513035F  
95B513035H  
95B513035K

Fitting Position: Rear Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top yoke  
Shock Absorber Type: Oil Pressure  
Spring Type: for coil-spring suspension vehicles  
Spring Type: for pneumatic suspension vehicles  
Suspension: For vehicles with electronic suspension control  
Weight [kg]: 4,08

### MA-AS458

#### Shock Absorber



PORSCHE PANAMERA

#### OE

97033304506  
97033304507  
97033304509  
97033304511  
97033304512  
97033304513

Fitting Position: Rear Axle  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top yoke  
Shock Absorber Type: Oil Pressure  
Suspension: For vehicles with electronic suspension control

### MA-AS459

#### Shock Absorber



LAND ROVER RANGE ROVER VELAR (L560)

#### OE

LR090656  
LR106829  
LR109360  
LR123528  
LR147263

Fitting Position: Rear Axle  
Shock Absorber Design: Telescopic Shock Absorber  
Shock Absorber Mounting Type: Bottom eye  
Shock Absorber Mounting Type: Top yoke  
Shock Absorber Type: Oil Pressure  
Spring Type: for pneumatic suspension vehicles  
Suspension: For vehicles with electronic suspension control

## Mounting

### MA-AS467

#### Air Spring Strut



LAND ROVER RANGE ROVER VELAR (L560)

#### OE

LR090610  
LR116909  
LR146318  
LR148863

Braking / Drive Dynamics: for vehicles with Continuous Variable Damping (CVD)  
Fitting Position: Front  
Paired article numbers: MA-AS468  
Paired article numbers: MJAS468  
Paired article numbers: MM-AS468  
Shock Absorber Mounting Type: Bottom Pin  
Shock Absorber Mounting Type: Top yoke  
Spring Type: for pneumatic suspension vehicles  
Suspension: For vehicles with electronic suspension control

### MA-ASC072

#### Compressor, compressed air system



DODGE RAM 2500 Pick-up (DJ, DS)  
RAM 2500 Crew Cab Pickup (DJ)  
RAM 2500 Standard Cab Pickup (DJ)

#### OE

68239571AA  
68239571AB  
68349607AA  
K68239571AA  
K68239571AB  
K68349607AA

Overheating protection: Yes  
Spring Type: for pneumatic suspension vehicles  
Supplementary Article/Supplementary Info 2: With dryer

### MA-ASC074

#### Compressor, compressed air system



PORSCHE PANAMERA

#### OE

97035815107  
97035815108  
97035815109  
97035815110  
97035815111  
97035815112

Spring Type: for pneumatic suspension vehicles  
Supplementary Article/Supplementary Info 2: With dryer

### MA-ASC075

#### Compressor, compressed air system



PORSCHE CAYENNE  
VW TOUAREG (7P5)  
VW TOUAREG VAN (7P5)

#### OE

7P0698007  
7P0698007A  
7P0698007B  
7P0698007C  
7P0698007D  
7P0698007E

Overheating protection: Yes  
Spring Type: for pneumatic suspension vehicles  
Supplementary Article/Supplementary Info 2: With dryer

### MA-ASC076

#### Compressor, compressed air system



PORSCHE MACAN

#### OE

95B698010  
95B698010A  
95B698010B  
95B698010C

Overheating protection: Yes  
Spring Type: for pneumatic suspension vehicles  
Supplementary Article/Supplementary Info 2: With dryer

## Mounting

### MA-ASC077

#### Compressor, compressed air system



BMW 5 Touring (G31)  
BMW 5 Touring Van (G31)  
BMW 6 Gran Turismo (G32)

**OE**  
37206886721  
6886721

Spring Type: for vehicles with rear axle pneumatic suspension  
Supplementary Article/Supplementary Info 2: With dryer  
Vehicle Equipment: For vehicles with ride height control

### MA-ASV018

#### Valve, compressed-air system



LAND ROVER DISCOVERY III (TAA)  
LAND ROVER DISCOVERY III VAN (L319)  
LAND ROVER DISCOVERY IV (LA)  
LAND ROVER DISCOVERY IV VAN (L319)  
LAND ROVER RANGE ROVER III (LM)  
LAND ROVER RANGE ROVER SPORT (LS)

**OE**  
RVH000045  
RVH000046  
RVH500070

Spring Type: for pneumatic suspension vehicles  
Valve Type: Solenoid Valve

### MA-ASV019

#### Valve, compressed-air system



LAND ROVER DEFENDER Station Wagon (L663)  
LAND ROVER DEFENDER Van (L663)  
LAND ROVER DISCOVERY V (LR\_)  
LAND ROVER DISCOVERY V VAN (L462)  
LAND ROVER RANGE ROVER IV (LG)  
LAND ROVER RANGE ROVER SPORT (LW)

**OE**  
LR037081  
LR070245  
LR176325

Fitting Position: Front  
Spring Type: for pneumatic suspension vehicles  
Valve Type: Solenoid Valve

### MA-ASV020

#### Valve, compressed-air system



TESLA MODEL S  
TESLA MODEL X

**OE**  
102791900B

Spring Type: for pneumatic suspension vehicles  
Valve Type: Solenoid Valve

### MA-ASV021

#### Valve, compressed-air system



LAND ROVER DISCOVERY III (TAA)  
LAND ROVER DISCOVERY III VAN (L319)  
LAND ROVER DISCOVERY IV (LA)  
LAND ROVER DISCOVERY IV VAN (L319)  
LAND ROVER RANGE ROVER SPORT (LS)

**OE**  
RVH000094  
RVH000095

Fitting Position: Front  
Spring Type: for pneumatic suspension vehicles  
Valve Type: Solenoid Valve

## Mounting

### MA-ASV022

#### Valve, compressed-air system



MERCEDES-BENZ AMG GT (X290)  
MERCEDES-BENZ CLASSE E (W213)  
MERCEDES-BENZ CLASSE E All-Terrain (S213)  
MERCEDES-BENZ CLASSE E Cabriolet (A238)  
MERCEDES-BENZ CLASSE E Coupè (C238)  
MERCEDES-BENZ CLASSE E T-Model (S213)

**OE**  
0993200258  
A0993200258

Spring Type: for pneumatic suspension vehicles  
Valve Type: Solenoid Valve

### MA-ASV023

#### Valve, compressed-air system



AUDI E-TRON GT Tre volumi (F83)  
PORSCHE PANAMERA (971)  
PORSCHE PANAMERA Sport Turismo (971)  
PORSCHE TAYCAN (Y1A)  
PORSCHE TAYCAN Cross Turismo (Y1B)  
PORSCHE TAYCAN Sport Turismo (Y1C)

**OE**  
971616056  
971616056B  
971616056C

Spring Type: for pneumatic suspension vehicles  
Valve Type: Solenoid Valve

### MA-ASV024

#### Valve, compressed-air system



AUDI A6 (C8, 4A2)  
AUDI A6 Allroad (4AH, C8)  
AUDI A6 Avant (C8, 4A5)  
AUDI A7 Sportback (4KA)  
AUDI A8 (4N2, 4N8)  
AUDI E-TRON (GEN\_)

**OE**  
4N0616013  
4N0616013A

Spring Type: for pneumatic suspension vehicles  
Valve Type: Solenoid Valve

### MA-ASV025

#### Valve, compressed-air system



AUDI Q7 (4M)  
AUDI Q7 Van (4MB, 4MG)  
AUDI Q8 (4MN)  
BENTLEY BENTAYGA  
LAMBORGHINI URUS  
VW TOUAREG (CR7)

**OE**  
4M0616013A  
4M0616013B

Spring Type: for pneumatic suspension vehicles  
Valve Type: Solenoid Valve

### MA-KI087

#### Shock Absorber



KIA PICANTO (JA)

**OE**  
54650G 6200  
54650G 6230

Fitting Position: Front Axle Left  
Shock Absorber Design: Suspension Strut  
Shock Absorber Mounting Type: Bottom Clamp  
Shock Absorber Mounting Type: Top pin  
Shock Absorber Type: Gas Pressure

## Mounting

### MA-KI088

#### Shock Absorber



KIA PICANTO (JA)

#### OE

54660G 6200

54660G 6230

Fitting Position: Front Axle Right

Paired article numbers: MA-KI089

Paired article numbers: MJKI089

Paired article numbers: MM-KI089

Shock Absorber Design: Suspension Strut

Shock Absorber Mounting Type: Bottom

Clamp

Shock Absorber Mounting Type: Top pin

Shock Absorber Type: Gas Pressure

### GOM-1295

#### Control Arm-/Trailing Arm Bush



NISSAN INTERSTAR Autobus (X70)

NISSAN INTERSTAR Furgonato (X70)

NISSAN INTERSTAR Pianale piatto/Telaio

OPEL MOVANO Combi (J9)

OPEL MOVANO Furgonato (F9)

OPEL MOVANO Pianale piatto/Telaio (U9, E9)

#### OE

009160391

09160391

45 00 091

54450-00QAA

77 00 302 115

9160391

Fitting Position: Front Axle Left

Fitting Position: Front Axle Right

Fitting Position: Upper

Inner Diameter [mm]: 22

Outer Diameter [mm]: 64

Thickness [mm]: 60

Width [mm]: 113

### GOM-1300

#### Bearing Bush, stabiliser



NISSAN JUKE (F15)

#### OE

54613EG020

### GOM-1301

#### Bearing Bush, stabiliser



NISSAN NAVARA Pick-up (D23)

#### OE

546134KH1A

Inner Diameter [mm]: 33

Length [mm]: 49

### GOM-1310

#### Bearing Bush, stabiliser



NISSAN 350 Z (Z33)

NISSAN 350 Z Roadster (Z33)

#### OE

54613AQ021

## Mounting

### GOM-1313

#### Engine Mounting



NISSAN JUKE (F15)  
NISSAN JUKE Van (F15)  
NISSAN QASHQAI  
NISSAN QASHQAI (J11, J11\_)  
RENAULT GRAND SCÉNIC IV  
RENAULT KADJAR

**OE**  
112104EA0B  
112106137R

Fitting Position: Right  
For OE number: 11210-4EA0B  
Mounting Type: Hydro Bearing

### GOM-1314

#### Engine Mounting



NISSAN MICRA IV (K13)  
NISSAN MICRA IV (K13KK)  
NISSAN NOTE (E12)

**OE**  
112101HC3A  
112101HC3C

### GOM-1317

#### Engine Mounting



NISSAN JUKE (F15)  
NISSAN QASHQAI

**OE**  
112104ED0B  
112104ED0C  
112104ED0D

Fitting Position: Right  
For OE number: 11210-4ED0D  
Mounting Type: Hydro Bearing

### GOM-1332

#### Engine Mounting



NISSAN MICRA III (K12)  
RENAULT CLIO Grandtour (KR0/1\_)  
RENAULT CLIO III (BR0/1, CR0/1)  
RENAULT MODUS / GRAND MODUS (F/JP0\_)

**OE**  
8200131305

Fitting Position: Right  
Material: Steel Elastomer  
Mounting Type: Hydro Bearing

### GOM-1335

#### Engine Mounting



NISSAN MICRA III (K12)  
RENAULT CLIO Grandtour (KR0/1\_)  
RENAULT CLIO III (BR0/1, CR0/1)  
RENAULT CLIO III Furgonato (SB\_, SR\_)  
RENAULT MODUS / GRAND MODUS (F/JP0\_)

**OE**  
112103737R  
8200281186  
8200650286

Fitting Position: Right  
Material: Steel Elastomer

## Mounting

### GOM-1340

#### Engine Mounting



NISSAN QASHQAI / QASHQAI +2 (J10, JJ10)  
 RENAULT GRAND SCÉNIC II (JM0/1\_)  
 RENAULT KANGOO / GRAND KANGOO (KW0/1\_)  
 RENAULT KANGOO Express (FW0/1\_)  
 RENAULT MEGANE II (BM0/1\_, CM0/1\_)  
 RENAULT MEGANE II Cassone / Furgonato /

**OE**  
 8200355673

Fitting Position: Front Axle Right

### GOM-1341

#### Engine Mounting



NISSAN INTERSTAR Autobus (X70)  
 NISSAN INTERSTAR Furgonato (X70)  
 OPEL MOVANO Combi (J9)  
 OPEL MOVANO Furgonato (F9)  
 RENAULT MASTER I Autobus (T\_)  
 RENAULT MASTER I Furgonato (T\_)

**OE**  
 7700308762  
 8200036497  
 8200199149  
 8200304198

Fitting Position: Front  
 Fitting Position: Left Front

### GOM-1342

#### Engine Mounting



NISSAN PRIMASTAR Autobus (X83)  
 NISSAN PRIMASTAR Furgonato (X83)  
 OPEL VIVARO Combi  
 OPEL VIVARO Combi (J7)  
 OPEL VIVARO Furgonato  
 OPEL VIVARO Furgonato (F7)

**OE**  
 4416894  
 8200404271  
 93853920

Fitting Position: Right

### GOM-1345

#### Engine Mounting



NISSAN INTERSTAR Autobus (X70)  
 NISSAN INTERSTAR Furgonato (X70)  
 NISSAN INTERSTAR Pianale piatto/Telaio  
 OPEL MOVANO Combi (J9)  
 OPEL MOVANO Furgonato (F9)  
 OPEL MOVANO Pianale piatto/Telaio (U9, E9)

**OE**  
 4500180  
 7700308756

Fitting Position: Rear  
 Fitting Position: Right

### GOM-1351

#### Control Arm-/Trailing Arm Bush



NISSAN NV400 Autobus  
 NISSAN NV400 Furgonato  
 NISSAN NV400 Pianale piatto/Telaio  
 OPEL MOVANO B Autobus  
 OPEL MOVANO B Furgonato  
 OPEL MOVANO B Pianale piatto/Telaio

**OE**  
 4419215\*  
 4419216\*  
 5450000Q1E\*  
 5450100Q1C\*  
 8200688832  
 8200688871\*

Fitting Position: Front  
 Fitting Position: Front Axle  
 Height [mm]: 64  
 Inner Diameter [mm]: 16,2  
 Mounting Type: Rubber-metal Bearing  
 Outer Diameter [mm]: 49  
 Steering Type: Control Arm

## Mounting

### GOM-1352

#### Control Arm-/Trailing Arm Bush



NISSAN NV400 Autobus  
NISSAN NV400 Furgonato  
NISSAN NV400 Pianale piatto/Telaio  
OPEL MOVANO B Autobus  
OPEL MOVANO B Furgonato  
OPEL MOVANO B Pianale piatto/Telaio

#### OE

4419215\*  
4419216\*  
545000Q1E\*  
545010Q1C\*  
545601173R  
8200688871\*

Fitting Position: Front Axle  
Fitting Position: Rear  
Height [mm]: 77  
Inner Diameter [mm]: 16,2  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 70  
Steering Type: Control Arm

### GOM-1353

#### Control Arm-/Trailing Arm Bush



NISSAN MURANO (Z51)  
NISSAN MURANO II VAN (Z51)

#### OE

545001AA0A\*  
545001AA1A\*  
545001AT0A\*  
545001AT0B\*  
545011AA0A\*  
545011AA1A\*

Fitting Position: Lower Front Axle  
Fitting Position: Rear  
Height [mm]: 75  
Inner Diameter [mm]: 14,1  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 72  
Steering Type: Control Arm

### GOM-1356

#### Control Arm-/Trailing Arm Bush



NISSAN MURANO (Z51)  
NISSAN MURANO II VAN (Z51)  
NISSAN TEANA II (J32)

#### OE

545001AA0A\*  
545001AA1A\*  
545001AT0A\*  
545001AT0B\*  
545011AA0A\*  
545011AA1A\*

Fitting Position: Front  
Fitting Position: Lower Front Axle  
Height [mm]: 49  
Inner Diameter [mm]: 14,1  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 50  
Steering Type: Control Arm

### GOM-1357

#### Control Arm-/Trailing Arm Bush



NISSAN NAVARA Pianale piatto/Telaio  
NISSAN NAVARA Pick-up (D23)  
RENAULT ALASKAN

#### OE

545004KH1A\*  
545014KH1A\*  
545604KH0A

Fitting Position: Lower Front Axle  
Height [mm]: 73,4  
Inner Diameter [mm]: 14,1  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 43  
Steering Type: Control Arm

### GOM-1358

#### Stabiliser Mounting



NISSAN NOTE (E12)

#### OE

546133WC0A  
546133WC0B

Fitting Position: Front Axle  
Inner Diameter [mm]: 21,5  
Length [mm]: 38  
Outer Diameter [mm]: 45

## Mounting

### GOM-1362

#### Stabiliser Mounting



NISSAN TEANA II (J32)

**OE**  
562431AD0A

Fitting Position: Rear Axle  
Inner Diameter [mm]: 16,5  
Length [mm]: 42  
Outer Diameter [mm]: 56

### GOM-1364

#### Stabiliser Mounting



NISSAN NV400 Autobus  
NISSAN NV400 Furgonato  
NISSAN NV400 Pianale piatto/Telaio  
OPEL MOVANO B Autobus  
OPEL MOVANO B Furgonato  
OPEL MOVANO B Pianale piatto/Telaio

**OE**  
4419323  
5431600Q0D  
546131253R  
93197327

Fitting Position: Front Axle  
Inner Diameter [mm]: 24,5  
Length [mm]: 40  
Outer Diameter [mm]: 39

### GOM-2865

#### Engine Mounting



TOYOTA AYGO (WNB1\_, KGB1\_)  
TOYOTA AYGO Furgonato (\_B1\_)

**OE**  
123720Q010  
123720Q030  
123720Q031

### GOM-2868

#### Engine Mounting



TOYOTA AVENSIS (T25\_)  
TOYOTA AVENSIS Tre volumi (T25)  
TOYOTA COROLLA (ZZE12\_, NDE12\_, ZDE12\_)  
TOYOTA COROLLA Station wagon (\_E12J\_, \_E12T\_)  
TOYOTA COROLLA Tre volumi (\_E12J\_, \_E12T\_)

**OE**  
123610G010

### GOM-2880

#### Engine Mounting



TOYOTA PRIUS PHV (\_W3\_)

**OE**  
12372-37110

Fitting Position: Left

## Mounting

### GOM-2893

#### Control Arm-/Trailing Arm Bush



CITROEN C8 (EA\_, EB\_)  
CITROEN C8 Van (EA\_, EB\_)  
CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
FIAT SCUDO (270\_)

#### OE

1346385080\*  
3521K6\*  
SU001A992\*  
SU001A993\*

Fitting Position: Front Axle Right  
Fitting Position: Rear  
Inner Diameter [mm]: 22,9  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 22,9  
Steering Type: Control Arm

### GOM-2894

#### Control Arm-/Trailing Arm Bush



CITROEN C8 (EA\_, EB\_)  
CITROEN C8 Van (EA\_, EB\_)  
CITROEN JUMPY  
CITROEN JUMPY (U6U)  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Furgonato (BS\_, BT\_, BY\_, BZ\_)

#### OE

1356065080\*  
1356066080\*  
1401239480\*  
1401239580\*  
1497407080\*  
1497408080\*

Fitting Position: Front  
Fitting Position: Front Axle  
Height [mm]: 50  
Inner Diameter [mm]: 22,9  
Mounting Type: Rubber-metal Bearing  
Steering Type: Control Arm

### GOM-2895

#### Control Arm-/Trailing Arm Bush



TOYOTA CAMRY (MCV3\_, ACV3\_, \_XV3\_)  
TOYOTA CAMRY Tre volumi (AVV5\_, XV5\_)  
TOYOTA CAMRY Tre volumi (\_XV4\_)  
TOYOTA PREVIA (MCR3\_, ACR3\_, CLR3\_)

#### OE

4865528020  
4865533070

Fitting Position: Lower Front Axle  
Fitting Position: Rear  
Height [mm]: 62,8  
Inner Diameter [mm]: 14,2  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 60  
Steering Type: Control Arm

### GOM-2896

#### Control Arm-/Trailing Arm Bush



TOYOTA CAMRY (MCV3\_, ACV3\_, \_XV3\_)  
TOYOTA CAMRY Tre volumi (AVV5\_, XV5\_)  
TOYOTA CAMRY Tre volumi (\_XV4\_)  
TOYOTA PREVIA (MCR3\_, ACR3\_, CLR3\_)

#### OE

4865428060  
4865448020

Fitting Position: Front  
Fitting Position: Lower Front Axle  
Height [mm]: 170  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 32,7  
Steering Type: Control Arm

### GOM-2899

#### Stabiliser Mounting



TOYOTA COROLLA (\_E9\_)  
TOYOTA COROLLA Compact (\_E9\_)  
TOYOTA COROLLA Liftback (\_E9\_)  
TOYOTA COROLLA Station Wagon (\_E9\_)

#### OE

4881512140

Fitting Position: Front Axle  
Inner Diameter [mm]: 22  
Length [mm]: 48

## Mounting

### GOM-2900

#### Stabiliser Mounting



TOYOTA C-HR VAN (\_X1\_)  
TOYOTA CH-R (NGX1, NGX5\_, ZYX1\_)  
TOYOTA COROLLA (\_E21\_)  
TOYOTA COROLLA Station wagon (\_E21\_)  
TOYOTA COROLLA Tre volumi (\_E21\_)

#### OE

4881502520  
48815F4010  
48815F4011

Fitting Position: Front Axle  
Height [mm]: 49  
Inner Diameter [mm]: 26  
Length [mm]: 47,7

### GOM-2902

#### Stabiliser Mounting



TOYOTA LAND CRUISER (VDJ20\_, UZJ20\_)  
TOYOTA LAND CRUISER V8

#### OE

4881560220  
4881560221

Fitting Position: Rear Axle  
Inner Diameter [mm]: 25  
Length [mm]: 61,5  
Outer Diameter [mm]: 40

### GOM-3117

#### Control Arm-/Trailing Arm Bush



MAZDA 3 (BM)  
MAZDA 3 Tre volumi (BM)

#### OE

B45A28602

Height 1 [mm]: 55  
Height 2 [mm]: 40  
Inner Diameter [mm]: 12  
Outer Diameter [mm]: 41

### GOM-3121

#### Control Arm-/Trailing Arm Bush



MAZDA 3 (BM)  
MAZDA 3 Tre volumi (BM)

#### OE

B45A28430

### GOM-3126

#### Control Arm-/Trailing Arm Bush



MAZDA 6 (GH)  
MAZDA 6 2 volumi /Coda spiovente (GH)  
MAZDA 6 Station wagon (GH)

#### OE

GS1D28450A

Height 1 [mm]: 44,5  
Height 2 [mm]: 35  
Inner Diameter [mm]: 12  
Outer Diameter [mm]: 40

## Mounting

### GOM-3132

#### Bearing Bush, stabiliser



MAZDA RX 7 III (FD)  
MAZDA RX 8 (SE17)

**OE**  
FD1528156A

Inner Diameter [mm]: 15  
Length [mm]: 31

### GOM-3139

#### Bearing Bush, stabiliser



MAZDA RX 8 (SE17)

**OE**  
FE8728156

### GOM-3154

#### Control Arm-/Trailing Arm Bush



MAZDA 2 (DL, DJ)  
MAZDA CX-3 (DK)

**OE**  
D09H34300C\*  
D09H34350C\*  
D10E34300\*  
D10E34350\*  
D10E34470  
DA7H34300B\*

Fitting Position: Rear  
Height [mm]: 53,3  
Inner Diameter [mm]: 14,1  
Material: Steel Elastomer  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 42,2  
Steering Type: Control Arm

### GOM-3155

#### Control Arm-/Trailing Arm Bush



MAZDA 2 (DL, DJ)  
MAZDA CX-3 (DK)

**OE**  
D09H34300C\*  
D09H34350C\*  
D10E34300\*  
D10E34300B\*  
D10E34350\*  
D10E34350B\*

Fitting Position: Front Axle  
Fitting Position: Rear  
Height [mm]: 61,7  
Inner Diameter [mm]: 21  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 80  
Steering Type: Control Arm

### GOM-3156

#### Control Arm-/Trailing Arm Bush



MAZDA CX-7 (ER)

**OE**  
EG2134300D\*  
EG2134350D\*  
EG2134470  
EH4434300\*  
EH4434300C\*  
EH4434350\*

Fitting Position: Front Axle  
Height [mm]: 63,6  
Inner Diameter [mm]: 12,3  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 40,4  
Steering Type: Control Arm

## Mounting

### GOM-3160

#### Control Arm-/Trailing Arm Bush



FORD RANGER (ER, EQ)  
MAZDA B-SERIE (UN)  
MAZDA BT-50 (CD, UN)

#### OE

1451499  
3871868  
4441372  
4521291  
UH7134460  
UH7534460

Fitting Position: Front Axle  
Fitting Position: inner  
Height [mm]: 92  
Inner Diameter [mm]: 18,3  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 40,7  
Steering Type: Control Arm

### GOM-3165

#### Control Arm-/Trailing Arm Bush



MAZDA CX-5 (KE, GH)  
MAZDA CX-5 (KF)  
MAZDA CX-5 Van (KE\_)

#### OE

KD3528430A

Fitting Position: Outer  
Fitting Position: Rear Axle Lower  
Height [mm]: 44,3  
Inner Diameter [mm]: 12,1  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 43,3  
Steering Type: Control Arm

### GOM-3167

#### Hub Carrier Bush



MAZDA 2 (DE)

#### OE

D65128460

Fitting Position: Rear Axle  
Height [mm]: 78,5  
Inner Diameter [mm]: 16,3  
Mounting Type: Rubber Bearing  
Outer Diameter [mm]: 70,7

### GOM-3170

#### Bush, leaf spring



FORD RANGER (TKE)

#### OE

1729345  
AB315719AC  
UC2R28470B

Fitting Position: Rear  
Fitting Position: Rear Axle left and right  
Inner Diameter [mm]: 20  
Outer Diameter [mm]: 32,1  
Width [mm]: 52,8

### GOM-3171

#### Bush, leaf spring



FORD RANGER (TKE)

#### OE

1729347  
AB315719BC  
UC2R28480B

Fitting Position: Lower  
Fitting Position: Rear  
Fitting Position: Rear Axle left and right  
Inner Diameter [mm]: 20  
Outer Diameter [mm]: 32,1  
Width [mm]: 34

## Mounting

### GOM-3173

#### Control Arm-/Trailing Arm Bush



MAZDA CX-7 (ER)

#### OE

EG21 34 300 D\*  
EH44 34 300 C\*  
EH44 34 300\*

Fitting Position: Front Axle Right  
Height [mm]: 79,7  
Inner Diameter [mm]: 28,9  
Mounting Type: Rubber-metal Bearing  
Paired article numbers: GOJ3174  
Paired article numbers: GOM-3174  
Paired article numbers: RU-3174  
Steering Type: Control Arm

### GOM-3174

#### Control Arm-/Trailing Arm Bush



MAZDA CX-7 (ER)

#### OE

EG21 34 350 D\*  
EH44 34 350 C\*  
EH44 34 350\*

Fitting Position: Front Axle Left  
Height [mm]: 79,7  
Inner Diameter [mm]: 28,9  
Mounting Type: Rubber-metal Bearing  
Paired article numbers: GOJ3173  
Paired article numbers: GOM-3173  
Paired article numbers: RU-3173  
Steering Type: Control Arm

### GOM-4237

#### Bearing Bush, stabiliser



HONDA CR-V II (RD\_)  
HONDA CR-V III (RE)

#### OE

06510-SWW-305

Height [mm]: 42  
Inner Diameter [mm]: 20  
Outer Width [mm]: 41

### GOM-4254

#### Bearing Bush, stabiliser



HONDA ACCORD VIII (CU)  
HONDA ACCORD VIII Station wagon

#### OE

51306TL0G01

Inner Diameter [mm]: 21  
Length [mm]: 45

### GOM-4278

#### Engine Mounting



HONDA CR-V II (RD\_)  
HONDA CR-V III (RE)  
HONDA CR-V IV (RE)

#### OE

50880SWYE01

## Mounting

### GOM-4279

#### Engine Mounting



HONDA CITY Tre volumi (GM)  
HONDA JAZZ III (GE)

#### OE

50822TF0J01  
50822TF0J02

### GOM-5149

#### Control Arm-/Trailing Arm Bush



MITSUBISHI GRANDIS (NA\_W)

#### OE

MR594320

Height 1 [mm]: 59,7  
Height 2 [mm]: 30  
Inner Diameter [mm]: 14  
Outer Diameter [mm]: 60

### GOM-5152

#### Bearing Bush, stabiliser



MITSUBISHI CARISMA (DA\_)  
MITSUBISHI CARISMA Tre volumi (DA\_)

#### OE

MR911378

Inner Diameter [mm]: 15  
Length [mm]: 38

### GOM-5155

#### Bearing Bush, stabiliser



MITSUBISHI SPACE RUNNER (N1\_W, N2\_W)  
MITSUBISHI SPACE WAGON (N3\_W, N4\_W)

#### OE

MB871062

Inner Diameter [mm]: 20  
Length [mm]: 36

### GOM-5156

#### Engine Mounting



MITSUBISHI MIRAGE 2 volumi /Coda spiovente  
MITSUBISHI MIRAGE Tre volumi (A10\_)  
MITSUBISHI SPACE STAR 2 volumi /Coda  
spiovente (A0\_A)

#### OE

1093A115  
1093A146

## Mounting

### GOM-5160

#### Engine Mounting



MITSUBISHI PAJERO II (V3\_W)  
 MITSUBISHI PAJERO III (V7\_W, V6\_W)  
 MITSUBISHI PAJERO III Fuoristrada aperto  
 (V6\_W, V7\_W)  
 MITSUBISHI PAJERO IV (V8\_W, V9\_W)

**OE**  
 MR448193

### GOM-5162

#### Engine Mounting



MITSUBISHI L200 (KJ\_)  
 MITSUBISHI PAJERO SPORT III (KS\_)

**OE**  
 1093A165

### GOM-5178

#### Control Arm-/Trailing Arm Bush



CITROEN C-CROSSER (EP\_)  
 CITROEN C-CROSSER ENTERPRISE  
 CITROEN C-CROSSER Van (VU\_)  
 CITROEN C4 Aircross  
 MITSUBISHI ASX (GA\_W\_)  
 MITSUBISHI ECLIPSE CROSS (GK\_)

**OE**  
 1609910680  
 1612448580  
 3520V0\*  
 3520X9\*  
 3521R1\*  
 3521V0\*

Fitting Position: Lower Front Axle  
 Fitting Position: Rear  
 Height [mm]: 53,7  
 Inner Diameter [mm]: 14,1  
 Mounting Type: Rubber-metal Bearing  
 Outer Diameter [mm]: 60  
 Steering Type: Control Arm

### GOM-5181

#### Control Arm-/Trailing Arm Bush



CITROEN C-ZERO  
 MITSUBISHI i (HA\_)  
 MITSUBISHI SPACE WAGON (N9\_W, N8\_W)  
 PEUGEOT ION

**OE**  
 3520Y5\*  
 3521V6\*  
 4013A045\*  
 4013A046\*  
 4013A291\*  
 4013A292\*

Fitting Position: Lower Front Axle  
 Fitting Position: Rear  
 Height [mm]: 53,7  
 Inner Diameter [mm]: 12,3  
 Mounting Type: Rubber-metal Bearing  
 Outer Diameter [mm]: 45  
 Steering Type: Control Arm

### GOM-5185

#### Stabiliser Mounting



MITSUBISHI PAJERO SPORT II (KH\_, KG\_)

**OE**  
 MR992318

Fitting Position: Front Axle  
 Inner Diameter [mm]: 27  
 Length [mm]: 48  
 Outer Diameter [mm]: 45

## Mounting

### GOM-633

#### Bearing Bush, stabiliser



DAIHATSU SIRION (M1)  
DAIHATSU YRV (M2)

#### OE

4881597209000  
4881597213

Inner Diameter [mm]: 17  
Length [mm]: 40

### GOM-635

#### Engine Mounting



DAIHATSU BEGO  
DAIHATSU TERIOS (J2\_)

#### OE

12361B4020  
12361B4021  
12361B4030

### GOM-636

#### Engine Mounting



DAIHATSU BEGO  
DAIHATSU TERIOS (J2\_)

#### OE

12362B4010

### GOM-639

#### Engine Mounting



DAIHATSU BEGO  
DAIHATSU TERIOS (J2\_)

#### OE

12362B4020

### GOM-8015

#### Engine Mounting



FIAT SEDICI  
SUZUKI SX4 (EY, GY)  
SUZUKI SX4 Tre volumi (GY)

#### OE

1171079J10  
1171080J10  
71747000  
71768704

Fitting Position: Rear Axle

## Mounting

### GOM-8020

#### Stabiliser Mounting



SUZUKI SX4 S-Cross  
SUZUKI VITARA (LY)

#### OE

4243154P00  
4243161M00

Fitting Position: Front Axle  
Inner Diameter [mm]: 25  
Length [mm]: 56,2  
Outer Diameter [mm]: 43

### GOM-8023

#### Hub Carrier Bush



FIAT SEDICI  
SUZUKI SWIFT IV (FZ, NZ)  
SUZUKI SX4 (EY, GY)  
SUZUKI SX4 Tre volumi (GY)

#### OE

4622179J00  
4622180J00  
71742739  
71746971  
71768758

Fitting Position: Rear Axle  
Height [mm]: 85  
Inner Diameter [mm]: 12,2  
Mounting Type: Rubber Bearing  
Outer Diameter [mm]: 65,1

### GOM-9072

#### Engine Mounting



FIAT 500X  
JEEP COMPASS (MP)  
JEEP RENEGADE Fuoristrada chiuso  
JEEP RENEGADE Fuoristrada chiuso (BU)

#### OE

52049742  
52070967

Fitting Position: Right  
For OE number: 52070967  
Mounting Type: Hydro Bearing

### GOM-9092

#### Control Arm-/Trailing Arm Bush



FIAT 500X  
JEEP COMPASS (MP)  
JEEP RENEGADE Fuoristrada chiuso  
JEEP RENEGADE Fuoristrada chiuso (BU)  
JEEP RENEGADE VAN (BU, B1)

#### OE

51945319\*  
52025628\*  
52092151\*  
53370919\*  
68246753AA\*  
68285137AA\*

Fitting Position: Rear Axle  
Height [mm]: 44,8  
Inner Diameter [mm]: 12,4  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 39,7  
Steering Type: Trailing Arm

### GOM-9095

#### Control Arm-/Trailing Arm Bush



JEEP WRANGLER II (TJ)

#### OE

52038024  
52087720  
52087720AB  
52088433

Fitting Position: Front Axle  
Fitting Position: Rear Axle  
Height [mm]: 66,5  
Inner Diameter [mm]: 14,7  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 57,1  
Steering Type: Trailing Arm

## Mounting

### GOM-9096

#### Control Arm-/Trailing Arm Bush



JEEP GRAND CHEROKEE IV (WK, WK2)

#### OE

5168159AB+  
68022613AB

Fitting Position: Front Axle Left  
Fitting Position: Lower  
Fitting Position: Rear  
Height [mm]: 55,7  
Inner Diameter [mm]: 29,9  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 70  
Steering Type: Control Arm

### GOM-9097

#### Control Arm-/Trailing Arm Bush



JEEP GRAND CHEROKEE IV (WK, WK2)

#### OE

5168158AB+  
68022613AB

Fitting Position: Front Axle Right  
Fitting Position: Lower  
Fitting Position: Rear  
Height [mm]: 55,7  
Inner Diameter [mm]: 29,9  
Mounting Type: Rubber-metal Bearing  
Outer Diameter [mm]: 70  
Steering Type: Control Arm

### GOM-H262

#### Hub Carrier Bush



HYUNDAI TUCSON (JM)  
KIA SPORTAGE (JE\_, KM\_)  
KIA SPORTAGE II VAN (KM\_)

#### OE

55456-2E500

Fitting Position: Rear Axle Left  
Fitting Position: Rear Axle Right  
Material: Steel Elastomer  
Thickness [mm]: 90

### GOM-H269

#### Control Arm-/Trailing Arm Bush



HYUNDAI H-1 Cargo (TQ)  
HYUNDAI H-1 Travel (TQ)  
KIA SORENTO I (JC)  
KIA SORENTO I VAN (JC)

#### OE

55620-3E000  
55620-4H000

Fitting Position: Rear Axle  
Inner Diameter [mm]: 16  
Material: Steel Elastomer  
Outer Diameter [mm]: 37  
Thickness [mm]: 52

### GOM-H270

#### Control Arm-/Trailing Arm Bush



HYUNDAI H-1 Cargo (TQ)  
HYUNDAI H-1 Travel (TQ)  
KIA SORENTO I (JC)  
KIA SORENTO I VAN (JC)

#### OE

55630-3E000  
55630-4H000

Fitting Position: Rear Axle  
Fitting Position: Right  
Inner Diameter [mm]: 22  
Material: Steel Elastomer  
Outer Diameter [mm]: 42  
Thickness [mm]: 52

## Mounting

### GOM-H272

#### Hub Carrier Bush



FORD USA EXPLORER  
HYUNDAI ix35 (LM, EL, ELH)  
HYUNDAI TUCSON  
HYUNDAI TUCSON (JM)  
HYUNDAI TUCSON Cassone/SUV (TLE)  
KIA SPORTAGE (QL)

#### OE

55253-D7000  
BB5Z-5B758-A  
BB5Z-5B758-B  
BB5Z-5B758-C  
BB5Z-5B759-A  
BB5Z-5B759-B

Fitting Position: Rear Axle Upper

### GOM-H284

#### Control Arm-/Trailing Arm Bush



HYUNDAI HIGHWAY VAN  
HYUNDAI TRAJET (FO)  
HYUNDAI TRAJET Cassone/Limousine spaziosa (FO)

#### OE

552563A000  
552563A100

Fitting Position: Rear Axle

### GOM-H289

#### Control Arm-/Trailing Arm Bush



HYUNDAI H-1 Travel (TQ)

#### OE

552704H100

Height 1 [mm]: 62,6  
Height 2 [mm]: 46  
Inner Diameter [mm]: 14

### GOM-H291

#### Bearing Bush, stabiliser



HYUNDAI COUPE (GK)  
HYUNDAI TIBURON Coupé

#### OE

555132C110

Inner Diameter [mm]: 18  
Length [mm]: 43

### GOM-H296

#### Engine Mounting



HYUNDAI i10 (IA)

#### OE

21810B4000

Fitting Position: Engine Side

## Mounting

### GOM-H297

#### Engine Mounting



HYUNDAI ATOS (MX)

OE

2184005200

### GOM-H301

#### Engine Mounting



HYUNDAI TUCSON  
HYUNDAI TUCSON Cassone/SUV (TLE)

OE

21810D3100  
21810D3200

Fitting Position: Left and right  
Mounting Type: Hydro Bearing

### GOM-H302

#### Engine Mounting



HYUNDAI i10 (PA)

OE

218300X020

### GOM-H306

#### Engine Mounting



HYUNDAI ATOS (MX)

OE

2184002000

### GOM-H314

#### Engine Mounting



HYUNDAI SANTA FÉ I (SM)

OE

2183026300

Fitting Position: Transmission End

## Mounting

### GOM-H316

#### Engine Mounting



HYUNDAI SANTA FÉ I (SM)  
HYUNDAI SANTA FÉ I Cassone/SUV (SM)

OE  
2193026300

### GOM-H320

#### Engine Mounting



HYUNDAI SANTA FÉ II (CM)

OE  
219302B000

### GOM-H323

#### Engine Mounting



HYUNDAI SANTA FÉ II (CM)  
HYUNDAI SANTA FÉ II Cassone/SUV (CM)

OE  
218112B100

Fitting Position: Right  
For OE number: 21811-2B100  
Mounting Type: Hydro Bearing

### GOM-H327

#### Engine Mounting



HYUNDAI SANTA FÉ I (SM)

OE  
2191026200

### GOM-H328

#### Engine Mounting



HYUNDAI ix35 (LM, EL, ELH)  
KIA SPORTAGE (SL)

OE  
218102S000  
218102S200

## Mounting

### GOM-H338

#### Engine Mounting



HYUNDAI CRETA  
HYUNDAI i30 (FD)  
HYUNDAI i30 (GD)  
HYUNDAI i30 Coupé  
HYUNDAI i30 CW (GD)  
KIA CEE'D

**OE**  
21950-A5000

Fitting Position: Rear  
For OE number: 21950-A5000  
Mounting Type: Rubber-metal Bearing

### GOM-H341

#### Engine Mounting



HYUNDAI TUCSON  
KIA SPORTAGE (QL)

**OE**  
21810-D3500

Fitting Position: Right  
For OE number: 21810-D3500  
Mounting Type: Hydro Bearing

### GOM-K151

#### Control Arm-/Trailing Arm Bush



KIA SPORTAGE (K00)  
KIA SPORTAGE VAN

**OE**  
0K01128820  
0K01128820A

Height 1 [mm]: 61  
Height 2 [mm]: 50  
Inner Diameter [mm]: 12  
Outer Diameter [mm]: 49

### GOM-K162

#### Bearing Bush, stabiliser



**OE**  
0K74P34156A

Inner Diameter [mm]: 25

### GOM-K172

#### Engine Mounting



KIA RIO Station wagon (DC)  
KIA RIO Tre volumi (DC\_)

**OE**  
21810FD060

## Mounting

### GOM-M13

#### Engine Mounting



RENAULT TWINGO III  
SMART FORFOUR 2 volumi /Coda spiovente  
(453)

#### OE

112202843R  
4532400017  
A4532400017

Fitting Position: Left and right  
For OE number: 11 22 028 43R  
Mounting Type: Rubber-metal Bearing

### GOM-M14

#### Engine Mounting



SMART CABRIO (450)  
SMART CITY-COUPE (450)  
SMART CROSSBLADE (450)  
SMART FORTWO Cabrio (450)  
SMART FORTWO Coupé (450)  
SMART ROADSTER (452)

#### OE

0003144V015000000  
0004719V006000000  
A0003144V01500000  
0  
A0004719V006000000  
0

Fitting Position: Right  
Mounting Type: Rubber-metal Bearing

### GOM-M15

#### Engine Mounting



RENAULT TWINGO III  
SMART FORFOUR 2 volumi /Coda spiovente  
(453)  
SMART FORTWO Cabriolet (453)  
SMART FORTWO Coupé (453)

#### OE

112214046R  
4532400200  
A4532400200

Fitting Position: Left and right  
For OE number: 11 22 140 46R  
Mounting Type: Rubber-metal Bearing

### GOM-S15

#### Control Arm-/Trailing Arm Bush



SSANGYONG REXTON (GAB\_)  
SSANGYONG REXTON / REXTON II VAN

#### OE

4451708000

Fitting Position: Front Axle Left  
Fitting Position: Front Axle Right

### GOM-W109

#### Engine Mounting



DAEWOO MATIZ (KLYA)

#### OE

96314472

## Mounting

### GOM-W115

#### Engine Mounting



DAEWOO MATIZ (KLYA)

OE

96340027

### 106-00-013

#### Sway Bar, suspension



MAHINDRA GOA  
MAHINDRA THAR

OE

0401EA0070N

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Fitting Position: Left and right  
Length [mm]: 195  
Specification: Lung perno-perno

### 106-00-014

#### Sway Bar, suspension



DR DR 1  
DR DR 2

OE

722010075

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Fitting Position: Left and right  
Length [mm]: 60  
Specification: Lung perno-perno

### 106-00-017

#### Sway Bar, suspension



DR DR 3  
DR DR 5  
DR DR 6

OE

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Fitting Position: Front Axle Right  
Specification: Lung perno-perno

### 106-00-0600

#### Sway Bar, suspension



CITROEN C4 III  
DS DS 3 CROSSBACK (U\_)  
OPEL CORSA F  
OPEL CORSA F Van  
OPEL MOKKA  
PEUGEOT 2008 II (U\_)

OE

98 246 525 80  
9824652580

Bar/Strut: Coupling Rod  
Bar/Strut: Push Rod  
Length 1 [mm]: 324  
Pipe [mm]: 9  
Specification: Lung perno-perno  
Thread Measurement 1: MM10x1,5R

## Mounting

### 106-01-172

#### Sway Bar, suspension



NISSAN URVAN Autobus (E24)  
NISSAN URVAN Furgonato (E24)

**OE**  
5461801N01

Fitting Position: Front Axle  
Specification: Lung perno-perno

### 106-02-2005

#### Sway Bar, suspension



CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
CITROEN SPACETOURER  
OPEL VIVARO C Combi (K0)  
OPEL VIVARO C Furgonato (K0)

**OE**  
98 090 901 80  
9809090180  
SU001-A6492  
SU001A6492

Bar/Strut: Coupling Rod  
Length [mm]: 355  
Material: Steel  
Required quantity: 2  
Specification: Lung perno-perno  
Thread Measurement 1: M12x1,5

### 106-02-2006

#### Sway Bar, suspension



SUZUKI ACROSS (A5Z\_)  
TOYOTA RAV 4 V (\_A5\_)  
TOYOTA RAV 4 V VAN (\_A5\_, \_H5\_)

**OE**  
48820 42040  
488200R050  
T4882 04204 000

Bar/Strut: Suspension Rod  
Fitting Position: Front Axle  
Length [mm]: 260  
Pipe [mm]: 10  
Specification: Lung perno-perno  
Thread Size: M12x1,25mm

### 106-02-2010L

#### Rod/Strut, stabiliser



LEXUS GS (GRL1\_, GWL1\_)  
LEXUS GS (GRS19\_, UZS19\_, GWS19\_)

**OE**  
4881030080

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Length [mm]: 85  
Paired article numbers: 106-02-2010R  
Paired article numbers: 1062010R  
Paired article numbers: SI-2010R  
Pipe [mm]: 10  
Specification: Lung perno-perno  
Thread Measurement 1: MM12X1,25R

### 106-02-2010R

#### Rod/Strut, stabiliser



LEXUS GS (GRL1\_, GWL1\_)  
LEXUS GS (GRS19\_, UZS19\_, GWS19\_)

**OE**  
4882030100

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Right  
Length [mm]: 85  
Paired article numbers: 106-02-2010L  
Paired article numbers: 1062010L  
Paired article numbers: SI-2010L  
Pipe [mm]: 10  
Specification: Lung perno-perno  
Thread Measurement 1: MM12X1,25R

## Mounting

### 106-02-2011L

#### Rod/Strut, stabiliser



BMW 1 (F20)  
BMW 1 (F21)  
BMW 2 Cabriolet (F23)  
BMW 2 Coupé (F22)  
BMW 3 (F30, F35, F80)  
BMW 3 (G20)

#### OE

33506785607  
48840WAA01

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle Left  
Length [mm]: 135  
Paired article numbers: 106-02-2011R  
Paired article numbers: 1062011R  
Paired article numbers: SI-2011R  
Specification: Lung perno-perno  
Thread Measurement 1: MM10x1,5R

### 106-02-2011R

#### Rod/Strut, stabiliser



BMW 1 (F20)  
BMW 1 (F21)  
BMW 2 Cabriolet (F23)  
BMW 2 Coupé (F22)  
BMW 3 (F30, F35, F80)  
BMW 3 (G20)

#### OE

33506785608  
48830WAA01

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle Right  
Length [mm]: 135  
Paired article numbers: 106-02-2011L  
Paired article numbers: 1062011L  
Paired article numbers: SI-2011L  
Specification: Lung perno-perno  
Thread Measurement 1: MM10x1,5

### 106-03-349L

#### Rod/Strut, stabiliser



FIAT 124 Spider (348\_)  
MAZDA MX-5 IV (ND)

#### OE

6000612413  
68313222AA  
N24334170

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Length [mm]: 110  
Paired article numbers: 106-03-349R  
Paired article numbers: 106349R  
Paired article numbers: SI-349R  
Pipe [mm]: 8  
Specification: Lung perno-perno  
Thread Measurement 1: MM10X1,25R

### 106-03-349R

#### Rod/Strut, stabiliser



FIAT 124 Spider (348\_)  
MAZDA MX-5 IV (ND)

#### OE

6000612412  
68313961AA  
N24334150

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Right  
Length [mm]: 110  
Paired article numbers: 106-03-349L  
Paired article numbers: 106349L  
Paired article numbers: SI-349L  
Pipe [mm]: 8  
Specification: Lung perno-perno  
Thread Measurement 1: MM10X1,25R

### 106-03-350L

#### Rod/Strut, stabiliser



FIAT 124 Spider (348\_)  
MAZDA MX-5 IV (ND)

#### OE

6000612344  
68313928AA  
N24328190

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle Left  
Length [mm]: 60  
Paired article numbers: 106-03-350R  
Paired article numbers: 106350R  
Paired article numbers: SI-350R  
Pipe [mm]: 8  
Specification: Lung perno-perno  
Thread Measurement 1: MM10X1,25R

## Mounting

**106-04-454**

**Sway Bar, suspension**



HONDA LEGEND III (KA9)

**OE**  
52320SZ3003

Fitting Position: Rear Axle left and right  
Length [mm]: 105  
Specification: Lung perno-perno  
Thread Measurement 1: M10x1.25mm

**106-04-456L**

**Sway Bar, suspension**



HONDA LEGEND III (KA9)

**OE**  
51321-SZ3-003  
51321-SZ3-013

Length [mm]: 113  
Specification: Lung perno-perno  
Thread Measurement 1: M10X1,25  
Thread Measurement 2: M10X1,25

**106-04-456R**

**Sway Bar, suspension**



HONDA LEGEND III (KA9)

**OE**  
51320-SZ3-003  
51320-SZ3-013

Length [mm]: 113  
Specification: Lung perno-perno  
Thread Measurement 1: M10X1,25  
Thread Measurement 2: M10X1,25

**106-04-457**

**Sway Bar, suspension**



HONDA CIVIC X 2 volumi /Coda spiovente (FC\_, FK)  
HONDA CIVIC X Tre volumi (FC\_)

**OE**  
51320 TBA A02  
51320TBAA01

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle left and right  
Length 1 [mm]: 345  
Pipe [mm]: 13  
Specification: Lung perno-perno  
Thread Measurement 1: MM10X1,25R

**106-04-460**

**Rod/Strut, stabiliser**



HONDA CIVIC IX (FK)  
HONDA CIVIC IX Tourer (FK)

**OE**  
51321TR0A01

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Overall Length [mm]: 350  
Specification: Lung perno-perno

## Mounting

### 106-04-461

#### Rod/Strut, stabiliser



HONDA CIVIC IX (FK)  
HONDA CIVIC IX Tourer (FK)

**OE**  
51320TR0A01

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Right  
Overall Length [mm]: 350  
Specification: Lung perno-perno

### 106-07-712L

#### Rod/Strut, stabiliser



SUBARU IMPREZA 2 volumi /Coda spiovente (GT\_)

**OE**  
20420FL010  
20420FL01A

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Length [mm]: 300  
Paired article numbers: 106-07-712R  
Paired article numbers: 106712R  
Paired article numbers: SI-712R  
Pipe [mm]: 10  
Specification: Lung perno-perno  
Thread Measurement 1: MM12X1,5R

### 106-07-712R

#### Rod/Strut, stabiliser



SUBARU IMPREZA 2 volumi /Coda spiovente (GT\_)

**OE**  
20420FL000  
20420FL00A

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Right  
Length [mm]: 300  
Paired article numbers: 106-07-712L  
Paired article numbers: 106712L  
Paired article numbers: SI-712L  
Specification: Lung perno-perno  
Thread Measurement 1: MM12X1,25R

### 106-08-813

#### Sway Bar, suspension



SUZUKI BALENO

**OE**  
42420M68P00

Bar/Strut: Suspension Rod  
Fitting Position: Front Axle  
Length [mm]: 350  
Specification: Lung perno-perno  
Thread Size: M10x1,25mm

### 106-09-933

#### Rod/Strut, stabiliser



CHRYSLER 300 C (LX)  
CHRYSLER 300 C Touring (LX)  
LANCIA THEMA (LX)

**OE**  
04895482AA

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Right  
Length [mm]: 244  
Outer Thread [mm]: M14X1.75  
Specification: Lung perno-perno

## Mounting

### 106-09-935

#### Rod/Strut, stabiliser



DODGE DURANGO  
JEEP GRAND CHEROKEE IV (WK, WK2)

#### OE

68069654AB  
68069654AC

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Right  
Length [mm]: 133  
Outer Diameter [mm]: 12,0  
Outer Thread 1 [mm]: M12 X 1,5  
Outer Thread [mm]: M12 x 1,5  
Paired article numbers: 106-09-936  
Paired article numbers: 106936  
Paired article numbers: SI-936  
Specification: Lung perno-perno

### 106-09-936

#### Rod/Strut, stabiliser



DODGE DURANGO  
JEEP GRAND CHEROKEE IV (WK, WK2)

#### OE

68069655AB  
68069655AC

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle Left  
Length [mm]: 133  
Outer Diameter [mm]: 12,0  
Outer Thread 1 [mm]: M12 X 1,5  
Outer Thread [mm]: M12 x 1,5  
Paired article numbers: 106-09-935  
Paired article numbers: 106935  
Paired article numbers: SI-935  
Specification: Lung perno-perno

### 106-09-943

#### Rod/Strut, stabiliser



JEEP GRAND CHEROKEE IV (WK, WK2)

#### OE

68091853AA

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle  
Length [mm]: 107  
Pipe [mm]: 10  
Specification: Lung perno-perno  
Thread Measurement 1: MM12X1,5R

### 106-09-945

#### Rod/Strut, stabiliser



JEEP CHEROKEE (KL)  
JEEP CHEROKEE VAN (KL)

#### OE

68224732AB  
68224732AC  
K68224732AB  
K68224732AC

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Length [mm]: 258  
Specification: Lung perno-perno  
Thread Measurement 1: MM10X1,25R

### 106-0H-H78

#### Sway Bar, suspension



HYUNDAI TUCSON  
KIA SPORTAGE (QL)

#### OE

55530D3000  
55540D3000

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle left and right  
Required quantity: 2  
Specification: Lung perno-perno  
Thread Size: M12X1,25R

## Mounting

### 106-0K-K62

#### Rod/Strut, stabiliser



KIA SORENTO III

#### OE

55210C5060\*  
55220C5060\*  
55530C5000  
55540C5000

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle  
Length [mm]: 116  
Specification: Lung perno-perno  
Thread Measurement 1: MM12X1,25R

### 106-0S-S11

#### Sway Bar, suspension



SSANGYONG KORANDO

#### OE

4475034000  
4475034001  
4475034002  
4475034003

Bar/Strut: Coupling Rod  
Fitting Position: Front Axle  
Fitting Position: Left and right  
Length [mm]: 255  
Specification: Lung perno-perno

### 106-0T-T01

#### Rod/Strut, stabiliser



LEXUS ES (\_Z10\_)  
LEXUS UX (\_AA1\_, \_AH1\_)  
TOYOTA C-HR VAN (\_X1\_)  
TOYOTA CAMRY (\_V7\_, \_VA7\_, \_VH7\_)  
TOYOTA CH-R (NGX1, NGX5, ZYX1\_)  
TOYOTA COROLLA (\_E21\_)

#### OE

4883047010

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle left and right  
Required quantity: 2  
Specification: Lung perno-perno

### 106-0W-W05

#### Rod/Strut, stabiliser



CHEVROLET CAPTIVA (C100, C140)  
OPEL ANTARA

#### OE

20911128  
22737680  
4801837  
4808136

Bar/Strut: Coupling Rod  
Fitting Position: Rear Axle left and right  
Length [mm]: 106,5  
Outer Thread [mm]: M10 x 1,5  
Outer Thread [mm]: M12 x 1,75  
Required quantity: 2  
Specification: Lung perno-perno

### SMA0127C

#### Friction Bearing, suspension strut support mounting



FORD FOCUS (DAW, DBW)  
FORD FOCUS Station wagon (DNW)  
FORD FOCUS Tre volumi (DFW)

#### OE

1061721

Fitting Position: Front Axle

## Mounting

### SMA0131S2

#### Rubber Buffer, suspension



OPEL ASTRA G 2 volumi /Coda spiovente (F48\_, F08\_)  
OPEL ASTRA G Cabriolet (F67)  
OPEL ASTRA G Coupe (F07\_)  
OPEL ASTRA G Furgonato (F70)  
OPEL ASTRA G Station wagon (F35\_)

**OE**  
312510

Fitting Position: Front Axle  
Fitting Position: Upper  
Material: Steel Elastomer

### SMA0141P

#### Spring Cap



CITROEN BERLINGO (B9)  
CITROEN BERLINGO Furgonato (B9)  
CITROEN C2 (JM\_)  
CITROEN C2 ENTERPRISE  
CITROEN C3 I (FC\_)  
CITROEN C3 II

**OE**  
503375

Fitting Position: Front Axle

### SMA0143P

#### Spring Cap



FORD GALAXY (WA6)  
FORD GALAXY (WGR)  
SEAT ALHAMBRA (710)  
SEAT ALHAMBRA (7V8, 7V9)  
VW SHARAN (7M8, 7M9, 7M6)  
VW SHARAN (7N)

**OE**  
7201835  
7M0412319A

Fitting Position: Front Axle

### SMA0151S

#### Strut Mount



PEUGEOT 207 (WA\_, WC\_)  
PEUGEOT 207 CC (WD\_)  
PEUGEOT 207 SW (WK\_)  
PEUGEOT 207 Van

**OE**  
5038E7

Fitting Position: Upper Front Axle  
Standard: ATTACCO AMMORTIZZAT.

### SMA0157S

#### Strut Mount



CITROEN JUMPER Autobus (230P)  
CITROEN JUMPER Furgonato (230L)  
CITROEN JUMPER Pianale piatto/Telaio (230)  
FIAT DUCATO Autobus (230)  
PEUGEOT BOXER Autobus (230P)  
PEUGEOT BOXER Furgonato (230L)

**OE**  
1307241080  
1323165080  
503818  
503841

Fitting Position: Left  
Fitting Position: Upper Front Axle  
Standard: attacco ammortizzat.

## Mounting

### SMA0158S

#### Strut Mount



CITROEN JUMPER Autobus (230P)  
CITROEN JUMPER Furgonato (230L)  
CITROEN JUMPER Pianale piatto/Telaio (230)  
FIAT DUCATO Autobus (230)  
FIAT DUCATO Furgonato (230L)  
FIAT DUCATO Pianale piatto/Telaio (230)

#### OE

1307242080  
1323166080  
503819  
503842

Fitting Position: Right  
Fitting Position: Upper Front Axle  
Standard: attacco ammortizzat.

### SMA0161S

#### Strut Mount



CITROEN JUMPER Autobus  
CITROEN JUMPER Autobus (244, Z\_)  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Furgonato (244)  
CITROEN JUMPER Pianale piatto/Telaio  
CITROEN JUMPER Pianale piatto/Telaio (244)

#### OE

1318571080  
1318572080  
1338761080  
1338762080  
1339629080  
1345897080

Fitting Position: Front Axle Left  
Standard: attacco ammortizzat.

### SMA0162S

#### Strut Mount



CITROEN JUMPER Autobus  
CITROEN JUMPER Autobus (244, Z\_)  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Furgonato (244)  
CITROEN JUMPER Pianale piatto/Telaio  
CITROEN JUMPER Pianale piatto/Telaio (244)

#### OE

1338761080  
1339628080  
1345896080  
1350788080  
503800  
503889

Fitting Position: Front Axle Right  
Fitting Position: Right

### SMA0170S

#### Strut Mount



CITROEN SAXO (S0, S1)  
PEUGEOT 106 I (1A, 1C)  
PEUGEOT 106 II (1)

#### OE

503815  
503850

Fitting Position: Upper Front Axle  
Standard: attacco ammortizzato

### SMA0173S

#### Strut Mount



RENAULT MEGANE III 2 volumi /Coda spiovente (BZ0\_)  
RENAULT MEGANE III Coupé (DZ0/1\_)  
RENAULT MEGANE III Grandtour (KZ0/1)  
RENAULT SCÉNIC III (JZ0/1\_)

#### OE

540340002R  
543200001R

Fitting Position: Upper Front Axle  
Standard: attacco ammortizzato

## Mounting

### SMA0175S

#### Strut Mount



CADILLAC BLS  
CADILLAC BLS Wagon  
FIAT CROMA (194)  
OPEL SIGNUM  
OPEL VECTRA C  
OPEL VECTRA C GTS

#### OE

0344529  
0344536  
12782216  
12793902  
13105976  
13156294

Fitting Position: Front Axle  
Height 1 [mm]: 39  
Inner Diameter 1 [mm]: 15  
Outer Diameter 1 [mm]: 154,5

### SMA0213S

#### Strut Mount



BMW X5 (E53)

#### OE

31306779604  
31331096311  
31336769584

External Thread [inch]: M8x1,25  
Fitting Position: Upper Front Axle  
Height 1 [mm]: 82  
Inner Diameter 1 [mm]: 16  
Width 1 [mm]: 154

### SMA0242S1

#### Strut Mount



SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA (6K2)  
SEAT CORDOBA (6L2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
SEAT IBIZA III (6K1)

#### OE

191512333

Fitting Position: Rear Axle Lower  
Height 1 [mm]: 40  
Inner Diameter 1 [mm]: 17,5  
Inner Diameter 2 [mm]: 36  
Inner diameter 3 [mm]: 41,5  
Outer Diameter 1 [mm]: 70

### SMA0242S2

#### Strut Mount



SEAT CORDOBA (6K1, 6K2)  
SEAT CORDOBA (6K2)  
SEAT CORDOBA (6L2)  
SEAT CORDOBA Vario (6K5)  
SEAT IBIZA II (6K1)  
SEAT IBIZA III (6K1)

#### OE

191512335

Fitting Position: Rear Axle  
Height 1 [mm]: 28  
Inner Diameter 1 [mm]: 13,5  
Outer Diameter 1 [mm]: 60

### SMA0271

#### Strut Mount



RENAULT SAFRANE I (B54\_)  
RENAULT SAFRANE II (B54\_)

#### OE

7700805922

Fitting Position: Rear Axle

## Mounting

### SMA0283

#### Strut Mount



FIAT MULTIPLA (186)  
LANCIA LYBRA (839AX)  
LANCIA LYBRA SW (839BX)

#### OE

1303672080  
46536244  
46544151

Fitting Position: Front Axle

### SMA0338P

#### Spring Cap



RENAULT LAGUNA II (BG0/1\_)  
RENAULT LAGUNA II Grandtour (KG0/1\_)

#### OE

7700424482

Fitting Position: Front Axle  
Height 1 [mm]: 43,2  
Inner Diameter 1 [mm]: 75  
Outer Diameter 1 [mm]: 154,5

### SMA0338S

#### Strut Mount



RENAULT LAGUNA II (BG0/1\_)  
RENAULT LAGUNA II Grandtour (KG0/1\_)

#### OE

8200002876  
8200201714

Fitting Position: Upper Front Axle  
Height 1 [mm]: 60  
Inner Diameter 1 [mm]: 16  
Length 1 [mm]: 150  
Standard: attacco ammortizzato  
Width 1 [mm]: 130

### SMA0349S

#### Strut Mount



RENAULT 19 I (B/C53\_)  
RENAULT 19 I Cabriolet (D53\_)  
RENAULT 19 I Chamade (L53\_)  
RENAULT 19 II (B/C53\_)  
RENAULT 19 II Cabriolet (D53\_, 853\_)  
RENAULT 19 II Chamade (L53\_)

#### OE

7700780875  
7700835254  
7700835254S2

Fitting Position: Upper Front Axle  
Height 1 [mm]: 57  
Inner Diameter 1 [mm]: 14,5  
Outer Diameter 1 [mm]: 98  
Standard: attacco ammortizzato

### SMA0363P

#### Spring Cap



DACIA DUSTER  
DACIA LOGAN (LS\_)  
DACIA LOGAN MCV (KS\_)  
DACIA SANDERO

#### OE

6001548403

Fitting Position: Front Axle  
Fitting Position: Left  
Fitting Position: Right

## Mounting

### SMA0518S

#### Strut Mount



CITROEN C8 (EA\_, EB\_)  
CITROEN EVASION (22, U6)  
CITROEN JUMPY (U6U)  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Furgonato (BS\_, BT\_, BY\_, BZ\_)  
FIAT SCUDO (270\_)

**OE**  
1311931080  
503817  
503870  
503871  
5038F2  
9405038709

Fitting Position: Right  
Fitting Position: Upper Front Axle  
Specification: SENZA CUSCINETTO VOL  
Standard: attacco ammortizzat.

### SMA0519S

#### Strut Mount



CITROEN C8 (EA\_, EB\_)  
CITROEN EVASION (22, U6)  
CITROEN JUMPY (U6U)  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Furgonato (BS\_, BT\_, BY\_, BZ\_)  
FIAT SCUDO (270\_)

**OE**  
1311930080  
503816  
503868  
503869  
5038F1  
9405038689

Fitting Position: Left  
Fitting Position: Upper Front Axle  
Specification: SENZA CUSCINETTO VOL  
Standard: attacco ammortizzat.

### SMA0522S

#### Strut Mount



CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

**OE**  
1374667080  
1375164080  
1612735980

Fitting Position: Front Axle Right  
Height 1 [mm]: 103  
Outer Diameter 1 [mm]: 150

### SMA0523S

#### Strut Mount



CITROEN JUMPER Autobus  
CITROEN JUMPER Furgonato  
CITROEN JUMPER Pianale piatto/Telaio  
FIAT DUCATO Autobus (250)  
FIAT DUCATO Furgonato (250)  
FIAT DUCATO Pianale piatto/Telaio (250)

**OE**  
1374666080  
1375165080  
1612736180

Fitting Position: Front Axle Left  
Height 1 [mm]: 103  
Outer Diameter 1 [mm]: 150

### SMA0527S

#### Strut Mount



FORD GALAXY (WA6)  
FORD MONDEO IV (BA7)  
FORD MONDEO IV Tre volumi (BA7)  
FORD MONDEO IV Turnier (BA7)  
FORD S-MAX (WA6)  
VOLVO S60 II

**OE**  
1381836  
1406414  
1441597  
31317464  
31340242  
31340606

Fitting Position: Front Axle Left  
Fitting Position: Front Axle Right  
Standard: attacco ammortizzato  
Supplementary Article/Supplementary Info 2:  
Without bearing(s)

## Mounting

### SMA0529S

#### Strut Mount



FORD MONDEO III (B5Y)  
FORD MONDEO III Station wagon (BWY)  
FORD MONDEO III Tre volumi (B4Y)

#### OE

1117734  
1122893  
4386426  
4609099

Fitting Position: Upper Front Axle  
Standard: attacco ammortizzato

### SMA0531S

#### Strut Mount



FORD GALAXY  
FORD GALAXY MK III VAN (CK)  
FORD S-MAX

#### OE

1877563  
E1GC-3K155-AXB

Fitting Position: Front Axle Left  
Fitting Position: Front Axle Right  
Inner Diameter [mm]: 14,2  
Supplementary Article/Supplementary Info 2:  
Without friction bearing

### SMA0532S

#### Strut Mount



FORD FIESTA VII  
FORD FIESTA VII Van

#### OE

2086244  
2329197  
H1BC3K155AB  
H1BC3K155AC

### SMA0535S

#### Strut Mount



MERCEDES-BENZ VITO Autobus (638)  
MERCEDES-BENZ VITO Furgonato (638)

#### OE

6393230120  
6393230420  
6393230520

Fitting Position: Upper Front Axle  
Standard: ATTACCO AMMORTIZZAT.

### SMA0537S

#### Strut Mount



MERCEDES-BENZ CLASSE E (W211)

#### OE

2113200026

Fitting Position: Upper Front Axle

## Mounting

### SMA0538S

#### Strut Mount



CHEVROLET CAPTIVA (C100, C140)  
OPEL ANTARA

**OE**  
4813836  
96863981

Fitting Position: Upper Front Axle

### SMA0539S

#### Strut Mount



CITROEN BERLINGO (MF)  
CITROEN BERLINGO Furgonato (M\_)  
CITROEN XSARA (N1)  
CITROEN XSARA Break (N2)  
CITROEN XSARA Coupe (N0)  
CITROEN XSARA PICASSO (N68)

**OE**  
503821  
503822  
503824  
503862

Fitting Position: Upper Front Axle  
Standard: attacco ammortizzato

### SMA0540

#### Strut Mount



PEUGEOT 308 (4A\_, 4C\_)  
PEUGEOT 308 CC  
PEUGEOT 308 SW

**OE**  
514248

Fitting Position: Rear Axle Upper  
Standard: ATTACCO AMMORTIZZAT.

### SMA0544S

#### Strut Mount



CITROEN JUMPY  
CITROEN JUMPY Furgonato  
CITROEN JUMPY Pianale piatto/Telaio  
CITROEN SPACETOURER  
FIAT SCUDO Autobus  
FIAT SCUDO Furgonato

**OE**  
98 055 199 80  
9805519980  
SU001-A6619  
SU001A6619  
SU001A6620

Fitting Position: Front Axle Left  
Fitting Position: Front Axle Right  
Inner Diameter [mm]: 14  
Material: Steel Elastomer  
Supplementary Article/Supplementary Info 2:  
Without ball bearing

### SMA0545S

#### Strut Mount



RENAULT KANGOO / GRAND KANGOO (KW0/1\_)  
RENAULT KANGOO Express (FW0/1\_)

**OE**  
8200591283

Fitting Position: Front Axle left and right  
Fitting Position: Upper Front Axle  
Standard: attacco ammortizzato

## Mounting

### SMA0546S

#### Strut Mount



RENAULT CLIO Grandtour IV  
RENAULT TWINGO III  
SMART FORFOUR 2 volumi /Coda spiovente (453)  
SMART FORTWO Coupé (453)

#### OE

4533200173  
543020218R  
543A02905R

Fitting Position: Front

### SMA0550

#### Strut Mount



SKODA SUPERB (3U4)  
VW PASSAT (3B3)

#### OE

3B0513353

Fitting Position: Rear Axle left and right

### SMA0551S

#### Strut Mount



MERCEDES-BENZ CLASSE A (W169)  
MERCEDES-BENZ CLASSE B (W245)

#### OE

1693200073

Fitting Position: Upper Front Axle  
Standard: ATTACCO AMMORTIZZAT.

### SMA0552S

#### Strut Mount



CITROEN BERLINGO Furgonato (K9)  
CITROEN C4 Grand Picasso II  
CITROEN C4 Picasso II  
CITROEN C5 AIRCROSS  
DS DS 7 Crossback (J\_)  
PEUGEOT 3008 SUV

#### OE

9800479780

Fitting Position: Upper  
Standard: attacco ammortizzato  
Standard: tassello

### 111-02-2052L

#### Tie Rod End



TOYOTA MR 2 II (SW2\_)

#### OE

4504719075

Cone Size [mm]: 12,6  
Fitting Position: Front Axle Left  
Length [mm]: 150  
Paired article numbers: 111-02-2052R  
Paired article numbers: 1112052R  
Paired article numbers: TI-2052R  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

## Mounting

### 111-02-2052R

#### Tie Rod End



TOYOTA MR 2 II (SW2\_)

**OE**  
4504619195

Cone Size [mm]: 12,6  
Fitting Position: Front Axle Right  
Length [mm]: 150  
Paired article numbers: 111-02-2052L  
Paired article numbers: 1112052L  
Paired article numbers: TI-2052L  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

### 111-02-2053L

#### Tie Rod End



TOYOTA LAND CRUISER (VDJ20\_, UZJ20\_)  
TOYOTA LAND CRUISER V8

**OE**  
4504769145  
4504769146

Cone Size [mm]: 18,2  
Fitting Position: Front Axle Left  
Length [mm]: 180  
Paired article numbers: 111-02-2053R  
Paired article numbers: 1112053R  
Paired article numbers: TI-2053R  
Thread Measurement 1: MM16X1,5R  
Thread Size: FM22X1,5R

### 111-02-2053R

#### Tie Rod End



TOYOTA LAND CRUISER (VDJ20\_, UZJ20\_)  
TOYOTA LAND CRUISER V8

**OE**  
4504669235  
4504669236

Cone Size [mm]: 18,2  
Fitting Position: Front Axle Right  
Length [mm]: 180  
Paired article numbers: 111-02-2053L  
Paired article numbers: 1112053L  
Paired article numbers: TI-2053L  
Thread Measurement 1: MM16X1,5R  
Thread Size: FM22X1,5R

### 111-02-2055

#### Tie Rod End



SUZUKI ACROSS (A5Z\_)  
TOYOTA RAV 4 V (\_A5\_)  
TOYOTA RAV 4 V VAN (\_A5\_, \_H5\_)

**OE**  
4546049095  
T454604909500

Cone Size [mm]: 13,6  
Fitting Position: Front Axle  
Length [mm]: 103  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM15X1,5R

### 111-02-2057L

#### Tie Rod End



TOYOTA CAMRY Tre volumi (AVV5\_, XV5\_)

**OE**  
4547039345

Cone Size [mm]: 13,6  
Fitting Position: Front Axle Left  
Length [mm]: 208  
Paired article numbers: 111-02-2057R  
Paired article numbers: 1112057R  
Paired article numbers: TI-2057R  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM15X1,5R

## Mounting

### 111-03-372

#### Tie Rod End



MAZDA CX-3 (DK)

**OE**  
D10E32280

Cone Size [mm]: 12,7  
Fitting Position: Front Axle  
Length [mm]: 147  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

### 111-03-373L

#### Tie Rod End



MAZDA 2 (DL, DJ)

**OE**  
DA6T32290

Cone Size [mm]: 12,6  
Fitting Position: Front Axle Left  
Length [mm]: 182  
Paired article numbers: 111-03-373R  
Paired article numbers: 111373R  
Paired article numbers: TI-373R  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

### 111-03-373R

#### Tie Rod End



MAZDA 2 (DL, DJ)

**OE**  
DA6T32280

Cone Size [mm]: 12,6  
Fitting Position: Front Axle Right  
Length [mm]: 182  
Paired article numbers: 111-03-373L  
Paired article numbers: 111373L  
Paired article numbers: TI-373L  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

### 111-03-375L

#### Tie Rod End



MAZDA 2 (DL, DJ)

**OE**  
DA8A32290

Cone Size [mm]: 12,7  
Fitting Position: Front Axle Left  
Length [mm]: 181  
Paired article numbers: 111-03-375R  
Paired article numbers: 111375R  
Paired article numbers: TI-375R  
Thread Measurement 1: MM12X1,5R  
Thread Size: FM14X1,5R

### 111-03-375R

#### Tie Rod End



MAZDA 2 (DL, DJ)

**OE**  
DA8A32280

Cone Size [mm]: 12,7  
Fitting Position: Front Axle Right  
Length [mm]: 181  
Paired article numbers: 111-03-375L  
Paired article numbers: 111375L  
Paired article numbers: TI-375L  
Thread Measurement 1: MM12X1,5R  
Thread Size: FM14X1,5R

## Mounting

### 111-03-381

#### Tie Rod End



FORD RANGER (ER, EQ)  
MAZDA BT-50 (CD, UN)

**OE**  
1454897  
6M343289AA  
UR5632280

Cone Size [mm]: 14,7  
Fitting Position: Front Axle  
Length [mm]: 85  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5L

### 111-04-443L

#### Tie Rod End



HONDA HR-V  
HONDA HR-V (RU)

**OE**  
53560T7J003

Cone Size [mm]: 13,8  
Fitting Position: Front Axle Left  
Length [mm]: 166  
Paired article numbers: 111-04-443R  
Paired article numbers: 111443R  
Paired article numbers: TI-443R  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

### 111-04-443R

#### Tie Rod End



HONDA HR-V  
HONDA HR-V (RU)

**OE**  
53540T7J003

Cone Size [mm]: 13,8  
Fitting Position: Front Axle Right  
Length [mm]: 166  
Paired article numbers: 111-04-443L  
Paired article numbers: 111443L  
Paired article numbers: TI-443L  
Thread Measurement 1: MM12X1,25R  
Thread Size: FM14X1,5R

### 111-04-444L

#### Tie Rod End



HONDA CIVIC X 2 volumi /Coda spiovente (FC\_, FK)

**OE**  
53560TBAA01

Cone Size [mm]: 14,3  
Fitting Position: Front Axle Left  
Length [mm]: 210  
Paired article numbers: 111-04-444R  
Paired article numbers: 111444R  
Paired article numbers: TI-444R  
Thread Measurement 1: MM14X1,5R  
Thread Size: FM14X1,5R

### 111-04-444R

#### Tie Rod End



HONDA CIVIC X 2 volumi /Coda spiovente (FC\_, FK)

**OE**  
53540TBAA01

Cone Size [mm]: 14,3  
Fitting Position: Front Axle Right  
Length [mm]: 210  
Paired article numbers: 111-04-444L  
Paired article numbers: 111444L  
Paired article numbers: TI-444L  
Thread Measurement 1: MM14X1,5R  
Thread Size: FM14X1,5R

## Mounting

### 111-04-445L

#### Tie Rod End



HONDA CR-V V (RW\_)

#### OE

53560TLAA01  
53560TLAA51

Cone Size [mm]: 14,5  
Fitting Position: Front Axle Left  
Length [mm]: 165  
Paired article numbers: 111-04-445R  
Paired article numbers: 111445R  
Paired article numbers: TI-445R  
Thread Measurement 1: MM12x1,25R  
Thread Size: FM14x1,5R

### 111-04-445R

#### Tie Rod End



HONDA CR-V V (RW\_)

#### OE

53540TLAA01  
53540TLAA51

Cone Size [mm]: 14,5  
Fitting Position: Front Axle Right  
Length [mm]: 165  
Paired article numbers: 111-04-445L  
Paired article numbers: 111445L  
Paired article numbers: TI-445L  
Thread Measurement 1: MM12x1,25R  
Thread Size: FM14x1,5R

### 111-07-704R

#### Tie Rod End



SUBARU FORESTER (SG)  
SUBARU FORESTER (SJ)  
SUBARU IMPREZA 2 volumi /Coda spiovente (GR, GH, G3)  
SUBARU IMPREZA Coupe (GFC)  
SUBARU IMPREZA Station wagon (GF)

#### OE

31320GA190  
34161 AL000

Fitted Diameter [mm]: 13  
Fitting Position: Right  
Inner Thread [mm]: 14 x 1,5  
Outer Thread 1 [mm]: 12 x 1,25  
Overall Height [mm]: 79  
Overall Length [mm]: 149  
Thread Length [mm]: 46

### 111-09-931L

#### Tie Rod End



JEEP CHEROKEE (KL)  
JEEP CHEROKEE VAN (KL)

#### OE

68224937AA  
68319182AA  
K68224937AA

Cone Size [mm]: 14,5  
Fitting Position: Front Axle Left  
Length [mm]: 94  
Paired article numbers: 111-09-931R  
Paired article numbers: 111932  
Paired article numbers: TI-931R  
Thread Measurement 1: MM12X1,5R  
Thread Size: FM16X1,5R

### 111-0K-K17L

#### Tie Rod End



HYUNDAI ACCENT Tre volumi (HC)  
HYUNDAI SOLARIS Tre volumi  
KIA RIO IV (YB)  
KIA RIO IV Hatchback Van (YB, SC, FB)  
KIA RIO IV Tre volumi (SC, FB)  
KIA STONIC (YB)

#### OE

56820H8000

Cone Size [mm]: 13,3  
Fitting Position: Front Axle Left  
Length [mm]: 122  
Paired article numbers: 111-0K-K17R  
Paired article numbers: 111K17R  
Paired article numbers: TI-K17R  
Thread Measurement 1: MM10X1,25R  
Thread Size: FM14X1,5R

## Mounting

**111-0K-K17R**

**Tie Rod End**



HYUNDAI ACCENT Tre volumi (HC)  
HYUNDAI SOLARIS Tre volumi  
KIA RIO IV (YB)  
KIA RIO IV Hatchback Van (YB, SC, FB)  
KIA RIO IV Tre volumi (SC, FB)  
KIA STONIC (YB)

**OE**  
56825H8000

Cone Size [mm]: 13,3  
Fitting Position: Front Axle Right  
Length [mm]: 122  
Paired article numbers: 111-0K-K17L  
Paired article numbers: 111K17L  
Paired article numbers: TI-K17L  
Thread Measurement 1: MM10X1,25R  
Thread Size: FM14X1,5R